# AVIATION WEEK

A McGRAW-HILL PUBLICATION

JUNE 9, 1952

50 CENTS



## *Gas Turbine Thermocouples by* BG




Engineered, developed and produced to meet the exacting requirements of gas turbine engines, BG thermocouples provide maximum performance and durability.

The exceptional performance of these thermocouples in military aircraft is further evidence that in aviation there is NO substitute for BG quality.

For information on these and other BG products write to

THE BG CORPORATION

336 WEST 52nd STREET, NEW YORK 19, N. Y.

The Aircraft: Lockheed F-94
The Engine: Pratt & Whitney Aircraft J-48 Jet
Fuel Metering: Holley Turbine Control

For More Than Half A Century Original Equipment Manufacturers For The Automotive And Aircraft Industries

HOLLEY Carburetor Co. DETROIT 4

A-13

# NO BLIND SPOTS
# NO FALSE ALARMS




## New **KIDDE** Continuous Detector Warns of Fire in **3** Seconds!

The secret of the new Kidde Fire Detector is in the ceramic insulation of the two small Inconel conductor wires. Encased in a thin-wall Inconel tube, they form the continuous fire-sensing element that encircles the power plant.

At normal temperatures, the ceramic resists the flow of current between conductor wires. Fire rapidly lowers the resistance of the ceramic, permits a flow of current, thus actuating the alarm.

When the fire is out, the resistance of the ceramic is restored and the alarm shuts off. No manual operation is necessary for resetting. The complete detecting system can be readily tested in flight by depressing a test switch on the instrument panel.

Write today for full information about Kidde's latest development in aircraft fire detection.

- INDICATES "FIRE OUT" IN 15 SECONDS
- RESETS AUTOMATICALLY

**Kidde**

**Walter Kidde & Company, Inc.,**
**618 Main Street, Belleville 9, N. J.**
**Walter Kidde & Company of Canada, Ltd., Montreal, P. Q.**

# BERTH OF IDEAS ...

## FOR WIDE-AWAKE AIRLINES PLANNING SLEEPER SERVICE!

Aware of an emphasis on sleeper service planning by many leading airlines, and with a true desire to keep up with all airline developments, we apportioned top engineering talent and the time needed to investigate sleeper service and berth requirements.



After extensive research and experimental efforts we found the way to produce an airline berth that is lighter, stronger, more economical to install and service, plus improved comfort and handling ease. The final result is an airline berth that has all these feature qualities – and we are proud to place the famous TECO name tag on our latest – the TECO Model 320 airline berth!

First to recognize the advanced features of the TECO berth, and presently installing them, is Trans World Airlines in their new Super Constellation luxury fleet. Like the famous line of TECO airline seats that have earned a position of leadership you can depend on the TECO Model 320 berth to live up to highest standards.

**For specific information on the TECO 320 berth, write: Transport Equipment Co., 2501 North Ontario Street, Burbank, California.**

manufactured by
**TRANSPORT EQUIPMENT CO.**
Burbank • California

REPRESENTED IN CANADA BY:
RAILWAY & POWER ENGINEERING CORPORATION
LIMITED • 3745 St. James Street • Montreal 30, P. Q.



# Aviation Week

ABP Member ABC

**Volume 56** **June 9, 1952** **Number 23**



### Headline News

3 Plants Push Supersonic Bomber....13
B-36 Crash Summary....13
Fewer Accidents . . . Worse Results....14
CAA Prop Reversal Proposal....14
Convair's DC-3 Replacement....15
Italy Set to Buy Training Planes....15
Fuel, MiGs Worry USAFE....16
Braniff, MCA May Be First Merged....18
Increased NACA Program Out....18
Intensive Missile Research Need....18

### Aeronautical Engineering

Rocket Model in Windtunnel Work..21

### Production

Ceramics for Jet Use in Production..30
Multi-Use Grinder Tilts, Turns....38
Certificates of Necessity....38

### Avionics

Transistors, Mag-Amps at IRE....41

### Equipment

Jet Heat Exchangers Made Lighter..58

### Financial

PAA Gross Reaches All-Time Peak....64

### Air Transport

U. S. Switches to Knots July 1....67
Three Firms Build ATA Omnis....68
Cabotage Privileges in Germany....68
AF Transport Reserve Program....69
Robinson's Case for Renewal....69
Big Pay Constellation....70

### Editorial

The Air Force Finds Its Voice....82

### Departments

News Digest....7
Aviation Calendar....8
Picture Page....9
Who's Where....11
Industry Observer....11
Washington Roundup....12
Strictly Personal....80
Thrust & Drag....25
What's New....57
New Aviation Products....61
Also on the Market....62
Shortlines....72
So They Tell Us....80


**42,015 copies of this issue printed**


Robert H. Wood
EDITOR

Merlin H. Mickel ..... MANAGING EDITOR

William Kroger ..... Assistant Managing Editor
Alexander McSurely ..... Assistant Managing Editor
Irving Stone ..... Technical Editor
Ben Lee ..... Military Editor
G. L. Christian III ..... Equipment & Maintenance
David A. Anderton ..... Engineering Editor
F. Lee Moore ..... Transport

Katherine Johnsen ..... Congress
Philip Klass ..... Avionics
Henry Lefer ..... News Desk
A. W. Bentz ..... News Desk
Scott H. Reiniger ..... Editorial Assistant
Victoria Giaculli ..... Editorial Assistant
Erwin J. Bulban ..... Special Assignments

Leo T. Tarpey ..... Editorial Makeup

*Editorial Offices*: 330 West 42nd St., New York 36, N. Y. Phone Longacre 4-3000, or (night) 4-3035; National Press Bldg., Washington 4, D. C. Phone National 3114.

*Domestic News Bureaus*: Atlanta 3, 1321 Rhodes-Haverty Bldg.; Chicago 11, 520 N. Michigan Ave.; Cleveland 15, Hanna Bldg.; Detroit 26, Penobscot Bldg.; Los Angeles 17, 1111 Wilshire Blvd.; San Francisco 4, 68 Post St.; Houston, 514 South St. *Correspondents* in more than 60 major cities.

*Foreign News Bureaus*: London, Paris, Frankfurt, Tokyo, Bombay, Melbourne, Rio de Janeiro, Mexico City. *Correspondents* in more than 59 major cities.

Aviation Week is served by PRESS ASSOCIATION, INC., a subsidiary of Associated Press.

Robert F. Boger
PUBLISHER

R. W. Martin, Jr., *Advertising Sales Manager*; J. G. Johnson, *Business Manager*; Mary Kiernan, *Research and Marketing*; Sales Representatives: J. C. Anthony, New York; H. P. Johnson, Cleveland; L. J. Biel, Chicago; W. E. Donnell, St. Louis; E. P. Blanchard, Jr., Boston; James Cash, Dallas; R. C. Maultsby, Atlanta; R. F. Dorland Jr., San Francisco; C. F. McReynolds, Los Angeles; W. S. Hessey, Philadelphia. Other sales offices in Pittsburgh, Detroit, London.

June 9, 1952 AVIATION WEEK Vol. 56—No. 23
Member ABC and ABP

Published weekly by McGraw-Hill Publishing Company, Inc., James H. McGraw (1860-1948), Founder. Publication Office: 99-129 North Broadway, Albany 1, N. Y.
Executive, Editorial and Advertising Offices: McGraw-Hill Building, 330 W. 42nd St., New York 36, N. Y. Curtis W. McGraw, President; Willard Chevalier, Executive Vice-President; Joseph A. Gerardi, Vice-President and Treasurer; John J. Cooke, Secretary; Paul Montgomery, Senior Vice-President, Publication Division; Ralph B. Smith, Editorial Director; Nelson Bond, Vice-President and Director of Advertising; J. E. Blackburn, Jr., Vice-President and Director of Circulation.
Subscriptions: Address correspondence to AVIATION WEEK—Subscription Service, 99-129 North Broadway, Albany 1, N. Y., or 330 W. 42nd St., New York 36, N. Y. Allow ten days for change of address.
Subscriptions are solicited only from persons having a commercial or professional interest in aviation. Position and company connection must be indicated on subscription orders.
Single copies 50¢. Subscription rates—United States and possessions, $6 a year; $9 for two years; $12 for three years. Canada, $8 a year; $12 for two years; $16 for three years; payable in Canadian currency at par; other Western Hemisphere, $10 a year; $16 for two years; $22 for three years. All other countries $20 a year; $30 for two years; $40 for three years. Entered as second class matter, July 16, 1947, at the Post Office at Albany, N. Y. under Act of Mar. 3, 1879. Printed in U. S. A.


Copyright 1952 by McGraw-Hill Publishing Co., Inc.—All Rights Reserved. Cable address: "McGraw Hill New York." Publications combined with AVIATION WEEK are AVIATION, AVIATION NEWS, AIR TRANSPORT, AERONAUTICAL ENGINEERING and AIRCRAFT JOURNAL. All rights to these names are reserved by McGraw-Hill Publishing Co.

# 40 Years of Air Progress!



(North American Aviation Photo by Phil Stern)

## Billy Parker

. . . flight pioneer and president of the "Early Birds", skims smoothly along in his antique pusher plane over Luke Field, Arizona. An F-86 Sabre Jet whistles close by, providing dramatic photographic evidence of aviation's progress through the years.

Think of all that has happened in aviation from the time Billy Parker first took to the air, until the advent of the U. S. Air Force's powerful new North American F-86 Sabre Jet! Billy Parker's plane was hand-built all the way. But it took thousands of people and machines . . . technicians, engineers—men skilled in hundreds of crafts . . . to design, manufacture and assemble the Sabre's 500,000 parts. Yes, and experience with fuels and lubricants too!

A pioneer in this field of special aviation gasolines and lubricants, Phillips Petroleum Company is today one of the country's largest producers of aviation fuels for military and commercial use. As the new designs in turbo-props and jet engines are announced—Phillips is ready with new fuels to power them. In addition Phillips supplies tremendous quantities of 115/145 grade aviation gasoline. For dependable, top-performing aviation fuels look to Phillips.

Phillips 66

**AVIATION PRODUCTS**

# SILASTIC* stays elastic ...in oven heat or arctic cold

Here are just three examples of how Silastic is being used to improve products and to cut production and maintenance costs.

Such applications are practical because Silastic is the only kind of rubbery material that retains its physical and dielectric properties at temperature extremes ranging from —100° to over 500° F. It is most serviceable as a gasketing material at both high and low temperatures and in contact with hot oil.

It is the only resilient insulating material that is not damaged by long exposure to the heat generated in overloaded traction motors. It gives long and reliable service as an insulating material for Navy control cable and for ignition cable in aircraft and ordnance vehicles. Silastic also repels water, and shows remarkable resistance to oxidation and to outdoor weathering.

Silastic has properties that may easily suggest some sales-making ideas or cure a production headache for you. Mail coupon today for new data on the properties, performance and applications for all Silastic stocks.



**Silastic seals and gaskets are used to seal steam chambers in domestic steam irons because Silastic is insoluble in water, odorless, stainless and resilient at operating temperatures ranging up to 500° F. Life testing and field experience indicate that Silastic seals will retain their resilience for the normal service life of the iron.**

Photo courtesy Rival Manufacturing Co.



**All connections in aircraft antennae used to be individually spliced and taped. That tedious task has been eliminated, and static and corona discharge have been reduced by as much as 90% through the use of "Anstat" fittings equipped with Silastic seals. These seals retain their dielectric properties and exclude moisture and dust after long exposure to outdoor weathering and to the full range of ground and stratospheric temperatures.**

Photo courtesy Fredric Flader, Inc.

**Silastic pads and rollers are frequently used to apply pressure in heat sealing equipment. In this machine, for example, a Silastic ring is used to band cosmetic containers with a ribbon of gold leaf. It remains resilient and nonadhesive after long periods of service at surface temperatures above 400° F.**

Photo courtesy Elden Manufacturing Co.

**DOW CORNING CORPORATION**
**Dept. No. D-18, Midland, Michigan**

- ☐ Silastic Facts No. 10 on properties and performance.
- ☐ List of Silastic Fabricators.

Name_____

Title_____

Company_____

Address_____

City_____ Zone____ State_____

*T. M. Reg. U.S. Patent Office

DOW CORNING SILICONES

**DOW CORNING CORPORATION**
MIDLAND, MICHIGAN

Atlanta • Chicago • Cleveland • Dallas • New York • Los Angeles • Washington, D. C.
In Canada: Fiberglas Canada Ltd., Toronto • In England: Midland Silicones Ltd., London

# NEWS DIGEST

## Domestic

**Air Coordinating Committee** has approved CAB-requested priorities for production of 40 more transports ordered in the last quarter: UAL—25 Douglas DC-7s and 10 Convair 340s; PAA—3 DC-6As; Panagra—2 DC-6Bs (Panagra now has four DC-6Bs on order). This brings total airliner orders to 424 planes for delivery in the next 30 months.

**Airlines restored cut schedules** June 2 following a month of curtailment resulting from oil strikes. All the figures aren't in on resultant losses, but PAA, for example, estimates that cancelations during last two weeks in May cost it about $800,000.

**Promotions to four-star rank** of Lt. Gen. Lauris Norstad, commanding USAF in Europe, and Otto P. Weyland, commanding Far East Air Forces, Tokyo, have been recommended by President Truman.

**Alma Quisenberry**, most recently administrative assistant in BuAer's Office of Public Information, retired May 31 after 34 years' association with Naval Aviation. In 1946 she received the Navy Civilian Meritorious Award.

**J. E. Warren** is new deputy chief of Petroleum Administration for Defense, succeeding Bruce K. Brown. Warren has 30 years of experience in oil production.

**High school course** steering students toward technical aviation careers is being promoted by CAA. Administrator Charles Horne cites industry need for electronics and aeronautical engineers.

**Harry M. Chase**, president of Harry M. Chase, Inc., operator of Executive Aircraft Service, Dallas, died May 21 in Denton, Tex. Chase was active in aviation for 23 years.

**Utility Airplane Council** is new title of Aircraft Industry Assn.'s Personal Aircraft Council. AIA feels new name better describes today's non-transport plane trend, will also have more impact in dealing with government agencies.

**Official federal certification** has been given TWA's ten Lockheed Super Constellations. They differ from previously certified Super Connies ordered by Eastern Air Lines in getting 8% more power from C18-CB Wright engines, 327 mph. cruising speed, additional 730-gal. fuel tank in wing center section, long-range navigation equipment and Hughes terrain warning indicator.

**TINY STUNTPLANE with wingspan of but 7 ft. 2 in. and length of 9 ft. 10 in. is examined by designer-builders Ray Stits (left) and Bob Starr prior to first flight May 26 at Palm Springs Airport, Calif. Powered by an 85-hp. Continental, souped up to 112 hp. the plane hit 145 mph. on flight. It took a year to build, cost was $2,800.**

**Andrew Berding**, former Associated Press bureau chief in Rome and later Special Assistant on Public Relations to the Director of Mutual Security Agency in Washington, is slated to become Director of Public Relations, Department of Defense, replacing Clayton Fritchey, who vacated that post last week to become Special Assistant to President Truman. Fritchey said his assignment would not overlap activities of Press Secretary Joseph Short. Lt. Col. F. Clarke Newlon, USAF, until recently military deputy to Fritchey, has been given a European assignment.

## Financial

**Jack & Heintz, Inc.**, Cleveland, had $3 million in billings during April. Backlog is now $52 million.

**Garrett Corp.**, Los Angeles, has declared a 40-cent quarterly dividend payable June 25 to holders of record on June 10.

**Flying Tiger Line** reports gross revenues of $16,281,589 for the nine-month period ending Mar. 31, a 48% gain over last year. Net profit after taxes was $1,174,395.

## International

**John Paul Barringer**, director of the U. S. State Dept.'s Office of Transport and Communications Policy, has been elected president of the sixth assembly of the International Civil Aviation Organization. Vice presidents elected were Col. B. M. Amarante of Brazil, A. Kofoed-Hansen of Iceland, Dr. R. Sugoto of Indonesia and E. Bisang, Switzerland.

**Two delta-wing trainers** reportedly are being built by A. V. Roe & Co., Ltd. They apparently are based on the Gloster G.A. 5 twin-Sapphire all-weather fighter. Avro has delivered 11,020th and final Anson, production of which began in 1935.

**Ansett Airways, Australia**, was scheduled to start flying boat service May 31 using two Short Sandringhams and several Convair Catalinas.

**European aircoach** service will begin in the spring, 1953, if governments concerned ratify agreements concluded at a Buenos Aires meeting of the International Air Transport Assn. Service will operate between points in Belgium, The Netherlands, France, Switzerland, Germany, Italy, Austria and the United Kingdom. Daytime coach rates will be 20-25% cheaper than first-class rates, night rates will be 33-38% cheaper.

**Canadian Dept. of Defense Production** has placed orders for $3,029,000 with Canadian firms for aircraft parts, spares, and overhaul work during period Mar. 16-Apr. 15. Bristol Aeroplane Engines (Eastern) Ltd., Montreal, received largest single contract, covering engine maintenance and overhaul.

*standard of the aircraft industry*



**FAST, SAFE AND SURE!**

**3H safety clamps are easy to apply**

For faster, better, more efficient fabrication of sheet metal riveted and welded sections, as well as other applications, 3H Safety Clamps and applying tools are the overwhelming favorite with major aircraft plants. They are easy to apply and remove, hold securely under all conditions, withstand hard usage and offer a maximum of safety.

Since the start of World War II literally millions of 3H Safety Clamps have been used in aircraft production. They have been constantly improved and new types developed for specific purposes. The present 3H line is comprised of several basic types (shown below) with sizes to fit various size drill holes and thicknesses of material. Or, Monogram engineers will develop special clamps for your unusual requirements. Write today for catalog.

## AVIATION CALENDAR

**June 9-13**—National Fire Protection Assn. annual meeting, aviation seminar on June 10, Hotel Statler, New York.

**June 15-19**—American Society of Mechanical Engineers, semi-annual meeting, Sheraton-Gibson Hotel, Cincinnati.

**June 16-17**—Aviation Distributors and Manufacturers Assn., mid-year meeting, The Grand Hotel, Mackinac Is., Michigan.

**June 17-19**—Aircraft Trade Shows international exhibit of aircraft parts and equipment, Hotel Park Sheraton, New York.

**June 19-21**—American Society of Mechanical Engineers symposium on shock and vibration instrumentation, Pennsylvania State College, Pa.

**June 23-27**—American Society for Testing Materials 50th anniversary meeting, Statler and New Yorker Hotels, New York.

**June 24-26**—Ignition and engine analyzer conference, sponsored by Scintilla Magneto division, Bendix Aviation Corp., Sydney, N. Y.

**July 1-3**—American Meteorological Society national meeting, including joint session with the Institute of the Aeronautical Sciences, Hotel Statler, Buffalo, N. Y.

**July 2-5**—Northeastern States Soaring Meet, Elmira, N. Y.

**July 4-9**—Ninety-Nines all-woman transcontinental air race from Santa Ana, Calif., to Teterboro, N. J.

**July 8-12**—Aviation Writers Assn. annual convention, Ambassador Hotel, Los Angeles.

**July 14**—Regional air safety forum sponsored by Corporation Aircraft Owners Assn. (St. Louis div.) and CAA, topic to be "Weather Flying", Kratz Airport, St. Louis.

**July 16-18**—Institute of the Aeronautical Sciences annual summer meeting, IAS Western Headquarters Building, Los Angeles.

**July 18-20**—Woman Flyers of America national convention, Chattanooga, Tenn.

**July 25-26**—Silver anniversary celebration, Parks College of Aeronautical Technology, Parks Airport, East St. Louis, Ill.

**July 30-31**—University Aviation Assn. fifth annual meeting, Ball State Teachers College, Muncie, Ind.

**Sept. 1-7**—Society of British Aircraft Constructors annual display, Farnborough, England.

**Sept. 15-19**—International Air Transport Assn., eighth annual general meeting, Geneva, Switzerland.

### PICTURE CREDITS

7—Los Angeles Times; 9—(top) Kaiser-Frazer; (center) Fairchild; (bottom) Hughes Aircraft; 16—McGraw-Hill World News; 17—Howard Levy; 21, 22, 24—USN-BuAer; 25—Levy-Hansen; 41—(top, right) Bell Telephone Labs., Inc.; 54—USN; 58, 60—Trane Co.

# U. S. Aircraft In the News



KNOW YOUR PACKETS—First flight view of the new Fairchild C-119H (right) affords an interesting comparison with the Kaiser-Frazer-built C-119F (above), shown after takeoff from Willow Run. Although the two have a common forebear, the C-119H is virtually a new airplane, with larger wing, new tail and landing gear, and Wright R3350-30W compound engines. Span is 148 ft. compared with the C's 109 ft. All fuel is carried in the large, external underwing pods. It has greater cargo capacity (27,200 lb. vs. 10,000 lb.).

HUGHES "FLYING CRANE" READY FOR TRIALS—World's largest known helicopter, the Hughes XH-17, is shown after rollout at Culver City, Calif. Now complete, including tailboom with anti-torque rotor, the XH-17 will undergo tiedown trials before flight. Two General Electric turbojets feed thrust through the rotor shaft and out along the 100-ft.-diameter blades to the tips.

# THIS YOKE...

## for jet engine condensate drainage is a result of *Flexonics Engineering*

Among the many complicated aircraft components fabricated by Flexonics Corporation is the condensate drainage yoke illustrated above. The purpose of the yoke is to drain unused fuel that has condensed after a shut down of the power plant.

It's an intricate device, combining flexible stainless steel hose, stainless steel tubing and special connections. Flexonics engineering makes it possible to manufacture these yokes on a production basis to rigid specifications.

Other aircraft components manufactured by Flexonics Corporation include hose of all descriptions, bellows, oil and fuel lines, ducting and connectors of all types and many special assemblies. We would welcome the opportunity to discuss your requirements with you. For recommendations send an outline of your needs.

**Flexonics** *Corporation* **AIRCRAFT DIVISION**
**1302 S. THIRD AVENUE · MAYWOOD, ILLINOIS**

**FORMERLY CHICAGO METAL HOSE CORPORATION**

Flexon identifies products of Flexonics Corporation that have served industry for over 30 years.

Manufacturers of Convoluted and Corrugated Flexible Metal Hose in a Variety of Metals • Expansion Joints for Piping Systems • Stainless Steel and Brass Bellows • Flexible Metal Conduit and Armor • Assemblies of These Components

**In Canada: Flexonics Corporation of Canada, Ltd., Brampton, Ontario**

# WHO'S WHERE

## In the Front Office

**Donald A. Duff** has joined Wisconsin Central Airlines as executive vice president-general manager. Duff, who has held a number of executive airline positions, previously was with Colonial Airlines.

**Donald O. Severson** has resigned as vice president-manager of operations for L. Bamberger & Co., Newark, N. J., to accept a vice presidency with R. M. Hollingshead Corp., Camden, N. J., where he will direct sales and merchandising.

**Carl C. Nelson** has been named vice president in charge of manufacturing, purchasing and engineering for Meletron Corp., Los Angeles, makers of instruments for aircraft powerplants and equipment. He previously was a design engineer for Westinghouse. **H. C. Stolee** has been appointed assistant to the president of the Meletron organization.

## Changes

**Lewis P. Brown** has been named manager of Air Associates Aviation Supplies division's Miami branch.

**Dr. T. J. Jaramillo** has returned to the Engineering Mechanics division of Armour Research Foundation of Illinois Institute of Technology as senior scientist.

**G. J. (Gerry) McCaul** has been promoted to general contracts manager for Simmonds Aerocessories, Inc., Tarrytown, N. Y.

**Robert Lang** has been made contracts administrator for Western Sky Industries, Oakland.

**Emmett (Zeke) Evans** has been named director of interline development for Central Airlines. **Richard T. Dominiak** has been promoted to director of sales for the carrier, replacing **W. Robert England**, resigned.

**Gilbert C. Philiba** has been designated airfreight representative in New York by Swissair.

## What They're Doing

**Christopher Dykes**, formerly chief engineer (development) of BOAC, has established himself as a consulting aviation engineer specializing in air transport problems such as those involving selection of new equipment.

**William S. Holloway** is resigning June 13 as manager of Honolulu International Airport.

## Honors and Elections

**John A. Cunningham**, Mid-Continent Airlines vice president-operations, has been elected president of the operations conference of the Air Transport Assn.

**Edmond M. Hanrahan** has been elected a director of Colonial Airlines. He is a partner of the law firm, Sullivan, Donovan, Heenehan and Hanrahan.

**Arthur E. A. Mueller**, Wisconsin industrialist, has been named chairman of the board of Wisconsin Central Airlines.

# INDUSTRY OBSERVER

**►USAF is testing a new machine gun which can fire up to 5,000 rounds per minute. Weapon is for use on bombers to give a much needed increase in firepower. The gun was developed by private industry under Army Ordnance contract and tests to date indicate it is extremely rugged and reliable.**

►Beech Aircraft Corp. plans to get into production of its Model 50 Twin Bonanza six-place executive plane about the first of next year, with initial rate of three planes a month being stepped up to about 15 a month by the end of 1953. Earlier planned production has been delayed due to tooling and other production difficulties.

**►Fact that two of USAF's hottest test pilots flew the Chance Vought Navy F7U-1 this spring at Dallas has given additional credence to reports that AF is interested in buying some of the later F7U-3 Cutlass planes for ground support missions. Air Force pilots who wrung out the F7U-1 were Col. F. J. Ascani and Lt. Col. R. H. Johnson, both world speed record holders in North American F-86 Sabres.**

►North American's F-86D interceptor is using the new General Electric electronic engine controls. These automatically regulate the nozzles, pressure and temperatures of the J47-17 engine and afterburner for maximum thrust and acceleration at any altitude and speed, relieving the pilot of monitoring many engine instruments.

**►Despite Air Force insistence that it fully favors jet transport development, the Air Force has pulled the two twin GE-J47 jet pods from under the Chase C-123A. Reason released by USAF was that the $500,000 plane had developed a fuel leak. Company officials are still unable to find the leak.**

►Pratt & Whitney commercial sales prospects for the R4360 Wasp Major are picking up with new consideration being given for its use in Douglas DC-7 by United Air Lines and other DC-7 prospective buyers. It is being marketed against the Wright Turbo-Cyclone R3350, with a sales argument that the Wasp Major is now delivering 3,500 hp. for takeoff and 1,800 hp. for cruising, which is what the compound Wright engine is designed to do. Either engine requires a major modification of the nacelle from that used for the present DC-6 powerplants, Pratt & Whitney R2800s.

**►While versions of the Pratt & Whitney turboprop T34 engine being purchased for installation in Navy's turboprop Super Constellation and USAF's turboprop are rated at 5,500 eshp., Navy spokesmen have forecast that eventually the engine will go up as high as 8,000 eshp. Initial engine ran at 5,700 eshp. and some versions now are rated at 6,000 eshp.**

►Hiller Helicopter has lightened its ramjet helicopter by installing skid landing gear in place of the original Hornet gear, and can operate it as a two-placer for short duration flights with the increased payload.

**►Recent reports brought back from Korea indicate North American F-86 Sabre fighters equipped with a new radar gunsight were knocking down eight times as many MiGs as other F-86s in their squadrons which were not yet so equipped. The radar automatically provides target range information to the gunsight computer (Aviation Week Feb. 25, p. 65).**

►Production prospects for Boeing's four-engine B-47C jet bomber are not bright. The first plane of the four-jet B-47 version has been ready for its engines at Wichita for quite some time, but still hasn't received them. And recently the Air Force quietly issued a "suspend" order on further expenditures on the four-jet plane. It still is on the long-term USAF program, but whether it will remain there depends on whether Air Force gets additional funds beyond the pared-down 1953 budget proposed by the House. Chances are good that USAF will forego the gains of range, etc., predicted for the B-47C and stick with the six-jet B-47s exclusively.

# Washington Roundup

## Steam Under Air Power

Outlook for air power funds is brightening because:

**Secretary for Air Thomas Finletter,** taking the offensive, is spelling out to congressmen just what cuts in funds mean in planes and striking air power. He's baring the record of the Administration's hold-down of Air Force expansion, heretofore kept "within the family," as well as protesting additional reductions in the USAF program by the House.

**Elder Statesman Bernard Baruch,** is actively campaigning to put the 143-wing USAF program back on an urgency basis and have it in being by the Joint Chiefs of Staff's target date—mid-1954. Administration program would put it off until 1955; House cuts, to 1956 or 1957. Determined, Baruch isn't leaving off with a public presentation to senators: Behind-the-scenes, he is putting spurs to Pentagon's top officialdom, inclined to accept stoically the slowdown in the air program. He reports: "I haven't left many of them unprotested."

**Senate Appropriations Committee,** heavily weighted with advocates of a quick buildup to a dominant air strength, is maneuvering to stave off cuts in air power funds on the Senate floor when the 1953 fiscal year military budget comes up for action in the near future.

Chairman of the Military Appropriations Subcommittee, Sen. Joseph O'Mahoney, is requesting that all cut proposals be submitted to his group for consideration. Reason cut proposals, pulled out of the hat at the last minute and offered on the Senate floor, succeeded last year was largely because the opposition, led by O'Mahoney, wasn't prepared effectively to refute them.

**House leadership,** which allowed the economizers to hold the reins in the House's field days of fund-slashing when the 1953 military budget was up, is now actively lining up the membership to support money for the 143-wing USAF program—if it is restored by the Senate, as expected.

Majority leader, Rep. John McCormack, warned on the House floor: "There is grave doubt as to whether this nation is in a position to control the air. Some believe that as a practical matter air superiority has actually passed to the Soviet Union. . . . The very existence of this doubt argues that we proceed with all the energy and resolution at our command to raise our air strength to a point where American primacy in the air will be re-established beyond peradventure of doubt."

**But the opposition hasn't vanished and there's still a fight ahead for air funds:**

**Economy bloc** in the House is blaming Air Force bungling—not lack of money—for U.S.'s decline over the postwar years in air dominance.

Hitting at USAF's early failure to recognize huge extrusion and forging presses as the "master key" to mass production of metal aircraft, Rep. H. R. Gross puts it:

"Production by this method is much faster, perhaps 25% or more, and much less expensive—an estimated billion dollars per 500 planes. But the great brains of the Pentagon did absolutely nothing about this key to production, which the Germans left for them on a silver platter and which the Russians quickly grasped to their bosoms, until the summer of 1951.

"The major reason the U.S. stands degraded as an air power is that the brass hats in the Pentagon permitted the U. S. to lose the battle of aircraft production in one of the most sickening exhibitions of mental on record. It seems impossible, but it happened—in spite of the $52 billion appropriated by Congress for USAF since 1945, including $1.5 billion for research and development."

Sen. Paul Douglas will lead the Senate drive for cutting military funds. Since "Who is the most for the most air power?" has become a presidential campaign issue, it isn't likely that moves specifically to cut back the 143-wing USAF program will carry in the Senate.

## Expert Confusion

Conflicting official reports continue to bolster congressional feeling that the defense experts really don't know what the score is on air power—but tailor the facts to suit the occasion. Example:

**John D. Small,** chairman of the Munitions Board: "We are still far behind Russia" in current warplane production, particularly of jet aircraft.

**Manly Fleischmann,** outgoing Defense Production Administrator: The production rate of jets "will catch up with the Russian effort by early 1953 and go ahead."

An informed estimate:

- **Jet fighters:** Russia has attained an annual rate of 6,000 of MiG-15 or improved types; U. S. F-86 production will approach 1,000 a year by the end of 1952.
- **Medium jet bombers:** Russia's annual rate approximates 750; 300 B-47's will come off the lines in 1953.

## Guns vs. Facilities

Skepticism is growing generally in Washington toward the emphasis on plant expansion in the Administration's mobilization program instead of guns, planes and tanks.

It was given a prod by Baruch, focusing attention on these points:

- If war were to break out, even obsolescent planes would be of some value. But no aggressor was ever stopped with blueprints for super planes and standby facilities.
- In a war with Russia, the volume, as well as the quality, of planes and weapons would hold the key to victory.

## Defense's Inconsistency

Senators, who for years have unsuccessfully urged and pleaded with the military to support a government-financed commercial prototype program, raised eyebrows at this official report on the matter by acting Defense Secretary William Foster:

"The Department of Defense has long recognized the necessity that the U.S. retain its position of leadership in the field of civil aviation and has consistently supported efforts to achieve such leadership. In keeping with that thought the department has supported and will continue the support of all programs established for that purpose."

It doesn't jibe with the January, 1950, report of ex-Secretary for Air Stuart Symington:

"Legislation providing for the expenditure of government funds for the development of prototype transport aircraft is not in accord with the program of the President. For this reason, the Department of Defense will not seek adoption of its program (for development of two low-cost, long-range cargo or transport aircraft) by the Congress and will not support any other bill which provides for prototype development at government expense."

—Katherine Johnsen

AVIATION WEEK VOL. 56, NO. 23
JUNE 9, 1952

# Three Plants Push Supersonic Bombers

- **New plane designs figure in heavy bomber study.**
- **And latest crash of B-36 may boost mediums.**

By Ben S. Lee

Designs of supersonic bombers, already well underway at Boeing, Douglas and Convair, plus mounting uneasiness over B-36 crashes, are spurring new studies of the size and type of USAF strategic bombers.

Arrival of the first bomber with a speed well over Mach 1.0 and altitude high above 50,000 ft. is still far away—the three companies hope their planes will be flying by 1958. But Convair and Boeing both are reported to be well along in adaptation of atomic engines to aircraft.

Latest crash of a Strategic Air Command Convair B-36 late last month once again cast a shadow over the giant bomber policy which has been the backbone of SAC since the days of World War II.

► **Large vs. Medium**—Air Force sources say the latest crash, which brought the loss toll to nine planes valued at more than $30 million and the death toll to 71, has resulted in renewed demands in Congress for a re-examination of the SAC mission and, more specifically, the relative merits of the intercontinental bomber vs. the smaller, shorter-ranged, but faster, medium B-47-type jet bombers and their attendant refuelers.

There has long been disagreement among informed quarters as to the ultimate combat value of the giant B-36 bomber. At the same time, there are few who deny that the B-36, with its 10,000-mi. range and 10,000-lb. bomb capacity, has had a definite deterring effect on any plans Russia may have.

► **Becoming Obsolete**—Many military strategists, however, feel that combat potential of this big bomber is dwindling rapidly as speeds and combat altitudes of jet (and soon-to-come rocket) interceptors continue to rise. In light of performance data of our own fighter types now in production and soon to be in production, the B-36 is rapidly becoming obsolete.

According to some advanced military thinking, even the latest experimental very-heavy jet bombers—the Convair YB-60 and the Boeing B-52—are being outdated before a firm first production contract is awarded to either manufacturer. Currently, Air Force thinking favors the B-52 over the sweptwing design progression of the B-36 to B-60 configuration, despite the fact both planes possess approximately the same performance specifications.

Probable reason for favorable consideration of the B-52 over the B-60 is that the B-52 is considered an "all-new" aircraft design and its speed and altitude performance may be increased with the introduction of later jet engines with higher and more economical thrust ratings than the Pratt & Whitney J57 engine now installed. The B-60, although its wings and tail have been swept, is still essentially the B-36 and its speed potential has peaked in this latest configuration with the use of J57 engines.

► **Decision Later**—A final decision will not be reached until later this month. But the expected victory of the B-52 will be short-lived, both industry and Air Force sources believe. Most informed quarters say that the present contemplated contracts will be finalized with Boeing being given a production contract of slightly more than 30 B-52s as indicated on Munitions Board schedule A-16. Additionally there is some consideration being given to con-

## B-36 Crash Summary

### 1952

**May 28**—Crashed and exploded at Carswell AFB, Tex. when right landing gear failed on landing run. Seven of 17 personnel aboard killed.

**April 15**—Crashed and exploded near Fairchild AFB, Spokane, Wash. Probably as a result of power failure of one or more right engines on takeoff. 15 of 17 personnel aboard killed.

**March 6**—Crashed and burned at Carswell AFB., Tex., on landing run when No. 2 engine caught fire. All but rear section of plane completely destroyed. 14 crewmen escaped unharmed.

**Jan. 29**—Crashed and burned at Fairchild AFB, Spokane, Wash., when plane undershot runway, belly-landed, and skidded into snowbank. Crew of 12 escaped unharmed.

### 1951

**May 6**—Crashed and burned at Kirtland AFB, N. M., when right wing tip touched ground during GCA landing in high gusty winds of blinding sandstorm. Pilot attempting to pull up in course correction resulted in damage to right jet engine pod and No. 6 and possibly No. 5 engine when wing touched down. All 23 crewmen aboard killed.

**April 27**—Vicinity of Carney, Okla., in-flight collision of B-36 and F-51 fighter on gunnery mission. Accident unavoidable on part of B-36. Findings indicate error in judgment of fighter pilot. Four B-36 crewmen parachuted to safety; 13 killed. Fighter pilot killed.

### 1950

**Nov. 22**—Crashed and burned near Cleburne, Tex., cause laid to failure of electronic control system of B-36 regulator operating fuel mixture to supercharger, spark gaps, etc. Finding indicated equipment operable, but that power system controlling equipment failed. Two fatalities.

**Feb. 14**—Crashed at sea off coast of British Columbia. Findings indicated severe carburetor chamber icing that resulted in backfire and fire in two engines. Twelve of 17 crewmen aboard escaped uninjured by parachute. Five were killed.

### 1949

**Sept. 15**—Crashed into Lake Worth on takeoff from Carswell AFB, Tex. Cause listed as "due to inexplicable reversing of two engine propellers." Exact findings for reversing of props is still classified. Plane completely destroyed. Five crewmen killed.

# Fewer Accidents . . . More Serious Results

Plagued by queries as to whether aircraft accident rates are climbing and as to whether latest planes in use are too complex with their myriads of electronic controls and weapon devices, Air Force is faced with questions it can answer only in generalities because of security. But the Air Force's safety director had some interesting statistics.

Maj. Gen. Victor Bertrandias, USAF Director of Flying Safety, said in an interview, "When we release other (specific) statistical information relative to our aircraft accidents, we are placing in the hands of the enemy tools which, with other information he has available, enable him to ascertain our attrition, readiness, state of training, status of maintenance and support effort, status of facilities or our capacity to sustain operations. These facts, which within themselves may seem unimportant, when placed with others, reveal highly classified information."

▶ **Crashes in General**—As a result, he pointed out, he was unable to discuss specifically the accident rate of the B-36 bomber. Discussing Air Force accident rates generally, however, he said:

"During the period 1947 through 1951, the Air Force has consistently experienced a decline in the rate of occurrence of major aircraft accidents (number of accidents per 100,000 flying hr.). During this same period, the occurrence of fatalities per 100,000 flying hr. has also declined—but not in proportion to the decline in the rate of major accidents.

"Although the frequency of fatal accidents per hour of flight has decreased, the result of any single major accident is apt to be more serious today than it ever was before. This is because of the fact that, with high-performance aircraft, impact speeds are greater. Also, the use of larger aircraft is becoming more extensive and greater numbers of passengers and crew members are exposed to injury when an accident occurs.

"During the period 1947 through 1951, the rate of occurrence of major aircraft accidents has declined 25%. During this same period, the number of major accidents experienced by the Air Force has increased 40%. However, the number of hours flown has increased 89%, which indicates that the accident hazard per hour of flight has decreased substantially."

▶ **Rate Decline**—"The fatality rate," Bertrandias continued, "declined 12% during the period 1947 through 1951. This decline has not been consistent during the period stated. In fact, the fatality rate for 1951 increased over 1949, although it decreased slightly from 1950 to 1951. The number of fatalities from 1947 to 1951 has increased by 74%. At the same time, the proportion of fatalities which occur in relation to the number of major accidents has increased. In 1947, there were 38 fatalities for every 100 major accidents. In 1951, there were 46 fatalities for every 100 major accidents.

"The rate of occurrence of fatal accidents (accidents in which there are one or more fatalities) has remained essentially constant during this period. The rates for both 1947 and 1951 were six fatal accidents for every 100,000 flying hours. However, the proportion of major accidents that result in death is approximately 30% higher today than five years ago. In 1947, 13 in every 100 major accidents involved a fatality or fatalities. In 1951, 17 of every 100 major accidents involved a fatality or fatalities.

"In short," he declared, "it is apparent that the vulnerability to aircraft accidents is lower today than it has ever been. However, if an individual is involved in a major accident, the probability of his being killed is greater today than in prior years."

version of the remaining B-36 aircraft on order to B-60 configuration.

Such a decision would be logical because the B-60 could be phased in sooner due to less stringent production and tooling problems. The B-52 would phase in as the B-60 contract phases out.

▶ **B-47 Importance**—Meanwhile, the Boeing B-47 program continues to grow in importance to Strategic Air Command.

With more than 1,000 B-47 aircraft on order, the complex problem of providing them with in-flight refueling mother ships becomes increasingly important. Air Force, faced with an eventual problem of providing considerable numbers of aerial refuelers for these fast B-47s, [illegible] still another plan for converting B-36 bombers as they are replaced in SAC combat wings by B-52s and/or B-60s and B-47s to refueling tankers.

## PanAm's DC-6As

The three all-cargo DC-6As bought by Pan American for trans-Atlantic service will carry payloads of 25,000 lb. on the long-range hop. PanAm says they are similar to its 82-passenger aircoach DC-6Bs, called "Super-Six" by PAA. They will make the crossing in 13½ hr.

Cargo doors are hydraulically operated; rear door is 78 x 124 in., and forward door 67 x 94 in.

## CAA Prop Reversal Recommendations

The CAA Aircraft Engineering division has come up with recommendations for airline modifications to prevent unwanted propeller reversal on Hamilton Standard propeller systems, following a two-month industry-wide study.

Chief proposals CAA now asks industry comment on before making them mandatory modifications are:

• **Direct shut-off control** to prevent reversal at any time except when wanted. This is the pilot-proposed system described in detail in AVIATION WEEK Apr. 14, p. 84.

• **Isolation of reversing solenoid circuit** throughout the system. The circuit already has been isolated forward of the firewall only, following a CAA emergency order last February.

• **Throttle control quadrant warning** flag modification to warn pilot quicker and more positively when reverse segment of the quadrant is not fully locked.

Airline installation of the manual shut-off control must await Ham Standard test and CAA approval of its design and finally manufacture of the item.

## Pakistan Cadets Train in U.S.

A new class of 30 Royal Pakistan Air Force cadets is getting fighter plane instruction at Hawthorne Flying Service's Craig Field, Jacksonville, Fla.

The RPAF students will receive about 160 hours of flight training in North American T-6 trainers and an additional 60 hours on North American F-51 and Republic F-47 piston-engine fighters. They will also have more than 200 hours ground school work and approximately 15 hours on the Link or other simulators.

Hawthorne's Jacksonville base graduated 19 out of the first class of 22 RPAF cadets in 1949.

**CL-21 DESIGN** would put Canadair in the local service aircraft picture with . . .




**32-SEATER** designed to carry 7,000 lb. at 220 mph. and sell for $450,000

# Canadair Plans DC-3 Replacement

**Montreal**—The latest bid to put a feederline plane on the worldwide market as a replacement for the veteran Douglas DC-3 comes from Canadair Ltd., largest airframe builder in Canada, and wholly owned subsidiary of General Dynamics Corp. (formerly Electric Boat Co.), New York.

In existence but a short 10 years, the plant has until now manufactured aircraft under license. It is building F-86Es (North American Aviation) and will soon be turning out T-33s (Lockheed) and T-36s (Beech). It built the DC-4M under a Douglas license.

▶**CL-21 Project**—Now the company wants to establish itself as a self-reliant segment of Canada's aircraft industry. Its projected transport—the CL-21—seems its best bet (AVIATION WEEK June 2, p. 68).

Designed for local-service-operator short-range routes, the plane's characteristics are intended to fit it for medium-range service as well. Design details of the plane are still undergoing refinement, but the general configuration and internal arrangements are shown in the accompanying artist's version and sectional drawing.

▶**Seats 32**—Preliminary estimates indicate that the craft will cruise at 220 mph. with a payload of 7,000 lb. Cabin pressurization will maintain sea level conditions up to 5,000 ft. and an 8,000-ft. altitude at 15,000 ft. Seats are arranged four abreast in eight rows. Each two-seat unit spans 42½ in. with aisle width of 17 in. There is a total of 200 cu. ft. of cargo and baggage space.

▶**Dimensions**—The plane is basically designed around the Wright Cyclone 9HE piston engine, but Pratt & Whitney and British engines are being considered for application. Props are reversible, constant-speed, full-feathering units. Dual wheels will be used on the tricycle landing gear.

Preliminary design studies have fixed the fuselage length at 67¼ ft., wing span at 90 ft. and wing area at 900 sq. ft. Height to top of tail is 25¼ ft. Greatest fuselage depth is 9¼ ft.

▶**Estimated Performance**—Takeoff and landing gross weight is pegged at 32,000 lb. CAR takeoff field length at sea level (with auto feathering) is 3,500 ft.; landing field length at sea level (no reverse thrust or flap retraction) is 3,330 ft.; one-engine-out ceiling is 12,500 ft. Stall speed, landing flap setting, is 75 mph. Disposable load of 7,085 lb. includes 32 passengers (5,280 lb.) and baggage and cargo (1,805 lb.).

Price of the CL-21 will be approximately $450,000 at the factory. If a worldwide sales survey now underway indicates a good market for the plane, prototype production probably will begin this fall, with production deliveries materializing late in 1954.—**IS.**

# Italy Set to Buy Training Planes

*(McGraw-Hill World News)*

**Rome**—The Italian Defense Ministry has laid out a policy for assuring adequate numbers and types of training planes to carry through expansion of the Italian Air Force.

Funds are earmarked for procurement of 600 primary and 800 basic trainers and an unspecified but fairly large number of jet planes. Of the latter, 80 Fiat-built DH Vampires and 10 Fiat G.80s have already been ordered. The G.80 is a two-seater powered by an imported DH Goblin 35 engine. (An all-weather fighter version of this plane—the G.81—powered by a more powerful DH Ghost turbojet is in the works.)

▶**Trainer Orders**—Orders have been placed for 240 Macchi 416s and 75 Piaggio P. 148 primary trainers. The former is a Fokker-designed trainer built under license. It is possible that the Macchi order will be cut back and additional planes ordered from Piaggio if the latter speeds its delivery rate.

The basic trainer to be selected under the new program is now under consideration—Macchi, Fiat and Piaggio having submitted bids covering their M.B. 323, P. 150 and G. 49, respectively. All three types are now being flight tested.

They were all designed to an Air Ministry spec which required that the planes be two-place, equipped with Pratt & Whitney R1340-AN-1 engines (the G. 49 is offered with an alternative engine, the British Alvis Leonides radial), having day-and-night instrumentation and VHF radio and directional finder.

Provisions were to be made for installation of armament, auxiliary tankage, cameras and oxygen equipment.


Allied Air Strength in Europe
UNITED STATES AIR FORCES IN EUROPE
Lt Gen Lauris Norstad, CG
ALLIED AIR FORCES, CENTRAL EUROPE
Lt Gen Lauris Norstad, CG
U.S. 3rd AIR FORCE (England)
Maj Gen Francis H Griswold, CG
81st FIW (F-86), Bentwaters
123rd FBW (F-84E), South Ruislip
U.S. 12th AIR FORCE (Ger., Fr.)
Maj Gen Dean C Strother, CG
36th FBW (F-84E), Furstenfeldbruck
86th FBW (F-84E), Neubiberg
137th FBW (F-84G), Chaumont
60th TCW (C-82), Rhein/Main
433rd TCW (C-119), Rhein/Main
117th TRW (F-80, B-26), Toul
126th LBW (B-26), Bordeaux
4th ALLIED TACTICAL AIR FORCE (Ger., Fr.)
Maj Gen Dean C Strother, CG
US 12th Air Force (F-84s)
Fr 1st Air Division (Vampires, F-84s)
RCAF Air Division (F-86s)
2nd ALLIED TACTICAL AIR FORCE (Ger., Bel., Neth)
Air Marshal Sir Robert M Foster, CG
RAF (Meteors, Vampires)
BELGIAN AIR FORCE (Meteors, Vampires, F-84s)
NETHERLANDS AIR FORCE (Meteors, Vampires, F-84s)
FBW – Fighter-Bomber Wing
FIW – Fighter-Interceptor Wing
TCW – Troop Carrier Wing
TRW – Tactical Reconnaissance Wing
LBW – Light Bomber Wing

# Little Fuel, Many MiGs Worry USAFE

By William Kroger

**Wiesbaden**—Fuel supply, not the number of planes on each side, is the real gauge of superiority between the Allied and Communist air forces facing each other across the tension-wracked border between East and West Germany.

Last week, as actions east of the border became ever more menacing in the wake of the signing of the West German peace contracts, Communist air forces in East Germany and Poland still vastly outnumbered the Allied Air Forces of Central Europe. As many as 2,500 MiG-15s may oppose as few as 1,000 AAFCE planes, few of which can fly as high and as fast as the MiGs.

If the opposing forces are thrown into action against each other, availability of fuel may become the great leveler.

▶**A New Problem**—The mighty air forces in Europe during World War II never had the problem of AAFCE, which by World War II standards is still a tiny force. For in AAFCE, turbojet planes predominate.

One German-based 75-plane F-84 wing on routine missions burns 100,000 gal. of fuel per day, the equivalent of 10 U.S.-size tank cars, Air Force logistics planners say. Normally, these days, the F-84s fly 35 hours per month. During the recent fuel strike in the States, this had to be cut to 20 hours per month to avoid dipping into the strategic reserve of fuel.

There are sufficient roads and railroads in France and West Germany to furnish fuel links to the ports. But there are neither enough tank cars nor fuel trucks. Whether there are even enough tankers to haul sufficient fuel across the ocean to the ports, planners here won't guess.

▶**Across the Border**—Looking across the border between East and West Germany, the Allied planners suspect but can't be sure that fuel is just as vulnerable an item for the Communists. That gives them hope that they have time for AAFCE to grow and reduce their numerical inferiority.

Here in this ancient German resort town, the headquarters of the United States Air Forces in Europe, the problems of growth and logistics are under constant study. USAFE now is smaller than the British Royal Air Force in Germany; but eventually it likely will be the largest national air force in Europe. It furnishes logistical support for all U. S. Air Force planes in Europe and, in various ways, for much of AAFCE.

GEN. STROTHER: We're eight minutes away, too.

## Organization

USAFE's commander is Lt. Gen. Lauris Norstad. He also is commander of AAFCE, headquarters of which is Fontainebleau, France. So in effect, day-to-day commander of USAFE is Maj. Gen. Truman H. Landon, deputy commander and chief of staff, whose office is here.

USAFE units are scattered from Germany to England and from France to North Africa. It gives logistic support to the Strategic Air Command's 7th Air Division in England (although it has no operational control over SAC units). It operates two huge supply depots, one in France and one in North Africa, which support not only USAFE planes, but U. S.-built planes of other NATO countries. And USAFE directly controls the two U. S. air striking forces in Europe—the 3rd Air Force in England and the 12th Air Force in France and Germany.

▶**Functions**—The Third's main function is to support SAC's 7th Air Division. It is small now, one F-86 wing and one F-84E wing (soon to be moved

to the Continent), with immediate growth possibilities limited. The emphasis for some time to come will be on strengthening the 12th Air Force, the USAFE unit which would feel the first blow in war and the unit which is the backbone of the 4th Allied Tactical Air Force.

Wearing two hats as boss of both the 12th AF and the 4th ATAF is a tall, pipe-smoking Kansan, Maj. Gen. Dean C. Strother. As commander of the 4th ATAF, Gen. Strother has under him the 1st French Air Division and a unit of the Royal Canadian Air Force, in addition to the 12th AF.

The RCAF unit flies Canadian-built F-86s. The French use some British-built de Havilland Vampires. All other fighter planes in Gen. Strother's command are Republic F-84s. Only the 137th Fighter-Bomber Wing, newly arrived at Chaumont, France, has F-84Gs, the others being Es.

▶ **Need Faster Planes**—In the 12th AF, Gen. Strother has four F-84 wings (including the 123rd FBW which will move from England to France), soon to be increased to five. Adding in the F-84s of the French, Gen. Strother has between 450 and 500 of these fighter-bombers.

These are the planes that may be pitted against the Russian-built MiG in a defense of Europe. Gen. Strother and USAFE officers would be the first to acknowledge they could well use later, faster fighters (they are eager to get F-84Fs, for instance). But right now they also would be the last to write off the F-84E and G.

The F-84, in the opinion of USAFE people, is faster than most Allied planes in Europe (the Vampire may have a slight speed edge). It is rugged, packs a heavy bomb/rocket load, is dependable, and has a longer range than any other jet fighter in Europe.

## Planes & Support

The Twelfth has had trouble with the F-84, but it currently boasts an in-commission rate of 90-95%, which, Gen. Strother says, is higher than the average World War II fighter plane rate. It is so high he didn't believe it himself until he checked the records personally.

Strother and other high-ranking officers strike a common chord: the jet engine is still very new and they learn new things about it every day. One officer in charge of operations puts it this way: "That engine in the F-84 gives you about 7,500 lb. static thrust. Say you cruise at 6,000 lb. thrust. At 550 mph., that's 12,000 hp., more than we ever dreamed of. We don't know anything about that kind of power. No wonder we have trouble."

▶ **Troubles**—As if to prove the point, most of the trouble has been non-recurrent. First, there was an engine shortage, but that eased off. Then, for a long time, there was a run of in-flight fires. USAFE thinks that hazard has been licked.

The clue to the fire cause came one day when an F-84 was wrecked by an explosion in flight. The pilot was able to land, and reported that the explosion seemed to be right behind him, where the radio compartment was located. The engineers scoffed at his claim because there was nothing in the compartment to explode.

But one of the younger officers decided to run some tests. He poured green ink in the overflow vent of an F-84 and flew the plane. When he landed the radio compartment was filled with a green mist. The vent was directly under the radio compartment; back pressure forced in gas fumes, which were ignited, it was assumed, by a spark when one of the radio circuits was actuated.

▶ **Engine Overhaul**—Since then, says the operations officer, there have been no more unexplained explosions in flight with the 12th AF's F-84s.

Engine overhaul has been, and still is a major worry to USAFE. Avion Dieppe, a Dutch firm at Schiphol Airport, Amsterdam, is doing some minor overhaul on F-84 engines, and USAFE's huge base at Chateauroux, France, when completed will ease the problem considerably. Pending arrangements with Italian firms also will open new sources of spare parts for both F-84 airframes and engines. But as of now, F-84 engines are sent all the way back to Tinker AFB, Oklahoma City, for major overhaul.

That makes a long pipeline—as long and as worrisome as the fuel pipeline.

But in conversations in West Germany, even the importance of logistics pales beside the threat of the thousand or more MiGs pointed toward the 12th Air Force.

## Plans & Tactics

▶ **Eight Minutes Away**—From where Gen. Strother sits at his desk in Wiesbaden's "Little Pentagon" (a former Luftwaffe staff building), the MiGs are "eight minutes away." Two of his F-84 wings, the 36th FBW and the 86th FBW are at Furstenfeldbruck in Germany. That's too close, all admit. Even some Army units are farther away from the East German border than they are.

When the 36th and 86th as well as USAFE headquarters will be able to pull back into France is a political problem, Gen. Strother says. The French have to furnish bases, which is their political problem, and whether—if USAFE pulled back—the Germans would think the U.S. was deserting them is a political problem for U.S. civilian officials in Germany.

Meanwhile, Strother makes his plans and weighs his chances of success as best he can.

The Twelfth has been following carefully intelligence reports of the war against the MiGs in Korea. It has as yet no high-ranking officers who have actually had Korean battle experience against the MiGs. It has recently sent a unit to Korea and expects it to return in a few months with such practical experience.

▶ **Impressions**—No one in the Twelfth or in AAFCE, of course, will publicly disclose planned strategy or tactics in case military action follows the present Communist moves. But an observer, talking to key officers, gets certain firm impressions.

Gen. Strother makes the point, for instance, that in the last war after D-Day in Europe "99% of U.S. troops never saw an enemy plane" and can't appreciate what it is like to be bombed and strafed in sustained attacks. You also get the feeling that the F-84s would not be used primarily for troop support, but would take advantage of

**PARAPLANE PRODUCTION PLANNED**

**Latest Lanier Paraplane in flight shows the redesigned tail, new 25% chord flaps and longer nose. The Paraplane II is designed to take off in less than 130 ft. in soft sod (under 100 ft. from hardtop) and climb 1,225 fpm. The spinproof craft is slated to go into production this year in a new factory in Pennsylvania. First planes will cost under $5,000.**

their long legs to strike behind enemy lines at airfields and fuel dumps.

The overall impression of an observer is that at least in the early stages of a war the U. S. Army in Germany would take a terrific beating from enemy air. A big question is whether the same would be true of our Air Force.

The F-84s of the Twelfth are on constant alert, armed and fueled. Their commanders cannot forget that the MiG swarm is only eight minutes away. Gen. Strother finds it a serious situation, but not hopeless.

▶ **A Parallel**—"You remember the story about Gen. Nathan Bedford Forrest?" he asks. "He was fighting the battle of Shiloh and had to hold a bridge. A soldier runs up and says, 'General, they're attacking on our left flank,' and Forrest tells him to go back there and fight them. Pretty soon another soldier comes up and says 'General, they're on our right flank.' Forrest sends him back to fight. Then another soldier runs up and says 'General, they're on our rear,' Forrest said, 'We're on their'n, ain't we?' "

The general pulls on his pipe and delivers his punch line: "We're only eight minutes away from them, too."

## Braniff, MCA May Be First to Merge

If stockholders approve, Braniff Airways will be the first domestic line to purchase another airline since Western bought Inland back in 1944. CAB has approved the Braniff-Mid-Continent deal wherein Braniff would buy MCA by giving shareholders one share Braniff for every 1½ shares which Mid-Continent held.

But the Board conditioned its approval on Braniff's signing adequate guarantees of employe protection.

This is record time for a merger to get approval of CAB—four months to a day from the original application Jan. 24. Other merger proposals have had rougher going: Northwest minority stockholders blocked merger with Capital and NWA withdrew its merger application; Colonial minority holders stopped a deal with National; Delta-Northeast merger proposal hit a snag—no connecting route; Delta-C&S is a new proposal.

## Increased NACA Program Is Out

National Advisory Committee for Aeronautics' plans for a stepped-up program over the coming year are out.

The question now is whether NACA operations can continue at this year's level—or must be reduced.

The $64.2-million appropriation allowed by the House for the 1953 fiscal year, which would require NACA to curtail its staff starting July 1, has been upped by the Senate Appropriations Committee to $68.3 million to permit a continuation of activities at the present level. NACA requested a $78.5-million budget. Conferees of the two houses will decide between the House and Senate figures.

Both House and Senate Appropriations Committees earmarked $17.7 million of the total for construction—$3 million less than the $20.7 million asked by NACA.

The construction money ($1 million is to liquidate existing contracts) will go for: conversion of the 19-ft. pressure tunnel for dynamic model testing and a high-temperature structural research laboratory at Langley AFB, $11.1 million; high pressure air supply and distribution system and expansion of air facilities for full-scale jet engine research at Lewis Laboratory, $5.6 million.

## Intensive Missile Research Need Cited

The United States must go all-out in the research, development and production of guided missiles if this nation and its way of life are to survive, according to J. H. "Dutch" Kindelberger, North American Aviation chairman.

In an address before the Economic Club of Detroit, Kindelberger declared: "Flying machines are rapidly approaching capabilities that are penalized rather than aided by the presence of a human pilot." So complex and so fast have present-day aircraft become, he said, that aircraft manufacturers now have to provide extravagantly not only for the pilot's comfort but his life. The pilot's body has to be cooled, warmed and must be kept comfortable by an artificial atmosphere.

▶ **Pilot Problems**—Because the pilot's senses are not sufficiently acute and his reaction time not sufficiently fast enough to enable him to guide the machine in all the split-second phases of its military mission, devices must be installed which not only control the plane automatically but waste weight and space informing the pilot what the machine already has been told.

"Accordingly, we are being forced closer and closer to the concept of leaving the pilot out, a concept that has been fundamental to another line of development that started in Germany and has been vigorously carried forward since in the U. S. and, we may reasonably assume, in Russia. In these converging lines of development there is clearly discernable the ultimate shape of air power (the guided missile)."

▶ **Development Needs**—Kindelberger indicated that we already have the "know-how" to make very-high-powered rocket engines, but that guidance for the missiles is not so far along.

**BIGGEST FRENCH AIRLINER STARTS SERVICE**

SE-2010 Armagnac, decked out in the colors of Transports Aeriens Intercontinentaux, has started in Paris-Casablanca-Paris service. Powered by four P&W R4360 engines, the SE-2010 can seat over 100 passengers and grosses over 165,000 lb., making it the largest civilian transport in the world. Top speed is approximately 300 mph. The air-flow "dams" were not in the prototype.

# VISIBILITY by Swedlow

## in the F-84F Thunderjet

Tremendous speed and terrific hitting power make the Republic Aviation Corporation's F-84F Thunderjet a formidable addition to the U.S. Air Force's new jet fighting team. The optical properties of its Swedlow-made transparent enclosures contribute to the efficiency with which this versatile fighting machine can perform in action. With duplicated facilities in California and Ohio, Swedlow brings to the production of today's speedier aircraft, where precision more than ever counts, ten years of specialized experience in the precision engineering and production of astrodomes, canopies and other acrylic parts.

**Swedlow PLASTICS CO.**

LOS ANGELES, CALIFORNIA • YOUNGSTOWN, OHIO

SILICONE PROGRESS

**Broaden operating range—** Because G-E silicone rubber remains flexible from —85 to 500 F, when used in this mount, it effectively isolates delicate aircraft and industrial instruments from shock and vibration.

*Courtesy Lord Manufacturing Company*

# Specify GE Silicones to isolate vibration




## OR SOLVE OTHER TOUGH JOBS FACING YOU

Isolating vibration at extreme temperatures is just one of the many unusual applications for G-E silicones. Flexible silicone rubber hot-air ducting is used in aircraft. Silicone resins in Class H insulation permit motors to run hotter and longer, reducing breakdown and rewind costs. Silicone fluids prevent railroad steam couplings from sticking. Silicone rubber provides primary insulation for high temperature ignition wire. Water repellent silicone resins stop spalling and cracking of masonry.

Where can you use the unusual properties of G-E Silicones to reduce your costs, speed production, or improve your product. Perhaps even create a new product.

GENERAL ELECTRIC

131-3

Section 132-3B
General Electric Company
Waterford, New York

Please send me free copy of the complete G-E Silicone Story

Name .....

Street .....

City ..... Zone ..... State .....

(In Canada, mail to Canadian General Electric Company, Ltd., Toronto)

# Rocket Model Does Work of Windtunnel

- **Telemetered missile gives accurate data.**
- **And because it's cheap, method shows promise.**

By George L. Christian

North Hollywood, Calif.—A rocket-powered vehicle carrying a scale-model wing of one of Navy's latest tail-less delta-type craft is being used as an inexpensive and effective means of obtaining various types of flight information. The model carries instrumentation and telemetering equipment designed and built by Bendix Aviation Corp.'s Pacific division.

Although space in the model is cramped, it provides data on eight channels, and this can be increased to 12, Bendix says.

▶ **Model Advantages**—The model system should soon gain wider acceptance in solving supersonic aircraft problems, Bendix believes. Here are some of the reasons, as outlined by R. G. Hoof, the company's aircraft sales manager:

• **No windtunnels.** The model consists of a standard 5-in. military rocket with the scale-model wing of the plane under study attached near the tail. The rocket is fired and telemeters desired data back to the ground, eliminating the need for windtunnel tests.

Implications of this new method are exciting. It will be possible to expand the procurement of flight data without erecting additional expensive and complicated supersonic windtunnels. Capacity of present tunnels, with their heavy backlog of work, will not be further strained.

The model method of performance is not so expensive as is that of operating a windtunnel, and gives more accurate data, Bendix says, because tunnel choking effects tend to distort true performance criteria. The free-flight model gives a near-perfect reflection of flight characteristics of the surface under test.

• **Inexpensive body.** Standard military rockets provide the body of the vehicle, and these are relatively inexpensive and easy to obtain.

• **Variable trajectory.** Trajectory of the model's flight may be varied at the launching platform. This, Hoof points out, is a distinct advantage of the self-powered model over drop-type models. Trajectory of drop models results in low

SCALE-MODEL WING of delta fighter is fixed near tail of 5-in. rocket for . . .

FLIGHT TESTS which are telemetered to these ground receiver trailers using . . .



EQUIPMENT built by Bendix that gathers data from eight channels simultaneously.



ENGINEERED FOR ECONOMY

It's easier to meet aircraft production schedules when plants are equipped with KNAPP equipment.

From long experience, Knapp engineers have learned how to design heat treating furnaces that meet every requirement of the Armed Forces... and to meet these requirements with an eye toward cost.

That's why every Knapp furnace is "engineered for economy"—the economy that spells the difference between profit and loss on difficult defense contract assignments.

Be sure—Be Safe! Call a Knapp engineer today for full information on how to whip heat treating problems in your plant. Remember, important defense contracts may pass you by if your heat processing equipment is inadequate. So, write, wire or phone today.

JAMES H. KNAPP INCORPORATED COMPANY

839-841 EAST FOURTH STREET
LOS ANGELES 13, CALIFORNIA






BENDIX-PACIFIC'S equipment line includes packaged hydraulic system (left) for guided missiles and electro-hydraulic power unit (right) for engine brakes.

speeds at high altitudes and high speeds at low altitudes, usually the opposite of operating conditions.

• **Variable flight path.** Timer-operated programming control moves surfaces in flight to alter the model's path. Although the model cannot be controlled from the ground, the programmer is inexpensive, expendable, easy to obtain, and light compared to radio control.

▶ **Speedy Solutions**—Speed in solving particular flight problems as they develop on the actual aircraft is a major advantage of the model method. Hoof says a model to test a specific aircraft characteristic can be built, instrumented and fired within four to six weeks from the time the project is started. As he puts it: "You could have checked your fourth problem by the time a wind-tunnel became available." And, the need for large numbers of highly skilled personnel is reduced considerably.

Here are the measurements continuously telemetered back to earth by the Bendix-Pacific equipment:

• **Ram air pressure.**

• **Longitudinal acceleration and deceleration.**

• **Yaw and pitch accelerations.**

• **Amplitude and frequency** of wing and elevon vibration. (Different models have different flutter and vibration configurations.)

▶ **Bendix Pickups**—To make telemetering on such relatively small-size models practical, Bendix had to subminiaturize already miniature components, according to R. J. Krause, aircraft sales engineer.

The North Hollywood manufacturer developed two pickups used in the model which are contributing materially to the practicality of the vehicle's test program.

• **Barium titanate crystal** vibration pickup. The tiny component, in the wing and fin tips, measures only ¼ in. in diameter and is 1 in. long. Weight is less than 1 oz. Output of 5 millivolts per G is amplified to readable proportions by an amplifier.

• **Miniature potentiometer.** Used to measure elevon (or other surface control) deflection, the measuring device's dimensions are: ¼x¼x⅜ in. Weight is ¾ oz. Bendix engineers say that this potentiometer is an exclusive development of theirs.

▶ **Telemetering Piloted Flights**—Bendix spokesmen see expanding use for telemetering—one of their principal products.

A new and interesting application promises notable savings in prototype aircraft flight time with corollary economies in cost, effort and analyses of flight data.

Telemetering in-flight information from piloted prototype planes could cut test flying time by one-third, Bendix engineers estimate.

In the current method of photo-recording flight performance with cameras in the airplane, the craft is put through certain prescribed maneuvers. A month may elapse before the records

## Model Data

- Weight, loaded...Approx. 150 lb.
- Span...3-4 ft.
- Length...12 ft.
- Propulsion...Standard, 5-in. solid-propellant rocket.
- Acceleration...30-35 G maximum.
- Rated speed...Reached in about 2 sec.
- Max. speed...Slightly over Mach 1.
- Flight time...20 sec. average.
- Distance of flight...4-5 mi.
- Cost of Bendix equipment...Approx. $2,000 per model.

# Intermediates that last like photographs

## . . . produced at low cost



*A case history based on the experience of the Hyster Company, Portland, Oregon*

**By reproducing its engineering drawings on Kodagraph Autopositive Paper,** the Hyster Company gets intermediates which have dense black photographic lines on a translucent, highly durable paper base. *Intermediates* which will remain intact in the files year after year . . . and produce sharp, legible blueprints and direct-process prints whenever needed.

**And the cost is surprisingly low** because Kodagraph Autopositive Paper boasts unique photographic properties which cut production costs *substantially*. It can be handled in ordinary room light . . . and it produces positive copies *directly*—without a negative step.

Furthermore, existing equipment can be utilized—Autopositive can be exposed in any blueprint or direct-process machine . . . and processed in standard photographic solutions. Hyster uses a blueprint machine which has also been designed to produce Autopositive intermediates in a continuous flow.

### *How The Hyster Company Uses Autopositive*

**For All Print Production.** Autopositive intermediates are used instead of valuable and perishable original drawings. Producing sharp, legible blueprints and direct-process prints time after time, they greatly reduce the possibility of reading errors in the shop.

**For "Permanent" Files** in its home office . . . and branches in the United States and abroad. "Photolasting" Autopositive intermediates eliminate the costly delays experienced in the past when intermediates faded, turned yellow, or became brittle.

**For Drafting Room Short Cuts.** Autopositive Paper is used to reclaim old and weak-lined drawings . . . and to duplicate standard designs which will be incorporated in new drawings. *All of which saves hours of creative drafting time.*

# Kodagraph Autopositive Paper

**"THE BIG NEW PLUS" in engineering drawing reproduction**

**Learn in detail** all the ways you can use Kodagraph Autopositive Paper – the revolutionary photographic intermediate material which you, or your local blueprinter, can process *quickly . . . economically . . . at a low cost.*

**EASTMAN KODAK COMPANY**
**Industrial Photographic Division, Rochester 4, N. Y.**

Gentlemen: Please send me a copy of "New Short Cuts and Savings" . . . describing the many savings Kodagraph Autopositive Paper is bringing to industry.

Name_____ (please print) Position_____

Company_____

Street_____

City_____ Zone____ State_____

Kodak
TRADE-MARK

This bolt of flame from the afterburners of the U.S. Air Forces' Northrop Scorpion F-89 is spectacular evidence of the intense heat generated by jet power. Refrasil Blankets are used on the F-89's twin-engines because they are light in weight and are easily removable, as well as high in insulation efficiency. In a blanket thickness of one half inch, a temperature drop of approximately 900° F. is accomplished! These are reasons why Refrasil Lightweight Removable Insulation Blankets are specified by 90% of jet aircraft makers.

Refrasil Insulating Blanket installed preformed on the J-35 Turbojet engine's air bleed manifold lines.

Refrasil Insulating Blankets installed on the air bleed manifold lines and afterburner of the J-35 Turbojet engine.



REFRASIL

Refrasil is available in a variety of forms to help solve your high temperature problems. Attach this ad to your letterhead and mail today for illustrated literature.

**WRITE OR CALL YOUR NEAREST REPRESENTATIVE:**

**EASTERN:** Fred W. Muhlenfeld, 6659 Loch Hill Rd., Baltimore 12, Md. Valley 3133

**TEXAS, OKLA. & KANSAS:** Thompson Engineering Service, 708 Hemphill St., Fort Worth 4, Texas, Fortune 5240

**MIDWEST:** Burnie L. Waddle, 3219 West 29th St., Indianapolis 22, Ind. Hickory 8683

HI-CO

THE H. I. THOMPSON COMPANY
1731 CORDOVA STREET
LOS ANGELES 7, CALIF.


have been studied and more advanced flight maneuvers are undertaken. The process may be repeated several times before the aircraft's maximum performance is realized—a very time-consuming process.

Telemetering the large mass of flight performance data during flight would enable all engineers interested in the many various phases of the operation to study the telemetered information visually on the ground as the aircraft is put through its paces. If all goes well with the initial phases of the test, the pilot may be told to step up speed, wing loadings and other factors without having to land. Thus, two or more programs of test flying may be compressed into one intensive evaluation. Savings in time, pilot strain, wear and tear on very expensive aircraft are self-evident.

With current telemetering equipment, Bendix engineers say that the aircraft may maneuver within a 125-mi. line of sight radius of the ground telemetering pickup stations. There is no limit on altitude.

▶ **Aviation First**—Principal endeavors of Bendix' Pacific division are in avionic instrumentaton, guidance and control equipment for pilotless aircraft and missiles. Wrapped up in these efforts is the development and construction of attendant servo-mechanisms, including complete, self-contained hydraulic systems.

Pacific division is now becoming seriously entrenched in the field of airborne radar. The firm is starting production of the APS-42 set for the services. To help expedite this project, a large radar testing tower was recently erected at the plant. Control room at the top is completely furnished with all required test equipment.

Among the products made here for the aviation industry are:

• **Hydraulic actuating cylinders.** In this line, Bendix claims to be making one of the most complex units used on aircraft. On the Chance Vought Cutlass the cylinder not only retracts the landing gear, but also acts as a drag strut and shifts the position of the main gear with respect to the airplane "to improve takeoff and landing characteristics." In the hydraulic field, Bendix also makes brake valves, de-boost and solenoid valves. Boeing's "Flying Boom" air refueling system contains many Bendix-Pacific actuating mechanisms.

• **Geneva-Loc positive positioning** electric actuators. This series of actuators has found many applications in modern aircraft.

Among the features of these units: motor comes up to speed under no-load condition; positive control of output shaft movement—shaft is automatically locked in all stops and is independent of motor over-travel and temperature variations; clutches, torque limiters, brakes and limit switches are eliminated, giving the unit simple, trouble-free action; cutout switches operate at no load motor current, allowing them maximum life; whole assemblies are readily replaced simply by indexing drive shafts.

Geneva-Loc applications include operation of hydraulic and fuel selector valves, engine control actuators, auxiliary engine throttle actuators, etc.

The division also makes non-aviation



## WHAT MAKES SAPPHIRE TICK

The Armstrong Siddeley Sapphire AS.Sa. 6, British turbojet currently rated at 8,300 lb. static thrust with 25 to 50% gain from afterburning, is shown here in the first detailed pictures released of the engine. Wright Aero will built it as the J65.

products, including "Fish Finders," commercial development of Navy sonar depth recorders, which enable fishermen to locate schools of fish; and hydraulic equipment for automobiles and tractors.

Bendix-Pacific's new plant in the Los Angeles area adds 60,000 sq. ft. of factory space to an existing 180,000 sq. ft. Much of the new plant's capacity will be devoted to avionic, sonar and guided missile instrumentation work.

## THRUST & DRAG

**There's a tremendous interest in vintage airplanes in this country and abroad, and it's assuming the proportions of the current preoccupation with old automobiles. A large number of these ancient aircraft have been rebuilt or refurbished for display and flight.**

**Most recent to come to our attention is a replica of a 1909 Danish plane designed by J. C. Ellehammer, which is now a feature attraction in an air circus touring the Continent. Ellehammer's original design had his own 60-hp.**

**radial engine, and the pilot shifted his chair around to operate the controls. The rebuilt plane has an 80-hp. Blackburn Cirrus III and conventional controls as a safety concession, but is otherwise the spit-and-image of the 1909 job. The craft grosses 975 lb., has a top speed of 55 mph. and lands at 35 mph.**

**Ellehammer, who cooperated in the reconstruction of the airplane, is one of the early pioneers in aviation. He first flew a two-seater of his own design in September, 1906, in Denmark, and six years later made limited vertical flights in his own helicopter.**

* * *

*Taxes and drogue parachutes apparently have little in common except that one pays for the other. But have you ever stopped to think what it means in terms of your tax money to stop an aircraft like the B-47 after touchdown on a runway? In* AVIATION WEEK *Apr. 14, 1952, there is an item that the USAF ordered 4,300 drogue parachutes from Pioneer Parachute Co. at a cost of $6 million-plus. These chutes are to brake the landing run of the B-47; expected life is 15 landings per chute and cost per landing works out to be about $100. Not much per landing, is it? But the*

(Advertisement)

# Valve Talk

**for WM. R. WHITTAKER CO., Ltd.**

by Marvin Miles,
Senior Member, Aviation Writers Assn.

**You might call Dell Phillips the Whittaker Company's "idea man,"** for he's come up with many an innovation for the Southern California valve concern – achievements acknowledged by industry-wide orders.

The 38-year-old vice-president in charge of Whittaker's research has little use for drawings and paper work, prefers to test his theories on crude "breadboard" models in conjunction with a chemist, a project engineer and several machinists.

**"Developments usually start with a statement of 'desirable effect'," he says.** "You have to bend into a problem with an open mind to give the customer a special unit that will fulfill his special requirements, rather than a standard unit on a take-it-or-leave-it basis."

The tall, laconic engineer – a mechanics and aeronautics major, one-time construction worker, boat builder and former Douglas Aircraft researcher – admits a "junk pile" is important in valve research.

"If one idea in a hundred works out, the junk pile is worth it," he grins. "After you eliminate the things you know won't work, you try imaginary designs of separate methods. Maybe you try twenty or thirty variations before you pick out the good features of each for a composite.

"There are always unknowns such as metals misbehaving under excessive pressures, strains and frictions. You must prove or disprove your theories on actual working models. You explore and evaluate, discard and adopt, combine known mechanical principles with new ideas.

"Once you've got what you want in rough form, you refine it, put it in the neatest, smallest envelope possible and wring it out for two or three months with every conceivable test . . ."

**One of Dell's most outstanding developments was the adaptation of the gate principle for fuel shut-off valves.**

"Originally," he explains, "several of us were in a bull session on how to build a better drain cock. I went back to the old scheme of working in reverse and figured why not make it slide instead of turn?"

The idea was developed, and later, when the aircraft industry realized that old style rotary plug valves left much to be desired in aircraft fuel control, Whittaker was ready with Dell's gate principle.

The resulting innovation, developed in seven months and pushing Whittaker into the design and production of their own actuators, was the first of a long line of outstanding gate valves used throughout the country. It was a two pound, three-quarter ounce unit that drew but one-half amp and operated in one second, compared with almost six pounds, five amps and seven seconds for the rotary plug type.

Dell's latest idea is a unique fuel sensing device based on a photo-electric principle. While flying from the Boeing-Seattle plant he "day-dreamed" a way to improve existing half-accurate tank float systems.

He envisioned a unit of no moving parts that would disregard temperatures and vibration. He'd set his sights high, as usual, but the result gave pilots a pseudo look into their fuel tanks and lines. He used optics to change light patterns through a liquid by altering the index of refraction.

**The new unit gives accurate indication of fuel boiling and/or fuel exhaustion, and can be used to automatically operate other fuel system equipment such as selector valve, shut-off valve, etc.**

It's a unique gadget – as unique as the man who dreamed it up.

IN THE LONG RUN—

**The Least Expensive ... Most Effective Mountings You Can Buy!**

**LORD, *of course!***

The use of Lord Mountings and Bonded-Rubber Parts in every field of automotive transportation results in longer service life and greater economy of operation. And as a bonus . . . Lord Mountings improve operator and passenger comfort. Hundreds of Designers and Engineers of transportation equipment have consulted profitably with Lord Engineers for experienced and field-proved advice in isolating shock and vibration. They draw from over 27,000 Lord Vibration-Control Mountings designed to meet specific requirements.

If you manufacture any of the following transportation equipment or supply component parts or assemblies, Lord Engineering can help you:

**Railway Cars and Locomotives . . . Trucks and Buses . . . Airframes and Aircraft Engines . . . Earthmoving, Farm and Road Machines . . . Air Compressors . . . Air Conditioners . . . Engine Generator Sets . . . Communication and Signal Equipment.**

Lord Mountings are protecting the performance of many more transportation units.

*FOR CONSULTATION WRITE OR CALL—*

**BURBANK, CALIFORNIA**
233 South Third Street
ROckwell 9-2151
CHarleston 6-7481

**CHICAGO 11, ILLINOIS**
520 N. Michigan Ave.
Michigan 2-6010

**DALLAS, TEXAS**
1613 Tower Petroleum Building
PRospect 7996

**DAYTON 2, OHIO**
238 Lafayette Street
Michigan 8871

**DETROIT 2, MICHIGAN**
7310 Woodward Ave.
TRinity 5-8239

**NEW YORK 16, NEW YORK**
280 Madison Avenue
MUrray Hill 5-4477

**PHILADELPHIA 7, PENNSYLVANIA**
725 Widener Building
LOcust 4-0147

**ERIE, PENNSYLVANIA**
1635 West 12th Street
2-2296

**LORD MANUFACTURING COMPANY • ERIE, PA.**

LORD BONDED RUBBER

**HEADQUARTERS FOR VIBRATION CONTROL**

*total contract amount is an interesting reflection on the high cost of aircraft today.*

*The largest portion of income tax returns are in the $3,000 to $3,500 income bracket. If you split this and assume the near-national average family of man, wife and one child, that typical family in a typical income bracket pays about $225 in taxes. Thus one family underwrites about 2¼ B-47 landings.*

*To pay for the complete parachute contract would take 27,413 such families or a hypothetical city of 82,239 population. This is somewhat larger than Burbank, Calif., or Springfield, Ill., and a little smaller than East St. Louis, Mo. And there is every prospect that there will be more contracts to replace these parachutes when they are worn. Suppose you took the $6 million and studied a built-in way to slow down the B-47—wouldn't it probably be more economical over the years?* —DAA

## Aluminum Plate at Room Temperature

A new practical process for electrodepositing aluminum at room temperature has been worked out by the National Bureau of Standards. Application is expected to be in the electroforming of articles with close inside tolerances, such as wave guides, and for providing various types of equipment with a thin protective coating of aluminum.

Already, dense, ductile deposits of the metal are being obtained at the Bureau from an organic plating bath consisting of an ether solution of aluminum chloride and a metal hydride. The procedure was developed at NBS by D. E. Couch and Abner Brenner.

The study is being extended to develop methods for depositing in good physical form such metals as molybdenum, tungsten, titanium, and zirconium.

## Steel Not Weakened By New Chrome Plate

Chrome-plated steel parts subjected to fatigue loads have been designed conservatively in the past because of the known reduction in fatigue strength due to plating. But a recently developed plating solution (Unichrome SRHS CR-110) promises to eliminate much of the need for overstrength design.

Typical example of saving: If a part were to be plated with 0.001 in. of chromium from ordinary solutions, the stress section area would be increased about 35% to account for the weakening by plating. If plating is done with the new solution, stress area increase is only about 8%.

These conclusions were reached from

*Always the same* . . . product quality that never varies . . . that's the secret of Aeroquip's leadership. Nothing is spared in time, money and effort to obtain the newest, most accurate inspection equipment to assure the Aeroquip standard, highest in the industry. That is why Aeroquip Products are "Always First" in quality.

- Flexible Hose Lines
- Detachable, Reusable Fittings
- Self-Sealing Couplings
- Breakaway Couplings

# Aeroquip

**AEROQUIP CORPORATION, JACKSON, MICHIGAN**

SALES OFFICES: BURBANK, CALIF. • DAYTON, OHIO • HAGERSTOWN, MD. • HIGH POINT, N. C. • MIAMI SPRINGS, FLA. MINNEAPOLIS, MINN. • PORTLAND, ORE. • WICHITA, KAN. • TORONTO, CANADA

AEROQUIP PRODUCTS ARE FULLY PROTECTED BY PATENTS IN U.S.A. AND ABROAD

MEMORANDU
To W. L. S.
From G. S. G.
When it comes to aircraft supplies the outfit to see is Van Dusen. Doesn't make much difference what we need, they have it. And they seem to know what they're talking about, too.
G.G.
Van Dusen AIRCRAFT SUPPLIES
TETERBORO, N. J. MINNEAPOLIS, MINN. BOSTON, MASS.

"Breathing" of moisture-laden air at any altitude is impossible with Unimax immersion-proof switches. Sealed against moisture, they can withstand any pressure change met in the fastest climb from sea level to 65,000 feet. This means freedom from internal icing or corrosion. A high-pressure plunger with an ice scraper is provided to break external ice formation.

Developed by Unimax engineers at the request of leading aircraft manufacturers, these switches solve your moisture and icing problems. Write today for complete specifications and the name of the Unimax engineering representative nearest you.

UNIMAX SWITCH
DIVISION OF THE W. L. MAXSON CORPORATION
460 WEST 34th ST., NEW YORK 1, N. Y.


tests made at the University of Michigan by Prof. M. J. Sinnot. Samples of aircraft quality SAE 4130 steel were heat-treated to a hardness of Rockwell C40-41 and tensile strength of 185,000 psi. One set was fatigue-tested directly to serve as control specimens. The other sets were chrome-plated in different solutions and then tested.

Information about the tests or the Unichrome solution is available from United Chromium, Inc., 100 E. 42 St., New York 17.



## This Gyro Knows Which End Was Up

Some gyros can't remember which end was up, but the new cageable vertical gyro developed by Minneapolis-Honeywell Regulator Co. does.

The gyro, now at the start of a $2½-million production order for the Navy's Bureau of Aeronautics, will re-establish a vertical axis within two seconds after violent maneuvering of the aircraft has ceased. Some of the current crop of gyros, says M-H, take as much as 20 minutes to remember which end was up.

Secret of the new gyro performance is a special tumbling pin which lets the gyro rotate without limit around its outer axis and up to 85-deg. rotation about the inner axis. Thus the gyro can spin freely as the pilot flings the airplane around the sky, instead of jamming or locking. Many of today's gyros jam 10 or 15 deg. off center, says John V. Sigford, M-H's chief aero planning engineer, and it takes about one minute of time per degree to come back to normal after maneuvers.

With the M-H gyro the pilot flicks a switch after completing his aerobatics, and in two seconds the gyro is functioning again for guidance.

Sigford says that the new unit can be used for missile guidance (obviously not by itself) and stabilization of radar scanning in addition to the normal aircraft autopilot use. With modifications, it can also serve as a directional gyro.



# REPORT CARD...from Space!

| | |
|---|---|
| STRUCTURE | A– |
| AERODYNAMICS | B+ |
| PROPULSION | B– |
| ELECTRICAL SYSTEM | B |
| CONTROLS | C |
| GUIDANCE | C– |
| PR[illegible] | B+ |
| SY[illegible] | |

Guided missiles send their "report cards" home in the form of complex radio signals which are received and recorded permanently at the ground station. These records inform the missile engineer if his foster-child flunked its final exams or passed at the head of its class. Bendix-Pacific airborne telemetering systems and ground-based receiving stations have been transmitting and recording accurate "report cards" for guided missiles continuously since the kindergarten era of pilotless flight.

The great number of Bendix-Pacific electronic components used in present-day guided missiles and aircraft attest to this company's leadership in the field of airborne electronics. Bendix-Pacific standard telemetering assemblies, radar equipment, radio-control systems and electronic servo components are recognized for their advanced design, ultra-compactness and reliability.

Your company, too, can profit from the years of diversified experience built into every piece of electronic equipment bearing the Bendix-Pacific nameplate. You are invited to write for a free copy of the booklet illustrating Bendix-Pacific electronic developments.

Bendix

Pacific Division

Bendix Aviation Corporation

NORTH HOLLYWOOD, CALIF.

# Ceramics for Jet Use Put into Production

**SPRAYED** ceramic coats turbosupercharger exhaust hood (other methods of application are dipping and hand-brushing), preparing part to be . . .



**FIRED** at temperature of 1,875F. The high heat fuses frit, clay and metallic oxide ingredients of coat to the hood. After firing, parts are . . .



**STACKED** awaiting inspection and shipment. These turbosupercharger assemblies were part of the first production run through Bettinger's new plant.

- **As yet it's a painstaking, intricate operation.**
- **But it extends life of parts two to six times.**

High-temperature ceramic coatings have left the laboratory and can now be applied on a production-line basis, says the Bettinger Corp., Waltham, Mass.

The firm's new facility, claimed to be the first production plant in this country devoted exclusively to these new coatings, is set up to apply any of the current ceramic coverings to any metal requiring protection.

Prime advantage of ceramic coatings is to extend the useful life of metal parts in a high-temperature environment. Life expectancy of a coated metal part is from two to six times that of an uncoated piece.

There's a secondary advantage—for a given design requirement of life or strength at high temperature, ceramic coatings let you use a lower grade metal, saving on top-grade critical alloys.

▶ **Current Use**—Ceramic coatings are currently protecting aircraft exhaust systems, turbosupercharger parts and combustion chamber liners in turbojets. Turbojet afterburners and tailcone assemblies are being coated. Turbine blades have been coated experimentally in lots of several hundred. Ahead lie possible applications to rocket and ramjet engines.

Paradoxically, the ceramics which protect today's high-temperature systems are among the most ancient materials used by man. For centuries artisans have protected pottery or cooking dishes with a fired coating of ceramic material which stood up under intense heat.

Within recent years there has been increased research and development work pointing the way toward efficiency increases in turbojet and piston-engine systems. A large part of that research has been directed toward the development and evaluation of ceramic coatings as distinct from ceramic parts.

Ceramic coatings are attractive for immediate use. They are expected to extend the usefulness of alloys, with few, if any, design changes required for their use (AVIATION WEEK Mar. 13, 1950, p. 21), from a paper by W. H. Duckworth and J. E. Campbell, as-

Another Thompson "First"...

# T.P.M.

## makes the big difference in valve life



T.P.M. VALVE

ORDINARY VALVE

These two Thompson valves from Pratt and Whitney Aircraft R-4360 Engines were photographed after first overhaul.

T.P.M. is the new valve material developed by Thompson to give greater corrosion resistance and higher strength at valve operating temperatures. T.P.M. is a result of Thompson's vast experience in valve development and knowledge of the behavior of metals at high temperatures.

Other Thompson "firsts" include a new coating alloy for valve heads and faces, and stem-peening to provide harder, more wear-resistant stem surfaces.

VALVE DIVISION

**Thompson Products, Inc.**

EUCLID, OHIO

*YOU CAN COUNT ON THOMPSON FOR ENGINEERING LEADERSHIP*

LEAKAGE ZERO



ACTUAL SIZE

Illustration shows streamlined, "straight through" design which assures uninterrupted, free flow of air. Cornelius Air Check Valves have high flow capacity with minimum pressure drop.

Cornelius AIR-CHECK VALVES

Leakage Zero up to 4500 PSI.

Working Pressure 3000 PSI.

Proof Pressure 4500 PSI.

Burst Pressure 7500 PSI.

Weight 0.07 lb. aluminum. 0.16 lb. stainless steel (material optional).

Ports per AND10056 for ¼" tube. Other sizes and ports per AND10050 available.

Temperature range −65° to +200°F.

Performance features such as leakage zero—"straight through," uninterrupted airflow—dependable service under icing conditions make the Cornelius Air Check Valve an outstanding unit designed specifically for pneumatic service.

Let us help you with your pneumatic system developments. Contact or write us for specific information.

Illustration shows position of poppet under high differential pressure condition. Note the metal to metal seal as well as the rubber seal.



Illustration shows position of poppet under low differential pressure condition. Streamlined poppet and rubber seat provide a positive leaktight seal with differential pressures as low as 0.5 PSI.

THE CORNELIUS COMPANY
MINNEAPOLIS 1, MINNESOTA

*Pioneers in Developing Pneumatic Systems for Aircraft*

SPECIFY CORNELIUS PNEUMATIC EQUIPMENT




sistant supervisors of Battelle Memorial Institute).

▶ **Coatings Defined**—A typical ceramic coating applied by Bettinger is a refractory glassy material fused to the surface of the part to be protected. Small pieces of glass (called "frit"), clay, metallic oxides and other substances make up the coating. Fusion of coating to the metal surface takes place in a furnace at 1,875F.

Together these coatings—about 0.001 in. thick—have the same coefficient of expansion as the base metal. They resist high temperatures, protecting the base metal and extending its life. They protect static or moving parts equally well, and grow with centrifugal or other forces on parts such as turbine blades. They withstand thermal shock.

As a result of research and applied development, two general classes of ceramic coatings are most common now. One is the A 418 and Solaramic series, used for coating special alloys such as Inconel, Nimonic 75 and Hastelloy B. The second is the A 19 series, used for coating mild steel and the lower-grade alloys.

▶ **Criteria**—There are many tricks of the ceramic coating trade, starting with the initial choice of material and going through final inspection.

Which material you select for coating depends on three things:

• **Degree of protection,** defined by operating temperatures, strength requirements and life expectancy.

• **Material to be coated.** For example, requirements for coating of low-carbon steels and the high-strength alloys are diametrically opposed. In low-carbon steels, the coating must fuse early in the heating cycle to seal off oxygen and prevent too much oxidation of the metal. On high-strength alloys, fusion must be delayed until sufficient metal oxide is formed to guarantee good adhesion.

• **Conditions of operation,** defined by the heating cycle or the motion of the part. The coatings must match the expansion of the base metals, show heat stability and have a slow rate of solvent action on the metal.

▶ **Into the Lab**—The inherent abilities of these coatings have been discovered through specimen tests and experimental applications typified in the extensive work of Solar Aircraft Corp., as well as others in the aircraft field.

Bettinger also maintains laboratories where a large amount of development work is done for a number of customers, and where primary control and test experiments are made. Test pieces have been heated to 1,875F and plunged into cold water time after time to check thermal shock resistance. Only after many repeated trials is there any sign of failure in the ceramic coating.

Other test specimens have been




# *More motor per pound*

## in this completely new design

Now you can have a lightweight, continuous-duty, explosion-proof motor. This new construction in integral horsepower ratings represents another Westinghouse first in the Aviation Industry.

This revolutionary d-c motor is completely self-contained. No ducts or other external ventilation equipment is required. Special flame arrester design provides complete protection and permits continuous-duty operation . . . with only a slight increase in weight over corresponding open, self-ventilated motors.

These direct drive motors cover a range from 1 to 4 horsepower and weigh from 20 to 28 pounds. They are available with standard AND mounting pads or with special mountings. Radio noise filters are installed. This new design has been explosion-proof tested according to USAF specifications.

Look into this new motor. Call your nearest Westinghouse Office or write Westinghouse Electric Corporation, Aircraft Department, Lima, O.

J-03004

YOU CAN BE SURE.. IF IT'S

Westinghouse

AVIATION EQUIPMENT

# Three Million GCA Landings

## *No GCA Failures!... No Plane Crashes*

Even to the pioneer Gilfillan engineer of 40 years ago, the incredible accuracy and reliability of today's GCA radar might have seemed an impossible dream.

More than three million military and civil aircraft have been safely landed by Gilfillan GCA radar. United States Air Force and Civil Aeronautics Administration records confirm that Gilfillan GCA has *never been responsible for an aircraft accident.* It is a remarkable record.

No small part of this record is the small amount of GCA outage for maintenance. 8 civilian GCA equipments have been in continuous 24-hour operation for an aggregate of 12 years. This means 12 years of continuous use for 4,000 tubes —yet only 21 have had to be replaced!* This believe-it-or-not economy is a tribute to Gilfillan radar design experience and to excellent CAA maintenance.

Gilfillan GCA is the only radar landing system in operation at the 8 largest civil airports in the United States. Since 1946 civilian pilots alone have made 100,000 landings using Gilfillan GCA exclusively at these civil airports. Of these, 75 have been "saves" of aircraft in distress.**

Gilfillan GCA is in operation at civil and military airports in 24 countries throughout the world.

GCA **Gilfillan**
LOS ANGELES

*CAA Report 8/23/51 **CAA Report 2/12/52

heated briefly and rapidly at temperatures as high as 3,000F (about maximum flame temperature in jet engines) and have taken the strain. Trials of ceramic-coated turbine blades have underlined the ability of the coatings to take blade growth at high temperatures.

► **Out of the Lab**—A production plant for coating is considerably different from an experimental setup. Bettinger needed both additional space and versatile equipment. In the space of six weeks and at a cost of about $100,000 Bettinger erected and put into operation a completely separate factory near its main Waltham plant, with specialized equipment particularly developed for high-temperature coatings.

Now Bettinger is set for full-scale production. Bulk of the firm's current work is development and experimentation; there is no huge backlog of unfilled orders. Thus a customer would not have to wait very long to start receiving deliveries of coated parts. Says the company: "We can take steady flow and deliver steady flow. Once they get pipe lines filled they can get daily or hourly deliveries if necessary."

Parts which enter the plant for coating go through a standardized production routine. As some indication of the processing time involved, you can consider that a single group of parts could be cycled in a single eight-hour day. The time for processing varies with the type of part and quantity, and make-ready time is a definite factor in some work.

► **Production Pattern**—The full pattern of production routine on a part is like this:

- **Scaling**, a cleaning process at a temperature of 1,800F.
- **Pickling**, running the parts through an acid bath, a high-pressure water spray, a drying period and a second acid bath.
- **Burning off**, a few-minute exposure to 1,875F temperature to burn the acids off the piece.
- **Sandblasting**, for preparation of the surface.
- **Application** of coating, either by dipping or spraying. Where a part must be coated by both techniques, dipping comes first. Before the spraying all excess coating from the dip is brushed off.
- **Firing** of the coating, done in furnaces at 1,857F.
- **Inspection**, which is over and above the continuous in-process inspections. A further word about inspection: It is based on visual standards and experience with the places that go wrong. During processing there is almost continual inspection of parts and coating composition. The parts are subjected to spot checks for thermal and mechanical shock. Bettinger cycles a flow of test pieces through routine processing as



PRECISION
DROP FORGINGS
From . . . TITANIUM
ALUMINUM
STEELS . . .
to AIRCRAFT SPECIFICATIONS
• We are equipped to make prompt delivery of precision drop forgings in quantity lots from any of these metals. Let us help you solve your production problems. For full information write Dept. AW
CONSOLIDATED INDUSTRIES, INC.
West Cheshire, Connecticut, U.S.A.
West Coast Representative: A. C. Stearns Co.
3911 San Fernando Road, Glendale, Cal.

**Samaritan of the Skies** — From the battle lines in Korea to the 60-foot platform on the Navy hospital ship Consolation, anchored off shore is a routine flight for this Sikorsky H-5 helicopter. During a six weeks' test last winter, this craft was a part of a flying ambulance shuttle of Air Force, Navy and Marine helicopters that evacuated some 400 wounded from Korea.

These earlier helicopters clearly showed how hours and even whole days could be saved in transporting casualties. Again and again, where shore medical facilities were limited and the weather would have been too rough for the small boats ordinarily used, helicopters transported their human cargoes in comfort and smoothness to these efficient havens afloat. The result of this test—the Navy has adopted this mode of transfer as Standard Operating Procedure.

Thus again, Sikorsky helicopters have helped forge another link in the life-saving chain they pioneered in Korea . . . a chain which has already accounted for the rescue of thousands.

**SIKORSKY AIRCRAFT**

**BRIDGEPORT, CONNECTICUT**

ONE OF THE FOUR DIVISIONS OF UNITED AIRCRAFT CORPORATION

controls for production. The composition of the coating is sampled and checked periodically.

If parts are unsatisfactory, they can be reworked by stripping the ceramic and reprocessing. But only one rework is allowed, because of the possibility that the recycling will harm the base metal.

►**Field Repair?**—It is possible to machine or grind parts after they have been coated; most of Bettinger's current production is so treated. Because of this workability after treating, there is some indication that these coatings can be repaired in the field. This would not apply to large areas of complicated pieces, but to small spots with signs of wear or damage. In practice the part can be cleaned locally and the healing coating applied.

Bettinger is performing some interesting current research on the number of times a part can be recoated after use. The job involves coating new parts, running them and recoating them. The cycle is repeated until there is evidence of failure or that nothing will be gained by further recoating.

It is more difficult to coat metals which have been used without coating. This is because of the action of combustion or heat on the surface structure of the metal parts. Preparing the surface is time-consuming, but Bettinger says that it is an economy to do the work involved if it means saving the piece or extending its useful life.

So it seems that both new and old parts stand to be improved through the use of ceramic coatings. And in these days of accent on non-critical materials, Bettinger's new production facility can mean the saving of pounds of cobalt, columbium, tungsten, molybdenum and nickel. —DAA

## Airframe Workers Double Pre-Korea

Airframe manufacturing plant employment has more than doubled since Korea—latest figures from the Dept. of Labor show the work force as of February totaled 378,000, compared with the pre-Korea figure of 170,000.

But the industry has been leveling out its employment rate because of the decision to stretch out defense production. Hiring in January was below the level of the preceding 18 months, although highly skilled workers, draftsmen and engineers still were short.

Rate of military separations of factory workers from their jobs has decreased by about one-third over the past year. This reflects reductions in the manpower requirements of the armed forces following rapid buildup in military strength in the first year after the Korean outbreak.

through faster
figure production
with the Remington Rand
ELECTRIC ADDING MACHINE

Doing business in today's defense economy calls for fast, accurate figurework. Without it, your business, and the national defense effort, suffers.

The Remington Electric Adding Machine fills this vital need with maximum speed and accuracy. Completely electrified feature keys and simplified 10-key keyboard assure lightning-fast addition, listing, subtraction and multiplication. Figure production is stepped up—operator fatigue reduced—time and money are saved. Send for details today.

Wherever you do business, you'll find Remington Rand Sales and Service offices close by and ready to serve *all* your business needs.

Remington Rand
INC.

Business Machines and Supplies Division
Room 2157, 315 Fourth Avenue, New York 10, N. Y.
Please send information on the Remington Rand Electric Adding Machine.
Name
Title
Company
Address
City Zone State

# Multi-Use Grinder Tilts, Turns

A grinding machine displaying some design wrinkles not seen before in this type equipment and claimed to be the "most versatile on the market today," has been introduced by George F. Grant Co., Inc.

The novel grinder has a single belt, but can be used for sanding and polishing, too. It "combines more . . . features than any three . . ." grinders now commonly used, Grant claims.

Several contact points on the unit for different kinds of work are located at intervals around the circumference of the belt, making it possible for more than one operator to use it at the same time.

The belt can be tilted at various angles and rotated a full 360 deg. on a horizontal plane, locked at 90 deg. intervals. It can be moved from horizontal to vertical to perpendicular—so that an operator doesn't have to go to another machine to complete a particular job. Special attachments—abrasive sleeves—permit small parts to be ground internally from ¾ to 2 in. i.d.

The machine incorporates some of the latest developments in the grinding field, among them the serrated contact wheel introduced not long ago to increase belt life and raise grinding efficiency. New adjustable tension control compensates for variations in belt length that might result from stretching, atmospheric conditions and other causes. This control gives smoother cutting and prevents belt breakage under heavy loads, the company says.

At one end of the belt, the operator can carry out contact wheel grinding, at the other, radius grinding from ¼ to ½ in. A flat plate astride the belt ends permits flat grinding. Work on convex and concave surfaces can be done at another point. The machine is ruggedly built, using heavy castings and oversize bearings for maximum rigidity.

George F. Grant Co., Inc., West Newton 65, Mass.

## Certificates Of Necessity

Accelerated tax amortization for manufacturers expanding their defense facilities is granted by the government in the forms of certificates of necessity.

In the following list of recent certificates, company name is given, followed by product of service, cost of construction deemed necessary for defense expansion but of no likely civilian use after the emergency, and the percentage of the expansion cost allowed for fast tax write-off. Fast write-off permits property to be depreciated in five years.

• **American Airlines**, New York, air transportation, (indeterminate), 80%.

• **Eastern Air Lines**, New York, air transportation, $74,125,731, 80%.

• **Bloomfield Tool Corp.**, Bloomfield, N. J., aircraft parts, $110,927, 80%.

• **Bendix Aviation Corp.**, Teterboro, N. J., aircraft accessories, $109,396, 65%.

• **Janney Cylinder Co.**, Philadelphia, aircraft parts, $73,983, 75%.

• **American Bon-Gran Bronze Co.**, Berwyn, Pa., aircraft parts, $22,631, 70%.

• **Topflight Tool Co., Inc.**, York, Pa., aircraft tools and ordnance, $294,689, 65%.

• **Hetherington, Inc.**, Sharon Hill, Pa., aircraft parts, $5,451, 65%.

• **J. Zagora Machine and Gear Co.**, Charlotte, N. C., aircraft parts, $97,583, 70%.

• **Fairchild Engine and Airplane Corp.**, Hagerstown, Md., cargo airplanes, $114,189, 65%.

• **International Nickel Co.**, Huntington, W. Va., nickel alloy tubing for aircraft, $218,200, 50%.

• **Robertshaw-Fulton Controls Co.**, Knoxville, Tenn., aircraft parts, $100,615, 50%.

• **Willard Bronze Co.**, Cincinnati, aircraft parts, $124,442, 65%.

• **Springfield Tent & Awning Co.**, Springfield, Ohio, canvas aircraft shelters, $40,000, 50%.

• **Continental Aviation and Eng. Corp.**, Detroit, aircraft engines, $140,722, 65%.

• **Efficient Screw Products Corp.**, Cleveland, aircraft products, $54,348, 50%.

• **Whirlpool Corp.**, St. Joseph, Mich., aircraft and ordnance parts, $103,668, 70%.

• **General Fireproofing Co.**, Youngstown, Ohio, aircraft parts, $853,418, 65%.

• **Wolverine Diesel Power Co.**, Detroit, engine generator for aircraft, $70,555, 65%.

• **United Aircraft Products, Inc.**, Dayton, aircraft parts, $50,515, 80%.

• **Andrews-Aiderfer Processing Co.**, Akron, aircraft parts, $18,895, 65%.

• **Victor De Francesco**, Cincinnati, aircraft products, $15,413, 70%.

• **Enterprize Tool and Gear Corp.**, Detroit, precision gears for aircraft, $70,724, 70%.

• **Ripley Mfg. Co.**, Croswell, Mich., aircraft parts, $83,000, 70%.

• **Bemco Co.**, Columbus, Ohio, aircraft parts, $18,940, 70%.

• **Research Welding and Engineering Co.**, South Gate, Calif., aircraft parts, $11,343, 65%.

• **Marquardt Aircraft Co.**, Van Nuys, Calif., aircraft parts, $695,000, 65%.

• **Industrial Refrigeration Co. of Calif.**, Los Angeles, aircraft testing equipment, $23,350, 70%.

• **Airdraulics**, Pasadena, Calif., aircraft parts, $42,866, 70%.

• **Almac Mfg. Co.**, El Monte, Calif., aircraft parts, $23,485, 70%.

• **Roy J. Heyne Mach. Co.**, Phoenix, aircraft parts, $71,703, 70%.

• **Moorlea Mfg. Co.**, Los Angeles, aircraft parts, $36,775, 70%.

• **Emsco Derrick and Equip. Co.**, Los Angeles, aircraft parts, $81,360, 70%.

• **Interstate Engineering Corp.**, El Segundo, Calif., aircraft parts, $19,293, 75%.

• **Pacific Airmotive Corp.**, Burbank, Calif., aircraft engines, $88,203, 65%.

• **General Metals Corp.**, Burbank, Calif., aircraft parts, $107,800, 65%.

• **National Screw and Mfg. Co.**, Los Angeles, aircraft parts, $189,117, 50%.

• **Diversified Metal Products Co.**, Los Angeles, aircraft parts, $173,792, 70%.

• **CIA-VAL Co.**, Alhambra, Calif., aircraft parts, $65,179, 70%.

• **Axelson Mfg. Co.**, Vernon, Calif., aircraft landing gears, $123,479, 65%.

• **Vendorlator Mfg. Co.**, Fresno, Calif., aircraft parts, $58,243, 75%.

• **Castle Industries Inc.**, Everett, Wash., aircraft metal parts, $53,307, 65%.

• **Kevenna Metal Products Corp.**, Seattle, aircraft parts, $198,564, 75%.

• **Raytheon Mfg. Co.**, Waltham, Mass., electronic tubes, $222,985, 65%.

• **Verney Corp.**, W. Peterboro, N. H., fabrics for parachutes, $122,559, 40%.

• **United Aircraft Corp.**, East Hartford, Conn., aircraft engines and parts, $2,572,984, 65%.

• **Connecticut Filter Corp.**, Stafford Springs, Conn., aircraft parts, $182,485, 50%.

• **Kenick Mfg. Co.**, Lynbrook, N. Y., aircraft components, $11,450, 80%.

• **G. M. Giannini and Co., Inc.**, Springfield, N. J., aircraft parts, $4,142, 65%.

• **Heritage Co.**, Huntington, L. I., N. Y., aircraft parts, $27,308, 65%.

• **American Standard Corp.**, Trevose, Pa., aircraft parts, $34,864, 70%.

• **Federal Screw Works**, Chelsea, Mich., aircraft engine parts, $367,582, 50%.

• **J. Lenkart Machine Co., Inc.**, Columbus, Ohio, aircraft parts, $163,236, 70%.

• **American Tool and Engineering Co.**, aircraft parts, $107,300, 80%.

• **D. L. Auld Co.**, Columbus, Ohio, aluminum forgings for aircraft, $45,424, 65%.

• **Aluminum Company of America**, Cleveland, aluminum forgings for aircraft, $182,600, 65%.

• **Sunbeam Corp.**, Chicago, aircraft parts, $114,610, 65%.

• **Lakeside Aluminum Co.**, Minneapolis, aircraft parts, $79,431, 70%.

• **Solar Aircraft Co.**, Des Moines, aircraft parts, $127,039, 65%.

• **Northrop Aircraft, Inc.**, Hawthorne, Calif., aircraft, $57,741, 65%.

• **Hill Jack Scientific Instrument Co.**, Solana Beach, Calif., aerial reconnaissance cameras, $35,583, 65%; $21,109, 65%.

• **Zahnter Mfg. and Machine Co.**, Compton, Calif., aircraft parts, $54,627, 65%.

• **Domanco Corp.**, Torrance, Calif., components for aircraft, $191,443, 65%.



# Twin's Early Birds Build Whirly Birds

COMPLETE FUSELAGES for Piasecki HUP helicopters—and major assemblies for other urgently needed aircraft—are rolling off the lines of Twin Coach Aircraft Division in substantial volume. Twin Coach plants, among the best-equipped, most modern in the nation, are competently staffed by men who are the real early birds of the aviation industry. Many have over 25 years of unbroken aircraft experience. Modern facilities, modern equipment plus *experienced* manpower make Twin Coach a dependable source for every type of airframe assembly.

A-6358

Joe Sacco, lofting leadman, constructed and flew his first glider in 1929 while still attending Buffalo Technical High School. He has been in the aircraft industry continuously ever since.

**TWIN COACH COMPANY** *Aircraft Division* **BUFFALO, N. Y.**

**TWIN COACH PRODUCTS:**

*AIRCRAFT ASSEMBLIES • MOTOR COACHES • TROLLEY COACHES • SUPER FREIGHTER CARGO TRUCKS • FAGEOL GASOLINE AND PROPANE ENGINES • FAGEOL-LEYLAND DIESEL ENGINES*

IRC new Type WW Precision Wire Wounds surpass JAN-R-93 Characteristic B Specifications.

# NEWLY DEVELOPED RESISTORS FOR AVIONIC EQUIPMENT . . .

## Tests Prove They Have No Equal in *Reliability!*

We tested these newly-developed Precision Wire Wounds side-by-side with competing resistors. The chart shows what we learned. IRC's new Type WW's not only surpass JAN-R-93 Specifications; they also show themselves far superior to other precision wire wounds in reliability *and* stability!

| | Original Resist. | 1st Cycle % Chge | 2nd Cycle % Chge | 3rd Cycle % Chge | 4th Cycle % Chge | Resist. at End of 100 hrs. load | Total % Chge | % Chge from Last Temp. Cycle to End of 100 hrs. load % | Resistance Chge at End of 100 Hrs. Load only % -no cycling- |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 100.010 | + .04 | + .04 | + .05 | + .05 | 100.050 | + .04 | — .01 | 100.040 — .02 |
| 2 | 100.000 | + .03 | + .04 | + .03 | + .05 | 100.060 | + .06 | + .01 | 100.000 0 |
| 3 | 100.000 | + .01 | + .02 | + .02 | + .05 | 100.000 | 0 | + .05 | 100.050 — .02 |
| 4 | 100.000 | + .02 | 0 | + .02 | + .02 | 100.000 | 0 | — .02 | 100.040 — .01 |
| 5 | 100.010 | + .03 | + .04 | + .04 | + .05 | 100.000 | 0 | — .05 | 100.030 — .03 |
| 6 | 100.000 | 0 | + .03 | + .04 | + .04 | 100.100 | + .1 | + .06 | 99.980 0 |
| 7 | 100.000 | + .04 | + .05 | + .04 | + .04 | 100.070 | + .07 | + .03 | 100.000 0 |
| 8 | 100.000 | + .03 | + .05 | + .05 | + .05 | 100.050 | + .05 | 0 | 100.000 0 |
| 9 | 100.000 | + .04 | + .03 | + .05 | + .04 | 100.010 | + .01 | — .03 | 100.050 0 |
| 10 | 100.000 | + .02 | + .02 | + .02 | + .04 | 100.010 | + .01 | — .03 | 100.000 0 |
| 11 | 100.000 | 0 | + .01 | + .01 | + .03 | 100.000 | 0 | — .03 | |

Critical cycling and 100-hour load tests resulted in virtually zero change in resistance. Other stringent tests prove Type WW's high mechanical strength, freedom from shorting, resistance to high humidity.

### Four New Improvements Make New Type WW's Most Reliable and Stable of All

**NEW WINDING FORMS** hold more wire—give higher resistance value. Non-hygroscopic ceramic assures high insulation qualities, high mechanical strength, low coefficient of thermal expansion.

**NEW WINDING TECHNIQUE** bars possibility of shorted turns or winding strains. All wire receives rigid insulation tests of special enamel coating. Special attention is given to transfer of wire to winding forms without strain or break in insulation.

**NEW TYPE INSULATION** withstands humidity—assures long life. Winding is multiple vacuum impregnated with new IRC-developed compound. This retains same consistency throughout entire range of temperatures to which resistors are exposed. Neither glassy hard nor tacky soft under *any* condition, compound prevents wire strains, provides stability and freedom from noise.

**NEW TERMINATIONS** are rugged lug terminals for solder connections. These provide dependable strain-free winding terminations. Only Type WW-10, because of small size, has wire lead termination 2" long.

*Be sure to get full technical data on new Type WW Precision Wire Wounds in Catalog Data Bulletin D-3.*



Meets requirements of MIL-R-10509.

### NEW IRC TYPE BOC BORON-CARBON PRECISTORS

**The Ultimate in Stable, Reliable Non-Wire Wounds**

Exposed to repeated temperature variations from —65°C to +125°C, Type BOC Boron-Carbon Precistors change less than .4% exceeding the requirements of aircraft and guided missiles. Rated at ½ watt, Type BOC's conform to all requirements of MIL-R-10509. Voltage coefficient is less than 20 parts per million per volt. Load life is extraordinary—on a 500-hour test at ambient temperature of 40°C, resistance change will not exceed 2%.

Send for complete technical data on Type BOC Boron-Carbon PRECISTORS in Catalog Bulletin B-6.

Meets Signal Corps Specification MIL-R-10509.

### NEW IRC TYPE DCC DEPOSITED-CARBON PRECISTOR

**Latest Small-Size, High-Stability Resistor**

No other non-wire-wound unit so successfully combines small size, accuracy and dependability. Type DCC was specially developed to meet the needs of modern electrical and electronic circuits. Conservatively rated at ½ watt. Assures high stability, low voltage coefficient and low capacitive and inductive reactance in high frequency applications. Tolerance 1%, 2%, 5%. Resistance values:—100 ohms to 2 megohms. Excels MIL-R-10509 requirements in every respect.

Get complete technical information in Catalog Data Bulletin B-7.

### NEW IRC TYPE FS FUSE RESISTOR

**Small, Compact, Fully Insulated**

This versatile unit serves as a resistor under normal conditions—and as a fuse under abnormal conditions. It can be wired into a circuit as easily as a molded wire wound resistor. Use as a surge-limiting resistor in either tube rectifier or selenium rectifier circuits for AC series filament receivers—or as a surge-limiting resistor in low power voltage doubler circuits.

Full technical data available in Catalog Data Bulletin B-3.



**GET THE FULL DETAILS** Completely new tools for electronic and avionic engineers and designers, these new resistors promise tremendous advantages in gunfire control, radar, communications, telemetering, computing and service instruments. Full details are yours for the asking. Be sure to write for them.

# INTERNATIONAL RESISTANCE COMPANY

Dept. F, 401 N. Broad Street, Philadelphia 8, Pa.

*In Canada:* International Resistance Company, Limited, Toronto, Licensee

IRC

*Wherever the Circuit Says* ~~~

# Transistors, Mag-Amps in IRE Spotlight

- **Military studying use of new avionic devices.**
- **They point to improved reliability, economy.**

By Philip Klass

Dayton—The Air Force is analyzing its existing avionics equipment to see how it can take advantage of the space and weight saving and increased reliability transistors can offer over vacuum tubes; meanwhile magnetic amplifiers have already begun to make serious inroads on vacuum tubes.

This evidence comes from papers given recently at the Institute of Radio Engineers-sponsored conference on airborne electronics in Dayton.

One paper described an analysis which indicated that existing transistors could replace vacuum tube stages in 54% of the USAF's avionics equipment. Other papers described servo systems and a voltage regulator in which magnetic amplifiers have partially or completely displaced vacuum tubes.

"Reliability" was a much-used word throughout the conference. Engineers also described new techniques for packaging avionics equipment to improve its reliability, reduce its size, and ease maintenance.

▶ **Transistors**—Today's tiny transistors have a life expectancy of at least 70,000 hours and can withstand shocks of 20,000 G and vibrations of 100 G, Dr. O. M. Stuetzer of the USAF's Wright Air Development Center told the IRE audience. Stuetzer is research facilities chief of WADC's electronics lab. He said that the new junction-type transistors should do still better.

Even more encouraging, transistor manufacturers can now produce transistors with impedance variations of ±30% or less, Dr. Stuetzer said. However, he played down the size and weight reduction which can be achieved today by "transistorizing" avionics equipment. This is because transistors cannot replace vacuum tubes in many avionics applications.

Transistors can only be used at present in low-power level applications and at frequencies below 30-40 mc, Dr. Stuetzer said. He also pointed to their present top operating temperature of about 60-70C; above 80C, they cease to function.

**RELIABILITY** of avionic equipment will be increased by devices such as rugged Westinghouse plug-in magnetic amplifier (left) and junction transistor (right) which should last 70-100 times as long as the "miniature" tube shown with it.

**ECONOMY** of size and weight are being improved. First panel shows two vacuum tube amplifiers of identical performance, but newer one (right) is 70% smaller, 50% lighter. Right panel shows complete two-stage voltage amplifier plug-in unit.

▶ **Size and Weight Saving**—Stuetzer described the results of a WADC analysis of USAF communications and navigation, fire control, and radar equipments to determine where transistors could replace vacuum tube stages and how much size and weight saving would result. Five to ten equipments of each type were considered.

Dr. Stuetzer said that 72% of the tube stages in USAF fire control equipment could be replaced with today's transistors, but only 40% of the radars could be transistorized. The weighted average for all types of equipment was 54%.

In some instances it isn't practical to transistorize even though it is technically possible, Dr. Stuetzer said. The increased circuit complexity cannot be justified. On this basis, he said, it would be feasible to transistorize only 40% (weighted average) of the vacuum tube stages.

Using this 40% figure, Stuetzer gave the following size and weight reductions resulting from transistorizing, broken down by the size-type of vacuum tube now used.

| | Weight | Size |
|---|---|---|
| • Standard stages | 35% | 28% |
| • Miniature stages | 30% | 33% |
| • Subminiature stages | 22% | 30% |
| • Weighted average | 28% | 23% |

Overall equipment size and weight saving would be further reduced to 20% and 25%, respectively, because equipment cases, cables, blowers, etc., are relatively unaffected by transistorizing, Dr. Stuetzer said. If these percentages seem small compared to early glowing predictions, it should be remembered that they are based on equipment which is only 40% transistorized.

▶ **Some Power Loss**—Acknowledging that transistors eliminate the need for heater or filament power required by vacuum tubes, Dr. Stuetzer reminded

his audience that transistors waste power in the form of constant current biasing needed for the transistor emitter.

Dr. Stuetzer estimates transistor power consumption at 0.2 watts per stage, compared to an average of 3.0 watts for a typical standard tube stage, or 2.5 watts for an average miniature tube stage. By transistorizing, he estimates that 2.5 watts per stage can be saved.

▶ **Gain in Reliability**—With an in-flight transistor service life of 70 to 100 times that of a miniature vacuum tube, Dr. Stuetzer thinks the transistor's biggest contribution will come from increased equipment reliability. He believes that transistorizing 40% of today's avionics equipment would reduce equipment failures almost 40%.

▶ **Silicon Transistors?**—To achieve higher operating temperatures, transistors may some day be made of silicon instead of germanium, Dr. J. P. Jordan of General Electric predicted. At the moment, less is known about the properties and characteristics of silicon, and it may have other drawbacks.

Jordan said that existing junction-type germanium transistors can handle powers of 100 milliwatts, and if cooling is used, up to two watts. However Jordan said that he feels that increased transistor power capacity should come from a larger transistor working area rather than from added cooling.



**TUBE-GENERATED HEAT is conducted in thermal shields to assembly base and then to chassis for efficient dissipation in this Minneapolis-Honeywell assembly.**

Long-lived transistors should extend the life of resistors and condensers in computer applications, according to J. H. Felker of Bell Telephone Labs. Resistors and condensers will operate at lower voltages and currents, thereby increasing their life.

▶ **Magnetic Amplifiers**—The magnetic amplifier hasn't received the publicity given the transistor, but the mag-amp (as it is sometimes called) is a fast growing threat to vacuum tubes. The mag-amp will complement rather than compete with the transistor. The transistor is presently limited to low-power uses; the mag-amp is well suited to high-power uses.

Fundamentally the mag-amp is a saturable reactor and as such has been long known. The Germans and Swedes dug it up during the last war to cover their vacuum tube shortage and advanced the art considerably. Engineers in this country are rapidly turning to the mag-amp because it promises a much longer, more reliable service life than vacuum tubes.

Engineers from four major companies told of their magnetic amplifier activities at the IRE conference.

• **Westinghouse**—An autopilot servo amplifier; all magnetic.

• **Minneapolis-Honeywell**—A remote




**The Accepted Standard**
**the ORIGINAL**
**METAL CLOSURES**
**...by TUBING SEAL CAP INC.**

Yes, Precision Metal Closures by Tubing Seal-Cap were the FIRST on the market and remain the FIRST *in the market.*

For ten years, the Armed Services, major aircraft companies and their suppliers have predominantly specified Tubing Seal Cap Metal Protection for lines and fittings.

**CHECK THESE FEATURES:**

• Seal Out Dust and Moisture • Seal In Fluid • Resist Hard Knocks • Can't Chip • Keep Hydraulic Systems Clean • "Spin" On By Hand . . . *For Protection During Manufacture, Shipment and Storage.*

SEND FOR CATALOG

**TUBING SEAL CAP INC.**

Home Office and Factory: 808 W. Santa Anita Ave., San Gabriel, California.

Eastern Office: 428 New Center Bldg., Detroit 2, Michigan.





**AUTOPILOT AMPLIFIER built by Westinghouse contains no vacuum tubes. Plug-in magnetic amplifiers are used throughout the assembly. Chassis which is shown above contains three separate autopilot channels.**

positioning system servo amplifier; all magnetic.

• **Bell Laboratories**—An instrument-type servo system for computers; magnetic amplifier output stage.

• **W. L. Maxson Co.**—Voltage and frequency regulator for 400-cycle inverter; using mostly magnetic amplifiers.

▶ **Mag-Amp Attraction**—According to the IRE speakers, here's what makes the magnetic amplifier so attractive for avionics equipment.

• **Reliability and long life** due to rugged transformer-type construction.

• **No filament heater** required, hence no warm-up time.

• **Reduced power consumption** and heat dissipation problems because of no filament heater and because mag-amp functions as variable reactance device instead of variable resistance device (a pure reactance consumes no power). D. B. Kleason of M-H cited comparative figures for a mag-amp and tube amplifier designed for the same job. The mag-amp's standby power was 1/5, and full-load was ½ of tube amplifier power consumption.

• **Lighter weight** for power outputs greater than 5 w., possibly for powers as low as 1 w., according to Kleason.

▶ **Mag-Amp Drawbacks**—On the other side of the ledger, there are two drawbacks to magnetic amplifiers. One may be licked in time; the other is inherent.

• **Temperature limits.** The dry-plate rectifiers used in mag-amp circuits are presently limited to a maximum temperature of about 160F. Higher temperature rectifiers are presumably under development.

• **Poorer frequency response.** Response time of a mag-amp has a theoretical


VOI-SHAN

20 page BIRTH CERTIFICATE...

No thoroughbred was ever born with more professional concern . . . than a VOI-SHAN Bolt! Observed, tested, checked constantly from specification to "delivery room," if they show the least symptoms to "bolt rickets" or any other imperfection, they do not reach full adult-hood. *No VOI-SHAN Bolt gets out of the plant* until we know it is "constitutionally" strong and sturdy and will only be retired after a full lifetime of service . . . never because of "illness" or "failure." Each bolt must stand up under VOI-SHAN's rigid 4,000-word Birth Certificate for Verified Strength.



*Prompt attention to your inquiry in regard to any fastener problem. Just write or phone.*

**VOI-SHAN**
***Manufacturing Co., Inc.***
8463 Higuera Street
Culver City, California
TExas 0-5321

*Verified Strength* BOLTS FOR VITAL SECURITY



# *Finishing School for*
# GUIDED MISSILES

*The Air Force Missile Test Center, used by all our military services as a long-range proving ground, stretches thousands of miles from Florida, out over the Bahamas, into the South Atlantic.*

A pilotless bomber roars away from its launching stand, picks up speed, zooms into the blue. Setting its course for a far-off target in the ocean, it rockets over a chain of tiny islands where men and machines check its flight, its behavior, the operation of its guidance and control systems. It's a vital part of our air power of the future—aeronautical research and development laying the foundation for continued U. S. air supremacy!

Operated by the USAF's Air Research and Development Command, the Missile Test Center is geared up to test the wide variety of missiles, rockets and pilotless aircraft vital to modern air power. It reached its full stature with the recent completion of down-range observation stations. And the dramatic B-61 pilotless bomber, the Matador, designed and produced by Martin as part of its diversified missiles program, was the first to use the completed range. THE GLENN L. MARTIN COMPANY, Baltimore 3, Maryland.

Martin AIRCRAFT

*Builders of Dependable Aircraft Since 1909*

**DEVELOPERS AND MANUFACTURERS OF:** Navy P5M-1 Marlin seaplanes • Air Force B-57A Canberra night intruder bombers • Air Force B-61 Matador pilotless bombers • Navy P4M-1 Mercator patrol planes • Navy KDM-1 Plover target drones • Navy Viking high-altitude research rockets • Air Force XB-51 developmental tactical bomber • Martin airliners • Guided missiles • Electronic fire control & radar systems • **LEADERS IN** Building Air Power to Guard the Peace, Air Transport to Serve It.

Illustration is artist's conception of Air Force B-61 Matador pilotless bomber.

minimum of one cycle of the supply frequency. (1/400 sec. for a 400-cps. supply). If relatively high gains are desired, response time gets longer. (At low servo-system frequencies, a vacuum tube is considered to have zero response time.)

► **Autopilot Amplifier**—The Westinghouse all-magnetic servo amplifier is designed for use on their new E-9 autopilot. It contains three separate channels (rudder, aileron, elevator) each of which uses three plug-in type reactor units measuring 3¼ x 1¼ in. dia. The output of each channel is 10 w., according to F. S. Malick who described the unit.

The amplifier output excites a solenoid-valve which in turn ports fluid to a hydraulic servo; a separate valve and servo, presumably, is used for each control surface.

Malick predicted that the size of low-power-level mag-amps could be reduced to match miniature tube size. For further reductions he suggested using a higher a.c. supply source frequency or internal frequency multipliers.

Malick said that new types of low-impedance synchros are needed as signal sources for low-impedance mag-amps. The control current required by mag-amps makes present high-impedance synchros unsuitable. He suggested the use of a variable reactance pickoff using a permanent magnet rotor.

► **Remote Positioning**—"Watt for watt, and with gains required for most remote positioning systems, magnetic amplifiers can compete in size and weight with electronic (amplifiers)," D. B. Kleason of M-H said. The generally low-input impedance of mag-amps is a big advantage where noise pickup in the signal circuit is a problem. For example, mag-amps are ideally suited for use with highly sensitive thermocouples.

Mag-amps make natural d.c. amplifiers, Kleason said, permitting the use of a d.c. signal circuit without "choppers" or other means of converting d.c. to a.c. If a.c. signal circuits must be used, he recommended a small demodulator consisting of a toroidal transformer and rectifier.

Kleason later demonstrated an all-magnetic two-stage Class "A" magnetic amplifier operating a 40-in. lb. inertia load. He cited figures for the system showing that frequency response is down 3 db. at 1.4 cps.; the 90-deg phase shift occurs at 1.2 cps.

The demonstrator reportedly had a 50-1 modulation range with a null shift of less than 5%. Kleason said linearity was good from zero to full 20 w. output.

Mag-amps' extreme reliability and ability to withstand shock should permit mounting them in inaccessible air-

Try STRUX* on REPCO
(the Super Sandwich)

It's not edible but it's mighty practical, especially in the aviation industry where heavy duty and light weight are so essential.

STRUX (CCA), cellular cellulose acetate, is the core of our sandwich construction. An expanded plastic, manufactured under duPont license, it is lighter than balsa wood but possesses great structural strength and provides extreme rigidity and resistance to fatigue. Relatively unaffected by extremely low temperatures, CCA does not tend to become brittle or frangible and will withstand temperatures up to 350° F. for long periods.

REPCO, the reinforced laminate used as the skins, is lighter than aluminum but on a weight basis, as strong as steel. Bonded together, usually with polyester or epoxy resins, STRUX and REPCO form an unbeatable sandwich for aircraft cargo liners.

STRUX, extruded continuously in boards, rods or special shapes in a variety of sizes, is by no means limited to sandwich construction. Machining of rod stock for example provides gun plugs for jet fighters. Composed of non-intercommunicating cells, it is an excellent thermal, electrical and sound insulator, has unusual buoyancy in water, oil and other liquids, resists fungi and decay and can be used with almost every commercial adhesive.

* T. M. Reg.

*Write today for a sample and descriptive literature.*

STRUX CCA

STRUX CORPORATION

49 WEST JOHN STREET, HICKSVILLE, LONG ISLAND, NEW YORK

*Associated Companies* RUSSELL REINFORCED PLASTICS CORP., Lindenhurst, L.I., N.Y.
AIRCRAFT SPECIALTIES CO., INC., Hicksville, L.I., N.Y.

*Representatives in* Los Angeles • San Francisco • Seattle • Kansas City
Atlanta • Miami

Have you tried
SPRAGUE FILTERS?

Excellent insertion loss characteristics represent but one of the features that commend Sprague radio noise suppression filters for use with modern aircraft electrical equipment. Equally important is the fact that these filters match exacting specifications for compactness, light weight, mounting arrangements, and ability to operate over a broad temperature range. Backed by years of application know how, Sprague filter engineers welcome your inquiries on radio noise suppression problems.

S.PRAGUE
PIONEERS
FILTER DIVISION
SPRAGUE ELECTRIC COMPANY
NORTH ADAMS, MASSACHUSETTS
IN ELECTRIC AND ELECTRONIC DEVELOPMENT

DYKEM STEEL BLUE STOPS LOSSES

making dies and templates

Simply brush on right at the bench; ready for the layout in a few minutes. The dark blue background makes the scribed layout lines show up in sharp relief, and at the same time prevents metal glare. Increases efficiency and accuracy.




*Write for full Information*

THE DYKEM COMPANY
2303A North 11th St.
St. Louis 6, Mo.

**"CHOPPER" or synchronous vibrator has long defied miniaturization. Now Minneapolis-Honeywell has come up with a small 400-cycle vibrator (center), not much larger than a cigarette. Older unit is shown at right.**

plane locations, Kleason predicted.

▶ **Instrument Servos**—Instrument-type servo systems for computers, which combine vacuum tube driver stages with mag-amp output stages, were described by H. A. Helm and L. W. Stammerjohn of Bell Labs. Bell has designed a family of three amplifiers using identical driver stages with mag-amp output stages of different ratings.

Each vacuum-tube driver consists of an a.c. amplifier, phase detector, and phase inverter; the complete amplifier is then placed in a potted plug-in assembly.

Helm cautioned engineers that unless care is taken to match the impedance of the mag-amp and its 2-phase a.c. motor, the motor may develop torque and rotate when only its fixed phase is excited.

The Maxson mag-amp regulator, developed for a Jack and Heintz inverter will hold voltage within ±1 volt and frequency within ±2 cps, C. B. Grady said.

▶ **System Reliability**—"It (reliability) must be built in, designed for, checked for . . . from idea to hardware, manufacturing techniques and test procedures—these all contribute," Irving Mirman of USAF's Rome Air Development Center told IRE members. He urged engineers to devote more time and money to reliability during initial equipment design to save maintenance costs later.

Mirman emphasized that a small decrease in reliability of individual circuit elements results in a much larger decrease in overall system reliability. To illustrate this point, Mirman considered three hypothetical systems containing 500, 1,000, and 2,000 vacuum tubes respectively. He further assumed that each system must be operable for 23 hours per day, with a one-hour shutdown for repairs; also, that only two faulty tubes could be located and re-



## When You Fly These Airlines You Fly With

## Dependable CHAMPION Spark Plugs!

Being associated with aviation you undoubtedly have come to place a tremendous premium on engine performance and dependability.

You can, therefore, appreciate the significance of the fact that all major scheduled air lines in the U.S., plus most overseas operators, use Champion Spark Plugs—the majority of them exclusively.

As a group, the airlines are unquestionably the world's most exacting buyers of spark plugs.

Since all Champion Spark Plugs are built to one single standard of excellence in quality, value and performance, you may be certain that Champions for your car, your private airplane or boat—as well as for truck and tractor—will assure you top engine performance and dependability.

***FOLLOW THE EXPERTS—Insist on Champion Spark Plugs***

**CHAMPION SPARK PLUG COMPANY, TOLEDO 1, OHIO**

# Fairchild Flying Boxcar Uses 32 Thermoswitch Units

**IN THIS C-119 FAIRCHILD "FLYING BOXCAR,"** hot air heats the crews' quarters and provides anti-icing protection for wing and tail surfaces. Eight unit heaters produce the hot air which must be maintained at a constant temperature. That job is effectively handled by 32 Fenwal THERMOSWITCH® controls . . . four to each heater.

**CHOSEN AFTER TESTS** of a series of controls, Fenwal THERMOSWITCH units have been used in Flying Boxcars for nearly three years. Fairchild praises their reliable performance, simple design and low cost. These Fenwal temperature control devices are especially developed for applications subject to severe environmental and operational conditions.

**QUANTITY PRODUCTION** of Fenwal Aircraft Heater Controls (as shown in this picture) is accomplished by well-trained assemblers who make up this assembly line. Their skill is backed up by rigid quality control methods which include X-ray inspection. Adequate and efficient production facilities keep all Fenwal THERMOSWITCH units moving in increasing quantities.

**CUTAWAY VIEW** of Fenwal THERMOSWITCH control shows enclosed electrical contacts. The temperature-sensitive shell expands or contracts *instantly* with temperature changes, thus making or breaking the contacts. Fenwal units are compact, highly resistant to shock, vibration and extreme temperature conditions. For complete data on these and other Fenwal aircraft controls, write FENWAL, INCORPORATED, 126 Pleasant Street, Ashland, Mass.

Fenwal

**THERMOSWITCH®**

Electric Temperature Control and Detection Devices

SENSITIVE . . . *but only to heat*

placed during this one-hour shutdown.

Here are the results Mirman presented:

| Reliability of Each Tube | System Reliability 500 | 1,000 | 2,000 |
|---|---|---|---|
| 1.000 | 1.000 | 1.000 | 1.000 |
| 0.998 | 0.910 | 0.705 | 0.291 |
| 0.996 | 0.680 | 0.191 | 0.003 |

The table shows, for example, that if the reliability of each tube is 0.998 (2 tubes out of 1,000 will fail), the 500-tube system will have a reliability of about 0.9.

In other words, it can be expected the system will operate nine days out of every ten before it has more tube failures than can be located and fixed in the daily one-hour shutdown. The 1,000-tube system can be expected to operate only seven days out of ten; the 2,000-tube system can be expected to operate only three days out of ten without system failure.

If individual tube reliability goes down to 0.996, the 2,000-tube system could be expected to be operative only 3 out of every 1,000 days.

▶ **The Solution**—To improve system reliability, Mirman urged engineers to:

• **Reduce the number of tubes** wherever possible. (Each tube, on the average, he said, requires five resistors and four capacitors.)

• **Use conservative design** of vacuum tube circuits in order that tubes will operate below their maximum rating. (This would appear to be partially at odds with his previous admonition.)

• **Build in test equipment** to check operation of equipment and its major assemblies.

• **Make least reliable elements** most accessible for replacement.

▶ **Miniaturized Construction**—Unless miniaturized avionic construction is "unitized," it becomes "a 'rat's nest' of components, completely unserviceable to even the most highly skilled technician," D. G. Heitert of Emerson Electric Mfg. Co. warned. The answer, he said, is to break circuits down into small circuit segments each of which performs a definite function and is separately packaged, usually as a plug-in assembly.

Heitert urged the use of plastic embedment (potting) for small units. These, he said, should be scrapped, not repaired, when they fail. Potting prevents unauthorized tampering with circuits, which he called an important by-product advantage.

He told of portions of an airborne computer circuit which were experimentally built in both potted and standard forms for comparison. The potted unit compared favorably with the standard construction circuit in terms of performance, except for gain which was a maximum of 10% lower. However, the potted units had heating problems; power densities were 8-12 times higher than the standard construction, running as high as 2,540 watts/cu.ft.

To dissipate internal heat, Heitert talked of fortifying the potting compound with heat-conducting fillers. This could provide thermal conductivity equal to twice that of still air but which still can't compare with standard construction using forced air cooling, he said.

**LARGE PANELS**, containing all the plane's avionics built into modular-type cases with provision for turbulent cooling, have been suggested. They would be . . .



**COMPLETELY REMOVABLE** for test and overhaul. Air scroops on fuselage (just ahead of opening) would provide means of cooling all the avionics equipment.

▶ **Cooling Problems**—Inadequate heat removal is a major cause of avionics equipment failure, J. P. Welsh, Cornell Aeronautical Lab, told the IRE. Excessive heat shortens tube life by releasing gas in the tube and by cutting down emission.

High heat also causes decomposition and dielectric failure in capacitors, resistors and insulating materials and in-

*In Defence of the Realm*

NUMBER 5 IN A SERIES

*Drawing reproduced by courtesy of "Flight".*

*Have you ever designed an aircraft?*



*(Above) left to right, S. D. Davies, Chief Designer, A. V. Roe; W. S. Farren, Technical Director, A. V. Roe; S. Camm, Chief Designer, Hawker Aircraft; T. O. M. Sopwith, Chairman, Hawker Siddeley Group; Sir Frank Spriggs, Managing Director, Hawker Siddeley Group.*

Ask Sydney Camm, Hawker Chief Designer, that question and he'll tell you no one man *designs* the aircraft of to-day. The modern jet fighter springs from one man's conception carried through by a complex team of airframe designers, aerodynamicists, process executives, stress analysists, wind tunnel men, weight control technicians, hydraulic experts . . . many, many men guided by many, many years of experience. As one man welds these individual experts into a team which thereby designs brilliant aircraft, so the Hawker Siddeley Group organises its member companies as a team, by whose association even better and greater aircraft are produced. Largest of its kind, this great industrial commonwealth now employs all its mighty resources in building the defensive strength of the Free World.

# Hawker Siddeley Group

*PIONEER . . . AND WORLD LEADER IN AVIATION*

**Group Head Office: 18 St. James's Square, London, S.W.1.**
A. V. ROE, GLOSTER, ARMSTRONG WHITWORTH, HAWKER, AVRO CANADA, ARMSTRONG SIDDELEY, HAWKSLEY, BROCKWORTH ENGINEERING, AIR SERVICE TRAINING AND HIGH DUTY ALLOYS.

stability and shift in component values, Welsh said.

He called the vacuum tube itself the principle heat generator, abetted by resistors and reactors. Subminiature tubes can be cooled by using extra-heavy electrical conductors to the tube terminals which will also serve as thermal conductors. Tight-fitting tube shields with low thermal impedance conductors connecting them to the chassis are another solution. However, Welsh said, present submin tube shield design needs to be improved thermally.

Vacuum tube life goes down as bulb temperature rises above 150C, Welsh said. Although the industry recognizes the need for derating avionics components when they are used at elevated temperatures, Welsh said that little is known about how much derating is necessary to maintain normal low-temperature life.

▶ **Empirical Art**—There are so many unknown variables and such a scarcity of data that it is almost impossible to solve thermal design problems in avionics equipment by mathematical treatment, Welsh said. As an alternative he suggested using simulated models to determine expected temperature gradients.

Welsh urged that avionics equipment be given a thermal analysis, in addition to its customary electrical and mechanical design analysis. This is necessary, he warned, if miniaturized avionics equipment is to give long reliable service life.

▶ **Turbulent Air Cooling**—A radically new approach to cooling avionics equipment which utilizes a base cooling plate (heat sink) through which air is forced at a velocity sufficient to give turbulent flow, was described by Leonhard Katz of Raytheon Mfg. Co.

A description of this new technique was published in AVIATION WEEK Mar. 17, 1952, p. 41. Refinements in technique and component design since Katz gave the original paper this spring include:

- **Optimum air pressure** differential for operation of this method is now believed to be ½ psi.
- **Lighter cooling plate** and chassis for housing avionics components. This results from use of fabricated sheet metal construction instead of castings.
- **Detachable avionics turbulent cooling package.** Giving his imagination free rein, Katz showed an artist's conception of a large turbulent air cooling plate containing modular receptacles into which a variety of avionics equipment would fit. The entire package (resembling the cargo door of a military transport) would be installed to form a structural part of the plane, including skin. An air scoop slightly forward of the "avionics package" would provide cooling air to the single cooling plate. Sev-




Coaxial RF Switching Problems

TRANSCO will take it from here...

TRANSCO not only produces the most complete line of COAXIAL RF SWITCHES but the most *advanced* designs for efficient coaxial RF switching applications at radar frequencies.

All these units have motor-driven actuators, straight end instead of lossy angle connectors. They are *precision* built to stringent military specifications for the most critical applications requiring efficient performance under extreme temperature and shock conditions.

The design and manufacture of coaxial RF switches and associated components for both military and civilian requirements has been one of the specialties of TRANSCO PRODUCTS for years. Many types are in present production and a few examples are illustrated.

TRANSCO works far ahead on design and development. So if you have a tough coaxial RF switching problem... TRANSCO will take it from *HERE*. There is no equivalent to TRANSCO performance.

*A new Brochure and complete engineering data are available*

TRANSCO PRODUCTS, INC.

DESIGNERS & MANUFACTURERS OF MECHANICAL & ELECTRONIC AIRCRAFT EQUIPMENT

12210 Nebraska Avenue, Los Angeles 25, California

## From routing table...

LEFT: CLECO A-3 Impact Wrench driving ¼" x 3" screws into router table at Douglas Aircraft Company's Santa Monica plant.

## to fuselage assembly...



RIGHT: CLECO E-3 Riveter driving rivets on fuselage assembly of Douglas DC-6 transport plane.

# CLECO Air Tools help produce aircraft faster!

**Aircraft plants everywhere use Cleco Air Tools to help speed aircraft production.**

**From the Cleco E-3 Riveter — accepted standard of the industry — to the new Cleco Airmatic Countersink, Cleco Air Tools are noted for fast action, easy handling and low maintenance.**

**Go over your air tool problems with a Cleco field engineer. He can help you devise ways to speed production and lower costs.**

CLECO AIR TOOLS Photos courtesy Douglas Aircraft Co., Inc., Santa Monica, Calif.

**CLECO DIVISION**
of the REED ROLLER BIT COMPANY
5125 Clinton Drive Houston 20, Texas


eral such centralized avionics packages might be located in various parts of the airplane. The use of such packages, Katz said, would solve the cooling and shock mounting problems of individual avionics equipment manufacturers.

► **Submin Servo Amplifiers**–Subminiaturization techniques, previously used in low-power-level circuits, are being applied to servo systems. Minneapolis-Honeywell has designed a miniaturized power unit for their capacitance-type fuel gage which cuts the weight of its previous amplifier by 50% and size by 70%.

A. C. Smith of M-H described another servo amplifier designed for operation at an ambient temperature of 200F. The tubes–a submin triode, rectifier and pentode–are housed in a small hermetically sealed unit. Each tube is surrounded by a metal clamp which acts as thermal conductor to the outside case and amplifier chassis. Smith also described a complete two-stage amplifier which is housed in a potted plug-in unit which is the size of miniature tube.

► **Smaller Power Supply**–To reduce the size of power supplies, Smith suggested the use of lower-than-normal plate voltages in servo systems where some distortion and non-linearity can be tolerated. This permits the use of capacitors rated at 200 volts instead of 450- or 600-v. units. Smith also suggested using auto-transformers wherever possible to save size and weight.

► **Subminiature Tubes**–M-H is swinging over to subminiature tubes in all new designs, Smith said. The only exception is output tubes where the miniature twin-triode is still used. However Smith said that newly developed submin triodes of increased power rating may permit the use of two submin tubes to replace one miniature-type output tube.

Smith reported that at least one tube manufacturer is supplying premium submin tubes with hard glass envelopes to withstand higher operating temperatures. These have a maximum bulb temperature rating of 482F.

M-H's work on subminiaturization, Smith said, is directed toward improved reliability, reduced size, and designs which can find wide-spread use in a variety of M-H avionics systems. He said M-H is also studying the use of transistors and of hybrid electronic-magnetic amplifiers.

► **New Building Blocks**–New and improved resistors, capacitors, and inductors, the basic building blocks of avionics equipment, are on the way, C. E. Doyle of WADC promised. He predicted that film-type resistors will eventually replace practically all wire-wound resistors.

The Battelle Memorial Institute,

**for example, the**

## F3D SKYKNIGHT

**on the assembly line of the Douglas Aircraft Company, Inc. El Segundo, California**

*These rugged Douglas F3D Skyknights are the world's first all-weather carrier fighters. The two seater Skyknights with their turbo-jet engines and folding wings have radar and radio, de-icing, navigational and low approach equipment, pressurized cabin, temperature and humidity control and other all-weather equipment.*

**There is Reynolds Aluminum in almost every airplane that flies today**

The aircraft industry has learned to depend on Reynolds for consistently high quality and technical aid in working out problems of development and engineering. Reynolds completely interrelated operations from the mining of raw bauxite to the delivery of aluminum in all its forms, assures dependability of supply. And *remember*, as the aircraft industry expands and grows, Reynolds Metals Company keeps pace in supplying and developing aluminum—top *design* metal of today, top *production* metal of tomorrow.

## Helpful Material for Your Training Program

Reynolds Aluminum is on the job with literature and movies to help you with your personnel training program—add to your own know-how. The complete library of Reynolds Technical Books on aluminum design and fabrication is available to you for the asking. Please send your request on a business letterhead, otherwise the price of each book is one dollar.

- A-B-C's of Aluminum (from mine to finished products)
- Aluminum Data Book (Aluminum Alloys and Mill Products)
- Aluminum Structural Design
- Designing with Aluminum Extrusions
- Fastening Methods for Aluminum
- Finishes for Aluminum
- Forming Aluminum
- Heat Treating Aluminum Alloys
- Machining Aluminum Alloys
- Welding Aluminum
- Metals Weight Slide Rule

And to instruct large groups of personnel . . . to put more interest in your training program . . . get these 16mm, color-sound films from Reynolds Film Service.

- SHAPE OF THINGS TO COME. Interesting description of the aluminum extrusion process and the design opportunities it provides. Running time 30 minutes.
- TALE OF THE POWDERED PIG. Developments in aluminum powders and pastes including their application in protective and decorative coatings. Running time 22 minutes.
- PIGS AND PROGRESS. The complete story of aluminum from mine to finished products. Covers all forms of aluminum. Running time 26 minutes.

***Write to Reynolds Metals Company, 2539 South Third Street, Louisville 1, Kentucky***

REYNOLDS METALS

# REYNOLDS ALUMINUM

MODERN DESIGN HAS ALUMINUM IN MIND

DOUBLE BARREL
Advertising

**Advertising** men agree—to do a complete advertising job you need the double effect of both Display Advertising and Direct Mail.

Display Advertising keeps your name before the public and builds prestige.

Direct Mail supplements your Display Advertising. It pin-points your message right to the executive you want to reach—the person who buys or influences the purchases.

More and more companies are constantly increasing their use of Direct Mail because it does a job that no other form of advertising will do.

McGraw-Hill has a special Direct Mail Service that permits the use of McGraw-Hill lists for mailings. Our names give complete coverage in all the industries served by McGraw-Hill publications—gives your message the undivided personal attention of the top-notch executives in the industrial firms. They put you in direct touch with the men who make policy decisions..

In view of present day difficulties in maintaining your own mailing lists, our efficient personalized service is particularly important in securing the comprehensive market coverage you need and want.

Ask for more detailed information today. You'll be surprised at the low over-all cost and the tested effectiveness of these hand-picked selections.

Dept. A

McGRAW-HILL
PUBLISHING CO., INC.
330 West 42nd Street
NEW YORK 18, N. Y.

## IRE Quotes

"**Engineers (designing avionics equipment) must be shocked into 'Reliability consciousness'**." . . . Cmdr. M. A. Mason, head of BuAer's radar section describing Navy's problems in keeping avionics equipment operating.

"**A rapidly changing boresight shift . . . (by poor radar radome construction) can severely test the response of the missile servo system or aircraft computers, resulting in instability and oscillation.**" . . . Martin H. Paiss, U. S. Naval Air Development Center, emphasizing the importance of radome design.

"**Until the component manufacturer (resistors, capacitors, tubes, etc.) can establish sufficient controls to guarantee the desired characteristic, the equipment manufacturer is obligated to instigate quality control (procedures) or sacrifice performance and reliability.**" . . . J. J. Beck, Raymond Rosen Engineering Products, Inc.

"**Range performance (of the newly announced AN/APS-42 transport radar) on land masses out to 195 miles over water is common, with range and azimuth bearings within . . . ± 1 deg. in azimuth and ± 1 mile in range.**" . . . F. G. Suffield, Radio Corporation of America.

under USAF contract, has found that nitrides and silicides of various metals can be used for form resistive films with zero temperature coefficient. They show no appreciable permanent change in resistance when operated at ambients up to 250C, Doyle said.

Doyle predicted a bright future for several new avionics elements; some of which are potential substitutes for vacuum tubes:

- **Thermistors.** Elements whose resistance varies with temperature, hence with current.
- **Varistors.** Elements whose resistance varies with voltage or polarity.
- **Transistors.**
- **Dielectric amplifiers.** Certain ceramic dielectrics have a voltage coefficient of capacitance. This non-linear characteristic could permit its use as an amplifying device. Their high-impedance characteristics could complement the low-impedance characteristics of the magnetic amplifier.
- **Non-linear magnetics.** These include magnetic amplifiers, ferro-resonant transformers, magnetic modulators and pulse generators.

▶ **New Basis for Overhaul**—The Navy Bureau of Aeronautics may soon have factual data on the actual number of hours their avionics equipment operates before failure. From this, they can establish suitable intervals for pulling avionics equipment out of service for preventive maintenance or overhaul. The source of the information will come from tiny (1¼ dia. x 3 in.) elapsed-time indicators weighing only 7 oz.

Cmdr. M. A. Mason, head of BuAer's radar section, said that elapsed-time indicators will be required in new avionics equipment developed for BuAer. Eventually an indicator may be used in each major component of complex systems. Mason thinks the equipment designer will benefit too, by learning what kind of service life his equipment is giving.

**ELAPSED-TIME INDICATOR will be mandatory on future BuAer avionics equipment, where it should help Navy in search for reliability. Unit is about the size of a cigarette lighter.**

At present the elapsed-time indicators are available for operation only from 115 v., 400 cps. However, BuAer expects to develop indicators for d.c., and other a.c. frequencies.

▶ **Vital Statistics**—Over 1,600 engineers and technicians from all parts of the U. S., and from England and Canada attended the IRE conference. A total of 80 technical papers were presented plus two symposiums on air navigation and traffic control progress and problems. Fifty-five exhibitors displayed their wares on three floors of the Hotel Biltmore, scene of the IRE conference.



# ENDURO DE-ICER BELLOWS

## *breathe 600° air*

Ice-melting air surging through aircraft de-icer ducts gets as hot as 600-degrees F. Outside temperatures may go plenty below zero. Ducts expand, contract, expand again. But, accordion-like bellows assemblies—made of Republic ENDURO Stainless Steel—literally "breathe," compensating instantly for dimensional changes.

Flexible ENDURO bellows also keep ducts in line by adjusting to mechanical bending and misalignment of adjacent sections.

Here, 600-degree temperatures don't affect ENDURO Stainless Steel. ENDURO resists heat. Resists corrosion. Resists rust. Trims deadweight because its high strength-to-weight ratio allows the use of thin, strong sections. Serves long and faithfully despite continued flexing at high temperature.

What jobs have you for ENDURO? Republic—world leader in production of alloy, stainless, and heat-resisting steels—offers you the immediate services of capable metallurgical, machining and technical staffs on *any* problem involving stainless steels. Naturally, there's no cost or obligation.

**REPUBLIC STEEL CORPORATION**
*Alloy Steel Division • Massillon, Ohio*
GENERAL OFFICES • CLEVELAND 1, OHIO
Export Department: Chrysler Building, New York 17, N. Y.

Republic
REPUBLIC STEEL
ENDURO STAINLESS STEEL

Other Republic Products include Carbon and Alloy Steels—Pipe, Sheets, Strip, Plates, Bars, Wire, Pig Iron, Bolts and Nuts, Tubing

# HEADQUARTERS

FOR

## AIRCRAFT ACCESSORY DRIVES

















**Design**
**Development**
**Prototype Production**
**Quantity Production**

Just a few of the many drives produced by Western Gear Works for aircraft-engine accessories are illustrated on this page.

## GEAR DRIVES by WESTERN GEAR

**ENGINEERS...**

Western Gear provides engineering and production on all types of gear drives and gear products for airborne or ground use in the aircraft industry. Send for Aircraft Actuator Bulletin #4811, or Aircraft Equipment Bulletin #4801, or both, on your company letterhead.

"Since 1888"

5210

Plants: Seattle, San Francisco, Belmont (S. F. Peninsula), Lynwood (Los Angeles County), Houston

**WESTERN GEAR WORKS**

Manufacturers of PACIFIC-WESTERN Gear Products

**Pacific Gear & Tool Works**

## Telling the Market

**Handy Guide for Specifying Aircraft Rivets** is a ready reference with design charts and simple-to-use tables of sizes, weights and quantities. Copies available from Milford Rivet & Machine Co., Milford, Conn. . . . Data on industrial **rubber hose assemblies** for all types of aviation equipment is obtainable by writing Carlyle Rubber Co., Dept. L-1, 64 Park Place, New York 7, N. Y. . . . **Small Cutting Tools of Extreme Precision** is an 18-page catalog describing 20 small units made by Woodruff & Stokes Co., Inc., Building 38, 349 Lincoln St., Hingham, Mass.

**Practical Nickel Plating** is a 44-page publication for the designer, specifying engineer and user giving data on electroplating and details of nickel plating and its practices. Write International Nickel Co., Inc., Dept. EZ, New York 5. . . . Handbook gives information on **variable-area meters, tubes and floats** and comparison with variable-head meters. Calibration prediction data is included. Write Fischer & Porter Co., Hatboro, Pa.

Operating principles, design, advantages, applications of **Nylined bearings** for rotation and reciprocation are detailed in bulletin issued by Thomson Industries, Inc., Manhasset, N. Y. . . . **Free template kits** covering the 20 most popular bellows sizes are available to designers and draftsmen by Clifford Mfg. Co., Waltham, Mass. Templates show standard dimensions of most common and readily available bellows within limits of true scale.

Aimed at design and methods engineers is 16-page booklet, **Static and Dynamic Balancing**, reprinted from Section 89 of the first edition of the Tool Engineers Handbook. Data is also supplied on the Gisholt Balancing School. Write Gisholt Machine Co., Madison 10, Wis. . . . Technical and practical data bulletins on the nature and applications of **FO line of solvents, cleaners and emulsions** are available from Fine Organics, Inc., Aviation-Industrial Chemicals div., 211 E. 19th St., New York 3.

## Publications Received

**History of Marine Corps Aviation in World War II**, by Robert Sherrod, published by Combat Forces Press, Washington, D. C., 1952, $6.50. Robert Sherrod, Time and Life correspondent, has written the story of the Marine aviators from the earliest days (1912) to the beginning of the war in Korea in June, 1950.

*From design to completed installation...*

The Aircraft & Missile Division, Union Steel Company, is qualified to serve you. A competent staff of 30 engineers trained and experienced in aircraft and missile design, fabrication, and production requirements, are available to help you eliminate costly delays.

It's this *know how* plus adequate precision equipment and manufacturing facilities that enable the Aircraft & Missile Division to give you custom service with an early delivery date.

For information regarding your aircraft and missile tooling problems, contact the Aircraft & Missile Division, Union Steel Company. Qualified representatives are available to discuss your production requirements.

***Custom Fabricators...***

**JIGS – FIXTURES – TOOLS**
ACCESSORIES – EQUIPMENT – SECTIONS

**STRUCTURALS**
FABRICATED STRUCTURAL STEEL AND STEEL PLATE WORK, HANGARS, JET SHIPPING DRUMS, STEEL TOWERS, ETC.

*Openings for designers and engineers of Aircraft and Missiles. Excellent working conditions, pleasant surroundings in the nation's fastest growing industry.*

UNION STEEL COMPANY

***Aircraft & Missile Division***
**UNION STEEL COMPANY**
7301 Telegraph Road, Los Angeles 22, California—P. O. Box 6997

**Flight Test Opportunities**

for

- **EXPERIENCED FLIGHT TEST INSTRUMENTATION ENGINEERS**
- **FLIGHT TEST ENGINEERS**
- **FLIGHT TEST ANALYSTS**

***Dealing with***

- **GUIDED MISSILES**
- **AIRPLANE SYSTEMS**
- **AUTOPILOTS**

The Missile and Control Equipment Laboratory of North American Aviation has openings in its flight test organization to handle flight testing of guided missiles and electronic control systems.

Excellent opportunities are offered for experienced engineers and analysts with airplane and guided missile flight test and flight test instrumentation background.

Outstanding opportunities are available on a long-range development program on basic guided missile work.

- **SALARIES COMMENSURATE WITH TRAINING AND EXPERIENCE**
- **EXCELLENT WORKING CONDITIONS**
- **FINEST FACILITIES AND EQUIPMENT**

*Write now.*
*Give complete resume of education, background and experience.*

**NORTH AMERICAN AVIATION, INC.**

*Engineering Personnel Department*
*Missile and Control Equipment Laboratory*

**12214 LAKEWOOD BLVD.**
**DOWNEY, CALIFORNIA**


# EQUIPMENT



CRIMPED ALUMINUM strip is cut to size after forming on special press.

ASSEMBLED CORE is brazed in furnace after carefully controlled preheat.

## Jet Heat Exchangers Made Lighter

Trane Co. is producing special aluminum heat exchangers in various configurations to fill a wide range of gas-to-gas, liquid-to-liquid and gas-liquid heat transfer needs in jet aircraft and other applications.

The heat exchanger cores are made by the La Crosse, Wis., manufacturer by special methods in a choice of corrugated, serrated, perforated, or herringbone patterns, depending on performance requirements. Exchangers with simple straight-fin corrugated cores, for example, correlate closely in performance with the familiar round tube cores long seen in aircraft and

**ENGINEERS—**
**LOOK TO THE FUTURE**
**WITH**
**NORTH AMERICAN**

The engineering department that consistently produces the "best" at the right time—B-25, F-51, T-6, now the F-86 *Sabre* jet series, AJ-1, FJ-1, FJ-2, T-28, B-45—offers engineers a real opportunity to become a part of the advance idea teams that are designing today for tomorrow and the future of aviation. Become a part of the outstanding aircraft engineering group in the aircraft industry by writing for complete information on career opportunities at North American. Please include a summary of your education, background and experience.

***North American Extras—***

Salaries commensurate with ability and experience • Paid vacations • A growing organization • Complete employee service program • Cost of living bonuses • Six paid holidays a year • Finest facilities and equipment • Excellent opportunities for advancement • Group insurance plan • Sick leave time off • Generous travel allowances • Employees Credit Union • Educational refund program • Low-cost group health, accident and life insurance • A company 24 years young.

**CHECK THESE OPPORTUNITIES AT North American**

- Aerodynamicists
- Stress Engineers
- Aircraft Designers and Draftsmen
- Specialists in all fields of aircraft engineering
- Recent engineering graduates
- Engineers with skills adaptable to aircraft engineering

**NORTH AMERICAN AVIATION, INC.**

*North American Has Built More Airplanes Than Any Other Company In The World*

**Engineering Personnel Office**
**Los Angeles International Airport**
**Los Angeles 45, Calif.; Columbus 16, Ohio**





**more compact hose layouts**

***provided by RESISTOFLEX hose assemblies with FORGED ALUMINUM fittings***

- **ELIMINATES ADAPTERS**
- **FITS CRAMPED SPACES**
- **SMOOTHS FLOW**

You can simplify hose layout problems by using Resistoflex hose assemblies with integral elbow fittings. Replacing combinations of swivel nut hose assemblies and individual adapters, they offer you a more rugged connection with less parts, less weight and less risk of leakage. Space factor is better, too. The fittings have smallest dimensions for their I.D. and can often fit where others won't.

For extra toughness and fatigue resistance, Resistoflex hose fittings are machined from solid, one-piece aluminum forgings. Their smooth interior finish and true bends provide full flow.

Keep a Resistoflex Aircraft Catalog on hand for helpful data. Write for a copy without obligation.

*Hose connecting end manufactured under license of Aeroquip Corporation*

**RESISTOFLEX**
**CORPORATION**
**Belleville 9, New Jersey**

**NEED TEFLON® or KEL-F® with optimum properties? Then ask us also for bulletin on "FLUOROFLEX" products**



HIGH–
FAST–
HOT!

NEW ADEL

# Harness Straps

*can take it!*

**Heat and Cold Resistant Material Withstands Temperatures Within Range of +500°F. to –104°F.**

ADEL has the answer to *heat* problems developed in airplanes as they fly higher and faster.

Adjustable electrical harness straps are adaptable to an unlimited variety of wire installations–from the smallest single cable to any combination of wires. Their all-purpose usefulness cuts inventories to an absolute minimum. One size may eliminate as many as 6 sizes each of 15 different types of ordinary supports. ADEL Harness Straps have a patented positive locking device, high tensile strength and are reusable.

***Examine these unsurpassed features***

- Meet or Surpass Stringent Government Specifications.
- Dependable, Continuous Duty in +500°F. Ambient Temperatures.
- Available in Heat and Cold Resistant "Type SF" or Standard Aircraft "Type FR" Material.
- Positive Acting, Precision Built, Exclusive Locking Device
- Eliminates Need for Replacing Support During Inspection and Repair Operations.
- Available with Wide Variety of Mounting Brackets for Any Type of Installation.
- One Harness Eliminates Stocking of Many Different Size Clips.
- Straps Available in Practically Any Length.
- The World's Most Complete Line of Harness Straps, Line Support Clips and Blocks to Meet All Aircraft Requirements.

LEADER IN LINE SUPPORTS

Write for complete data.
Direct inquiries to Huntington Division.

DIVISION OF GENERAL METALS CORPORATION • BURBANK, CALIF. • HUNTINGTON, W. VA.

CANADIAN REPRESENTATIVE: RAILWAY & POWER ENGINEERING CORPORATION, LIMITED.




INTERCOOLER gets final Trane check.

STRAIGHT FIN is equal to round tube in heat exchanger properties.

made by other firms, Trane says. Round tubes are similar in heat transfer coefficients, volume, velocity and pressure drop characteristics for fluid flowing over the surface, Trane engineers say.

▶ **Saved 500 lb.**–Heat exchanger core elements are bonded into an integral assembly by a flux brazing method developed by Trane in World War II. The process is difficult, Trane says, but pays off in compact, lightweight and efficient intercoolers, radiators and other equipment.

In one case, the development was responsible for a 500-lb. reduction in weight in a single-engine fighter plane, according to Trane.

▶ **Production Steps**–First step in making the cores is processing aluminum strip stock into corrugated, serrated or other patterns desired. This is done on special crimping machines. The stock is coated with a brazing alloy and silicones on one or both sides.

The core elements next are combined with flat sheets spaced between, and other sections necessary to make a complete assembly, and the unit pre-heated to a point just below the melting point of the silicone coating on the surfaces.

The payoff in the process comes when the entire assembly is plunged into a

cherry red bath of flux heated close to the melting point of the aluminum itself. This is hot enough to make the silicone coating run so that it bonds the flat sheets and corrugated fins into a rigid structure, capable of withstanding test pressures of 300 to 600 psi. and operating pressures ranging from 100 to 300 psi.

Very accurate control of pre-heating, flux bath temperature (so near the melting point of the aluminum assembly) and cooling is necessary to success of the flux brazing process, the company says.

## NEW AVIATION PRODUCTS

### Aluminum Etch

A material for etching aluminum prior to spotwelding, said to "far outperform any aluminum etch on the market today," has been developed by the Jackson Chemical Co. of Calif., Inc.

The product can be used hot or cold, will etch the toughest alloys, including 61S, the firm says. Micron readings of spotwelded aluminum etched with the material are much lower than heretofore, it claims.

The firm notes that a proper etch is somewhat dependent on proper cleaning prior to the etch and for this reason has introduced as a companion product, X-10 Alkaline Hot Tank Cleaner. But even with other cleaning materials, the new etch still is better than others now available, the company claims.

Jackson Chemical Co. of Calif., Inc., 6920 S. Stanford Ave., Los Angeles 1.



### Jet Air for Radar

A new pressurizing kit for airborne radar which obtains its air supply from the compressor section of the jet engine has been developed by the Romec division of Lear, Inc.

The kit delivers air at a uniform 20 psi., regardless of inlet pressures from the engine, or altitude factors up to 50,000 ft. If air pressure from the jet is excessive it is dumped, through automatic regulation within the kit. This is provided by an absolute pressure switch and solenoid valves.

Inlet air, before it reaches the built-in dehydrator which cleans and dries the air, is kept at a pressure lower than required (for control reasons), then built up accurately to required pressure by means of an air compressor also included in the kit. Final regulation of air pressure before it leaves the pressurizer is by pressure switch-solenoid control similar to that in the inlet side of the unit.

The kit operates at rated performance through temperatures from −67F to 160F, produces 300 cu. in. of air/min., uses 27 v. d.c. current, draws 3.7 amp., and weighs 13.9 lb.

Romec division, Lear, Inc. Elyria, Ohio.

### Steam Cleaner

A new steam cleaner to save money, time and labor in cleaning aircraft engine nacelles, props, wings and landing gear has been introduced by Acroil Products Co., Inc.

Acroil calls its development the Auto-Steam, built it especially to meet aviation needs. It can be used both in factory and field and is particularly useful at airports, according to the firm.


ALFING VERTICAL FINE BORING MACHINE

NO PRIORITY

Type VF 1/600

STOCK DELIVERY

Years of experience in the design of precision boring equipment enables Alfing to incorporate all important features necessary for vertical boring:

- Rigidity of base offers increased ruggedness and freedom from vibration.
- Large and ample surface bearings insure maximum accuracy of the headstock carrier.
- Freely accessible work holding fixture affords quick and easy loading of work.

A complete line of fine boring machines available. Write today for full particulars and specifications.

EXCLUSIVE AMERICAN DISTRIBUTORS
Sales Territories Open!

MOREY ...for machine tools!

MOREY MACHINERY CO., INC.
Manufacturers • Merchants • Distributors
410 BROOME ST. • NEW YORK 13, N. Y.
TELEPHONE: CANAL 6-7400 • CABLE: WOODWORK, N. Y.

VISUAL MB-3 AURAL

*Marker Beacon Receiver*



**FOR ALL PRIVATE, EXECUTIVE AND TRANSPORT AIRCRAFT!**

Built to highest airline standards for accuracy and dependability the MB-3 Marker Beacon Receiver is the lightest, smallest three-light marker receiver available. The MB-3 is a completely versatile, easy-to-install and low cost marker receiver that provides colored light indication and tone or voice-modulated 75 mc signal identification.

***ADVANCED DESIGN AND CONSTRUCTION FEATURED THROUGHOUT***

Rugged pan type construction • full shock-mounted units • simple installation adaptable to 12 or 24 volt systems • top performance with all popular 50 OHM impedance antennas • turret-type circuitry accessible for servicing when necessary • no false light indication on voice identification • meets or exceeds AN-E-19 specifications • built for trouble-free service life • backed with factory guarantee!

There are many more interesting features about the MB-3 available in our illustrated folder. For your copy mention this publication when writing Flite-Tronics, Inc., 3303 Burton Avenue, Burbank, California.

***FLITE-TRONICS, inc.*** BURBANK, CALIFORNIA



25 YEARS OF LEADERSHIP IN FASTENINGS OF STAINLESS STEEL

**To YOU, Anti-Corrosive's 25th Anniversary is an assurance that the oldest, largest and best known firm dealing exclusively in stainless steel fastenings is best suited to serve your needs in this field.**

**Still Plenty of Fastenings IN STOCK**

**For quick delivery of stainless steel fastenings, check Anti-Corrosive first, since many stock items and alternates are on hand!**

**FREE - A - N Fastening Selector !**

**Write for handy slide Chart No. 52C — instantly identifies A-N Nos. pertaining to stainless fastenings, gives sizes, other data. Catalog available.**

Anti-Corrosive Metal Products Co., Inc. 1927 – 1952

Manufacturers of STAINLESS STEEL FASTENINGS

CASTLETON ON HUDSON, NEW YORK

The unit can be operated for as little as 50¢ hourly. One filling of the compound tank is sufficient for 8 hr. of continuous operation.

A wide variety of chemicals may be used in the device without requiring pre-mixing, and 100 lb. of steam pressure can be generated in about 90 sec. It is centrally controlled from a completely visible panel, the firm points out. Cleaner automatically stops when water supply fails.

Aeroil Products Co., Inc., S. Hackensack, N. J.

## Gears Protected

A new breather vent for aircraft gear cases that meets helicopter requirements has been developed by Technical Development Co. for tropic and arctic service.

The unit makes up for pressure differentials created within gear cases from changes in altitude or temperature. It permits air to pass freely in and out of the case, but prevents entry of grit from the outside and escape of oil from the inside, the company says.

Equalization of pressure is essential to prevent damage to oil seals and formation of air pockets or oil leakage in the lubrication system. The unit weighs .04 lb., is made of heat-treated aluminum alloy to military specifications.

Technical Development Co., 22 Meredith Rd., Philadelphia 31.

## ALSO ON THE MARKET

**Roto-Stepper** (stepping positioner drive) weighing .8 lb. and rotatable 360 deg. left or right is suitable for driving various low-torque mechanisms such as indicators, potentiometers, selsyns, synchros and similar equipment. Device is solenoid-operated, normally rotating in 2-deg. increments. G. M. Giannini Co., Pasadena, Calif.

**New flush latch** for aircraft is designed for a variety of applications and is simply installed. The only exposed parts are fingertip-operated flush trigger button and close buttons. It is made in various metals, weighs 0.7 to 2 oz., according to material. Hartwell Aviation Supply Co., 9035 Venice Blvd., Los Angeles 34.

## INFORMATION on positions at NORTHROP

Northrop Aircraft, Inc. is engaged in vitally important projects in scientific and engineering development, in addition to aircraft production. The program is diversified, interesting and long-range. Exceptional opportunities await qualified individuals.

The most responsible positions will go to top-caliber engineers and scientists. However, a number of excellent positions exist for capable, but less experienced, engineers. Some examples of the types of positions now open are:

ELECTRONIC PROJECT ENGINEERS... ELECTRONIC INSTRUMENTATION ENGINEERS... RADAR ENGINEERS... FLIGHT-TEST ENGINEERS... STRESS ENGINEERS... AERO- AND THERMODYNAMICISTS... SERVO-MECHANISTS... POWER-PLANT INSTALLATION DESIGNERS... STRUCTURAL DESIGNERS... ELECTRO-MECHANICAL DESIGNERS... ELECTRICAL INSTALLATION DESIGNERS.




Qualified engineers and scientists who wish to locate permanently in Southern California are invited to write for further information regarding these interesting, long-range positions. Please include an outline of your experience and training.

Allowance for travel expenses.

**Address correspondence to Director of Engineering, Northrop Aircraft, Inc. 1021 E. Broadway, Hawthorne, California**

Devastating armament, advanced search and navigation equipment and high speed make the Air Force's new Northrop F-89 Scorpion a powerful defensive weapon. Like the Northrop Black Widow P-61 of World War II, the Scorpion was designed from the outset to do a specialized job superlatively well. This new all-weather interceptor is another product of the long experience of Northrop's top designers and craftsmen.

**NORTHROP AIRCRAFT, INC.**

**HAWTHORNE • CALIFORNIA**

PIONEER BUILDERS OF NIGHT AND ALL-WEATHER FIGHTERS

# FINANCIAL

## PAA Gross Reaches All-Time Peak

### Net profits also were higher than ever before, but taxes kept them from surpassing 1945 high mark.

An all-time gross revenue peak of more than $188.5 million was reported by Pan American World Airways for 1951. This compares with a total gross of $153.8 million in 1950.

While 1951 net profits, before taxes, of $11,836,197 were also at an all-time high, net income after taxes, $6,546,197, fell short of the record $7,565,580 established in 1945. Earnings per common share aggregated $1.06 in 1951 compared to 66 cents in 1950 and the previous peak of $1.23 in 1945.

A total of 50 cents a share, or $3,065,522 was paid to shareholders during 1951. This represented the eleventh consecutive year in which dividends were paid. The same rate was paid in all years, excepting 1946 through 1949, when only 25 cents a share was paid.

▶ **Mail Effect**—Pan American's statements for 1951 and 1950, are far less qualified than the accounts for prior years which included in gross revenues company estimates for additional mail pay not yet awarded by the Civil Aeronautics Board. Nevertheless, financial results for 1951 still contain a tenuous note in view of pending mail rate proceedings which may ultimately serve to increase or decrease reported results for last year.

The same qualifications apply in varying degree to the published earnings of recent periods as well. Permanent mail rates for the Atlantic division have yet to be established in various aspects from Jan. 1, 1946. A permanent rate is pending for the Latin American services covering the period from Apr. 1, 1948. (Last year saw the establishment of permanent rates for the company's trans-Pacific and Alaskan operations.)

It is significant that in 1951 PAA's total mail revenues—U. S. and foreign combined—aggregated but 20.4% of the carrier's total gross revenues.

In 1950 this ratio amounted to 23.8%. Almost 31% came from this source in 1949. Ten years ago and earlier, reported mail revenues accounted for anywhere from 50% to 80% of the total gross revenues.

▶ **Passenger Effect**—This is nothing more than a reflection of the increasing importance of non-mail revenues, particularly from passenger development. Revenue passenger miles reached a new high of 1.57 billion, an increase of 25% over 1950. Passenger revenues aggregated more than $108.6 million in 1951 for a new high, up from the $87.8 million of 1950 and surpassing the previous peak of $94.4 million in 1947.

The company's tourist-type service is credited with much of this gain, as 20% of the total revenue passenger miles last year came from this source.

Net operating income before non-operating adjustments amounted to $10,260,677 for 1951, three times as great as the $3,392,300 reported for 1950. Non-operating income for 1951 was less: $3,495,429 as compared to $4,882,073, the main difference being accounted for by a decline in the net gain on the disposition of property from $3,356,344 in 1950 to $1,817,769.

▶ **Financial Position**—An improving financial position is also reflected by the


SCINFLEX ASSURES
YOU PEAK PROTECTION
AGAINST CIRCUIT FAILURE

When operating conditions demand an electrical connector that will stand up under the most rugged requirements, always choose Bendix Scinflex Electrical Connectors. The insert material, an exclusive Bendix development, is one of our contributions to the electrical connector industry. The dielectric strength remains well above requirements within the temperature range of −67°F to +275°F. It makes possible a design increasing resistance to flashover and creepage. It withstands maximum conditions of current and voltage without breakdown. But that is only part of the story. It's also the reason why they are vibration-proof and moisture-proof. So, naturally, it pays to specify Bendix Scinflex Connectors and get this extra protection. Our sales department will be glad to furnish complete information on request.




BENDIX SCINFLEX
ELECTRICAL CONNECTORS

• Moisture-Proof • Radio Quiet • Single Piece Inserts • Vibration-Proof • Light Weight • High Insulation Resistance • High Resistance to Fuels and Oils • Fungus Resistant • Easy Assembly and Disassembly • Fewer Parts than any other Connector • No additional solder required.

Bendix
SCINTILLA MAGNETO DIVISION of SIDNEY, NEW YORK
Bendix AVIATION CORPORATION
Export Sales: Bendix International Division, 72 Fifth Avenue, New York 11, N. Y.
FACTORY BRANCH OFFICES: 118 E. Providencia Ave., Burbank, Calif. • Stephenson Bldg., 6560 Cass Ave., Detroit 2, Michigan • Brouwer Bldg., 176 W. Wisconsin Avenue, Milwaukee, Wisconsin • 582 Market Street, San Francisco 4, California

1951 report. A bank credit totaling $59 million was made available to the company on Sept. 25, 1950. A portion of this credit was utilized to finance the purchase of American Overseas Airlines for $17,450,000 in 1950. Total borrowings, which stood at $52,750,000 on Dec. 31, 1950, were reduced to $40,250,000 a year later. With a payment of $6,250,000 on Mar. 31, 1952, total loans were down to $34 million as of that date. Repayments are scheduled to continue semiannually to Sept. 30, 1955.

At Dec. 31, 1951, Pan American had total commitments approximating $44.5 million for airplanes, against which advance payments of $5,650,000 had been made. This capital requirement is represented by the order for 39 DC-6Bs (Pan American labels them Super-6 Clippers). These commitments are expected to require cash of $21.3 million in 1952. The company had other commitments for parts, materials, and services totaling $11.5 million.

With 1952 depreciation charges expected to exceed the $16.7 million shown for 1951, a considerable cash throw-off should be available from this source to help meet these capital requirements. Debt retirement will entail another $6,250,000 on Sept. 1, 1952 and $14 million during 1953. Net working capital aggregated almost $17.5 million at Dec. 31, 1951, down from the $22.2 million at the 1950 year-end. Earnings and new borrowings, if necessary, may be expected to provide the additional funds.

▶ **Atlantic Coach**—Continued traffic gains are anticipated during 1952 largely as a result of the new tourist service across the Atlantic. This may well make for further increases in passenger revenues.

While mail revenues are declining in relative importance, they bulk importantly in permitting profitable operations. A major mail rate determination is scheduled for September with a proceeding designed to establish a permanent rate for the trans-Atlantic service of both Pan American and TWA.

Recently the CAB made final a temporary rate for TWA reducing that carrier's international mail revenue from $9 million to about $3,307,000 annually. The Board held that this temporary rate is designed to fix mail pay at a break-even need or less, but never more. TWA asserts that on the basis of this temporary rate, its mail compensation for the year ended Sept. 30, 1951 averaged 82 cents a ton mile while Pan American received an average of $2.63 during the same period under temporary rates in effect for that carrier. Presumably CAB may be expected to clarify any prevailing rate disparities in establishing permanent rates for the two carriers.

—Selig Altschul


Right kind of a let down



Heavy, modern, fast bombers of 1952 vintage will let down with complete confidence on these Well-Cast magnesium wheels.

More wars than we care to think about have proven this point.

These Well-Cast wheels and the wide range of other light metal aircraft castings have the facilities of four plants, technically trained personnel, and almost a half-century of experience behind them.

We know they "HAVE" to be good.

We see to it that they are.

Investigate Well-Cast aircraft castings in weights from a few ounces to several hundred pounds.

The
WELLMAN
Bronze & Aluminum Co.

Sand, semi-permanent, permanent mold castings—Well-Made wood and metal patterns.

If you would like to receive the Wellman magazine each month at no charge, drop us a note on your business letterhead.

DEPT. 5, 12800 SHAKER BLVD.
CLEVELAND 20, OHIO

# *Designed for dependability*

**. . . tested (and re-tested) for precision**

KOLLSMAN devises, develops and manufactures high-precision **Aircraft Instruments and Controls • Miniature AC Motors for Indicating and Remote Control Applications • Optical Parts and Optical Devices • Radio Communications and Navigation Equipment**

While our manufacturing divisions are engaged largely in defense production, the Kollsman Instrument Corporation welcomes the opportunity to apply its research experience to the solution of problems in instrumentation and control.

KOLLSMAN INSTRUMENT CORPORATION

ELMHURST, NEW YORK — GLENDALE, CALIFORNIA

SUBSIDIARY OF *Standard* COIL PRODUCTS CO INC

# *Development Engineers*

***This is the age of Automatic Control***

Play your part in the development of *Automatic Controls* with Honeywell, long established leader in the control industry.

Help solve today's problems in some of the fields listed below as they pertain to automatic control, and help pave the way to a better future.

- **Electronics**
- **Servo Mechanisms**
- **Hydraulics**
- **Electro-Magnetics**
- **Gyros**
- **Computers**
- **Electro-mechanical devices**
- **Electrical contact phenomena**

If you are interested, please write giving a resume of your qualifications to Mr. Ross Wagner, Minneapolis-Honeywell Regulator Co., Dept. AW-1, Minneapolis 8, Minn. Your correspondence held in strict confidence, of course.

If you are now utilizing your highest skill in a defense industry, please do not apply.

MINNEAPOLIS **Honeywell**

*First in Opportunity*

# U. S. Aviation Switches to Knots July 1

- **Airlines are ready, but join others in protest.**
- **Speed will be in knots, distance nautical miles.**

By F. Lee Moore

"The aviation industry's going knots and nautical miles" next month despite the fact all natural navigation markers and obstructions of the country—land sections, roads, mountains and 1,000-ft. TV towers—are located in terms of statute miles and are habitually approached in terms of mph. by all Americans but seamen and Navy pilots.

That is how one aviation industry representative summed up results of the recent Civil Aeronautics Board hearing on the proposed July 1 switch-over of official speed measure from mph. to knots and distance measure from statute to nautical miles.

Seven mph. are six knots and seven statute miles are six nautical miles. Navy and Air Force wanted to standardize on the nautical measure to avoid confusion. CAB consented.

▶ **Industry Attack**—But at the CAB hearing, spokesmen of every phase of civil aviation launched strong but probably fruitless attacks on the CAB regulation.

What most disturbed industry spokesmen, especially the airline representatives, and two of the three CAB members present (Oswald Ryan and Joseph Adams) was the fact that CAB had been committed to the change-over administratively, without consulting the industry. This, they said, made the hearing a sham concession to procedural tradition and law.

Gen. Milton Arnold, operation and engineering vice president of the airlines' ATA, put it this way: CAA and CAB told the airlines last October at their Denver operation convention, in effect, that they had better start converting instruments, manuals and procedures to knots and nautical miles now, because there would be a switch to those units July 1. The airlines complied.

Gen. Arnold told the Board at the hearing that the airlines had put such heavy investment into the change that a Board reversal now would be worse than going through with the original administrative decision.

## Knots, Nautical Miles, MPH

The July 1 switch-over of U. S. official air navigation units to nautical miles and knots demands only one legally required change in pilot procedure. Pilots (except private fliers on visual contact VFR flights who may ask CAA personnel to convert for them) must communicate with CAA in terms of nautical miles and knots.

To make the conversion simpler, airlines and their pilots plan eventually to make these changes:

- **Air speed indicators** will be removed and their dials changed to knot indications.
- **Navigation computers,** mostly the Dalton, will be modified to read in knots only; most Daltons in use now require one extra step to get the answer in nautical miles and knots.
- **Flight manual,** especially runway limitations on aircraft gross weight and aircraft performance data, must be converted. Some airlines plan first to insert conversion tables, later change the basic data.
- **Rulers** and other navigation utensils marked in statute miles only will need replacement. But most of them have long carried both statute and nautical units.
- **Chart maps** published by Coast & Geodetic Survey are coming out with nautical mile measures now; most have for some time, approach charts are now. Jepson approach plates have been converted.

▶ **What is a knot?**—Here are basic conversion data for statute to nautical distance-speed units:

- **One statute mile** is 5,280 ft.
- **One nautical mile** is 6,080 ft., or 1.15 times one statute mile, or one minute of latitude (one degree of latitude of any great circle course equals 60 nautical miles).
- **One knot** is equal to 1.15 mph.

▶ **Urge Action**—Thus the airlines, while deploring the regulation, urged its immediate implementation.

The problem first arose Apr. 5, 1950, when CAB Chairman Joseph J. O'Connell signed a unanimous civil-military Air Coordinating Committee policy directive, setting the date for total switch-over to knots on or before Jan. 1, 1954. O'Connell says he heard the objections of airlines and private fliers groups before making the decision. National defense was one reason for going ahead. Then last year, CAA and CAB decided that the sooner the change-over was made the better it would be for the industry.

Bound by the high-policy finality of the ACC decision and CAA and CAB firmness about the date, the airlines got to work converting. Now, Gen. Arnold says, the airlines are ready but CAA and CAB aren't. Regulations, cross-wind and tail-wind components, and all statistics used by airlines and their pilots are still in statute miles—and "they couldn't be converted within a year if the CAA and CAB started now," Arnold told AVIATION WEEK.

▶ **General Aviation Opposition**—All representatives of general aviation testified in strong opposition to the switch-over.

- **Utility Airplane Council.** Joseph Geuting, Jr., said there is no need for the hundreds of thousands of local fliers in this country to adopt an alien international standard. Nautical miles are only useful in spherical, great circle navigation, he added. He cited the fact that the land section layout of the central U. S. is a visual map in statute miles. You can't change that, he pointed out. And you can't change the normal civilian's habit of thinking of mph. and regular miles in his daily life, he added.

"We suggest," Geuting said, "that the international and military operators, use the nautical, but that CAB and CAA let the domestic civil industry use the statute mile." The utility fliers also suggested that to make this work smoothly, CAA furnish their traffic controllers with quick-reference conversion tables.

- **State Aviation Officials.** Representing the NASAO, Col. A. B. McMullen said in answer to the proponents of a "common system" that "there always has been only one standard in the U. S.—the statute mile." He added that he's recently been working on the problem of formulas for safer location of tall TV

antennas. The IV tower locations are being measured in miles "and the aviation industry's going knots," he quipped.

• **Indiana Groups.** Representing the Indiana Air Committee and the Indiana Flying Farmers, Clarence Cornish said the non-professional pilot thinks in miles, and he frequently navigates by mile-long section lines. Conversion of his thinking from the statute mile habit would be "one more natural obstacle," he said.

• **Aircraft Owners.** Speaking for thousands of members of the Aircraft Owners and Pilots Assn., Merril Armour and J. B. Hartranft, Jr., backed up the general aviation opposition to the knot.

▶ **Airlines Going Ahead**—Gen. Arnold said the airlines will probably be ready equipment-wise on July 1, and the mental change-over shouldn't trouble the pilots much. Arnold's chief criticism was the way in which CAB and the ACC decision was made. He remembers, and the minutes of the ACC bear him out, he said, that there was never a systematic evaluation of the desirability and the technical problem of making the conversion.

Air Line Pilots Assn. did not participate in the hearing. Two years ago, the ALPA executive board approved the switch-over policy determination by the ACC.

▶ **Military Position**—Air Force Col. Johnson backed the CAB regulation—said problems under the present double standard would be especially great in case of mobilization. He cited troubles of coordinating joint Navy-Air Force operations in World War II, when Army Air Force was still on statute miles. He cited the problem of integrating the Civil Air Patrol in search and rescue, when they were on mph. and statute miles and the military on knots and nautical miles.

And he cited the problem of reserve pilots and trainees switching from civil flying to military and back again. Finally, he noted the need for standardization of transport planes of airlines and Military Air Transport Service.

Pressed by CAB Chairman Donald Nyrop, Col. Johnson couldn't detail AF plans to fit its large number of old planes still instrumented for mph. and statute miles. It appeared that the airlines are way ahead of the Air Force on actual unification and standardization. The colonel did say, however, that all AF planes built since 1946 have been delivered in the nautical configuration.

▶ **CAA Argument**—CAA defended the decision to change all airline and instrument flight operations to nautical units July 1.

The standardization coordinator of the CAA planning staff—Bart S. Spano—outlined CAA's position, making two main points:

• **Cost is less** on a one-time change-over than the long-range cost of a dual system, one military and the other civil.

• **Safety risk is less** on a one-time adjustment than a long-term double standard.

## Three Firms Build ATA Omni Models

Avionics manufacturers are swinging into production and sales activity in record time on the low-cost terminal omnirange facility developed by Air Transport Assn. technicians.

ATA completed evaluation tests on this navigation and instrument approach aid only two months ago (AVIATION WEEK May 5, p. 68).

Maryland Electronic Co. is running a prototype model through its plant now—hopes to have it ready for airline inspection late this month. Maryland believes its model is just the version the airlines want, but plans to demonstrate it and get some firm orders before producing in quantity.

▶ **Other Types**—Wilcox Electric Co. is talking of going into full production without waiting for firm orders, may build 50.

Collins Radio Co. is building a prototype at Dallas.

Despite this manufacturer activity so soon after the birth of a new commercial product, Pan American World Airways couldn't wait. PanAm already has started building one dual unit for installation at Roberts Field, Liberia.

Robinson Airlines plans to lease the ATA development model for installation at Ithaca, N. Y.

Other airlines eager to get models soon: All-American, Southwest and American Airlines (for its Mexican route).

▶ **Costs**—Maryland will produce a more expensive model than Wilcox. Maryland estimates cost of its model at about $10,000 complete with monitor—says this model is up to CAA specifications, doesn't look like a "commercial" product at all. Wilcox is sticking to rock-bottom cost consistent with reliability—along the lines of the ATA development model (under $7,500). ATA developed the inexpensive terminal omni to meet local service airlines requirements, mostly. But reports are that the international market may be the biggest.

Locations will be unusual. Where no other aids are available for positive fix during landing approach, a compass locator also may be needed so airlines can make straight-in instrument approaches on the omnirange. But where other aids are nearby, the omni may be all that is needed to lower an airport's weather minimum as well as improve navigation in the area.

## Cabotage Privileges In Germany Continue

Gerald W. Schroder
*(McGraw-Hill World News)*

**Frankfurt**—Foreign carriers supplying airline service between cities in West Germany still have a long time before their cabotage privileges will end, despite the peace contracts which end the Allied occupation of the Federal German Republic.

The peace contracts provide that Germany will permit air carriers of any state to continue their operations, including cabotage, on a basis no less favorable than that enjoyed by them at the time the peace contracts take effect (after ratification by the national legislatures of Britain, France, the U. S. and the German Republic).

Further, it is agreed that this permission will not be withdrawn for at least one year after the effective date of the peace contracts, unless the new German state meanwhile signs an air transport agreement with the country whose airline has the cabotage rights.

▶ **Other Possibility**—There is one other possible—but not probable—way to end the cabotage rights sooner. Under the peace contracts, Germany may withdraw the privilege when its own airline is able to provide adequate internal service. This is not probable within a year.

(Airlines with most at stake in the present cabotage arrangement are Air France, British European Airways, Pan American, Sabena, Swissair and KLM.)

The peace contracts also provide:

• Germany will abide by the terms of the International Civil Aviation Organization and as soon as possible will join ICAO.

• Aircraft of foreign countries will be extended same rights and privileges in use of air navigation and other facilities as Germany extends to its own aircraft.

• Air traffic to Berlin will continue to be regulated by the U. S., Britain and France.

• Not later than Mar. 31, 1953, Germany will take full responsibility for various air traffic services, navigational aids and accident investigation in the field of civil aviation.

## Bahamas Line Reorganizes

After three years of increasing financial losses, Bahamas Airways, Nassau, one of BOAC's smallest associated companies, has reorganized and will operate an entirely domestic service under management separate from the big British carrier.

BOAC is taking over the small carrier's international service, including the 200-mi. run from Nassau to Palm Beach, Fla., suspended recently.

### Airline Mobilization Plans for Emergency Reserve

| | Original program | New plan considered* |
|---|---|---|
| Boeing Stratocruisers | 35 | 35 |
| Douglas DC-6s | 88 | 123 |
| Lockheed Constellations | 57 | 82 |
| Douglas DC-4s | 182 | 60 |
| Total planes | 362 | 300 |

* Approximate numbers estimated by Aviation Week from information supplied by Defense Air Transport Administration and Air Force officials.

*Note: Airlift capacity of both fleet plans is about the same, with DC-6 and Connie figured at about twice the ton miles per day capacity of a DC-4.*

# AF Transport Reserve Program

**First contracts to airlines for modifying planes are expected this month; full details still undecided.**

By the end of this month the airlines may have their first Air Force contracts to modify half their four-engine fleets as an airlift mobilization reserve.

But Air Force and Defense Air Transport Administration still haven't decided on how many of each type planes to modify first, despite two years' planning since start of the Pacific airlift.

Eventually, Air Force plans call for modification of all four-engine airliners to readiness for long-range airlift duty. But Air Force wants to get going on the first half of the modification program for early readiness—with the rest later as budget allocation permits.

▶ **Revised Plan**—The DC-4, originally slated as the emergency fleet's backbone, may be pushed back to second-line reserve status, except for about 60 long-range DC-4s needing little modification for airlift duty.

An Air Force official says AF has asked the civilian mobilizers at DATA to substitute longer-range DC-6s and Connies for the short- and medium-range DC-4s originally slated for modification to emergency airlift readiness. But a DATA spokesman says it's quite the opposite—AF hasn't made up its mind what it wants.

At any rate, modification of a bare minimum of about 80 Stratocruisers, DC-6s and Constellations is slated to start about July 1. Then when Air Force and DATA can get together on what to do about the DC-4s, modification of those planes will start.

When the DC-4 contribution is settled, allocation of the remaining airlift capacity demanded by Air Force will go ahead. Indications are that the latter will be in the ratio of about two-thirds DC-6s and one-third Constellations.

▶ **Estimates**—Through conversations with both DATA and Air Force personnel, Aviation Week has estimated the approximate fleet composition wanted now by Air Force (see box).

However, it's still not decided. Here are relative merits of the old plan, featuring modification of DC-4s vs. the new plan featuring fewer DC-4s and more modern passenger planes.

• **DC-4 advantages**, if modified now, include its better adaptability for cargo; and the fact that if Air Force needs more than the first- and second-line reserve it will need the DC-4s anyway. They take the longest time and the most equipment to bring up to long-range over-ocean navigation standards.

• **DC-6 and Connie advantages**, if modified first: they can be modified sooner; they require less than half as much government-furnished equipment per plane for a given airlift capacity; they are faster, bigger and more effieient; they are becoming more and more the airline standard as new deliveries continue, and, finally, Air Force wonders about the advisability of modifying obsolescent airliners (DC-4s) that will later be sold to foreign countries as U. S. lines replace them with more modern planes.

Indications are that Air Force and DATA already have decided to substitute modern transports for the short-range DC-4s of 1,800-gal. fuel capacity. Main question now is: What about the medium-range DC-4s of less than 3,200-gal. capacity?

## Airlines to Continue Family Fare Plan

Despite recent pleas of domestic airlines for higher fares, they're holding onto the half-fare "family plan" voluntarily. Only trunkline failing to renew the plan for another year is Northwest, which says it wasn't used much on Northwest routes except for the Stratocruiser service, which doesn't need that promotion anyway.

The family fare plan promotes travel on normally weak days of Monday, Tuesday and Wednesday.

Under the arrangement, a husband or wife buying one full-fare ticket can bring spouse and children (no matter how many) along at half-fare. American Airlines pioneered the plan; it worked so well in smoothing out the week's travel load that virtually all airlines have used it since.

Local circumstances sometimes change airlines' use of the plan, however. United Air Lines recently proposed raising the family rate to three-quarters fare—had to retract when competitors didn't go along. New York State local Robinson Airlines dropped the plan this summer. Trans-Canada drops it every summer, resumes in the winter. Northeast Airlines dropped the plan temporarily this month because the fuel shortage cut schedules heavily, but plans to resume it when the shortage is over.

Civil Aeronautics Board started a "general fare investigation" in April, after permitting a dollar-fare increase but denying the airlines' plea for elimination of the 5% round trip discount. Pre-hearing conference hasn't been held.

## Robinson Presents Case for Renewal

Robinson Airlines, first local line recommended by a Civil Aeronautics Board examiner for 10-yr. renewal of its certificate, presented a strong case for CAB adoption of that renewal recommendation at the recent Board hearing.

Vice president and general counsel John Carver noted that in the month of October, last year, Robinson was tied with Pioneer for the highest number of revenue passengers carried per mile—12 passengers, compared with 10 for Southwest and Piedmont and an average of only 8½ for all DC-3-operating locals.

Robinson's October traffic density, measured in passengers generated per route mile, was 16, compared with nine for Piedmont, Southwest and Pioneer and an industry average of only six passengers.

And on the key index of money volume, passenger revenue per revenue mile flown, Robinson again led with 68 cents per mile, compared with Pioneer's 62 cents, Piedmont's 61 cents and Southwest's 57 cents.

However, due to rising expenses this year Robinson has asked the Board to raise its presently-effective final mail

for accurate
TORQUE
measurement
5 lb./in. to 750 lb./in.

All wrenches meet Spec. #MIL-H 4034A
Write For Catalog

Skyway
PRECISION TOOL CO.
11074 So. Fremont Ave.
Alhambra, Calif.

CPI
HIGH TEMPERATURE SWITCH

for
- DE-ICING SYSTEMS
- HEAT EXCHANGERS
- HEATERS
- STRUCTURE OVER-HEAT INDICATION

Low Thermal mass gives fast thermal response. Withstands extreme under or overshoots of temperature. Used on America's outstanding military aircraft for thousands of hours of actual flight time. Precision made to the most critical instrument standards. Approved by AMC. Write for full details. Inquiries on special problems of thermal control are invited.

CONTROL PRODUCTS · INC
306 SUSSEX STREET • HARRISON, N. J.
DESIGNERS AND MANUFACTURERS OF THERMAL DEVICES

rate of about 40 cents a mile. Last year, Robinson received mail pay of 80 cents a mile, totaling $1,150,000 for the year.

## CAB Sets Causes In Braniff Accident

Immediate cause of the Braniff Airways DC-4 accident at Hugoton, Kan., Mar. 26 in which all aboard escaped when the plane burned in a field beyond the airport has been narrowed down by CAB investigators to either a burned-out generator or vacuum pump.

Basic cause of the engine fire that led to the crash is believed to have been in the wiring and tubing installation on Braniff's DC-4s. CAB investigators said the "plumbing" needed cleaning up. Braniff since has separated "hot" wires and fuel and hydraulic lines and anchored them with Adel clamps.

The accident occurred en route from Colorado Springs to Oklahoma City. Fire broke out in the No. 3 engine. Pilot couldn't see what part the fire was in, so ducked into the small airport at Hugoton.

The burning engine fell off just before landing. With the hydraulic system out, flaps and brakes failed. He landed long and overshot the runway end, coming to rest in an open field. Although the plane was destroyed, no one was injured.

## UAL to Modernize Terminal Operations

San Francisco—A two-year research program to mechanize and streamline United Air Lines' terminal operations was outlined here recently by UAL President W. A. Patterson.

Patterson told a meeting of Security Analysts here that airline terminal operations are a "complete disgrace," that millions of dollars annually are spent unnecessarily to operate in the present "cumbersome fashion."

As an example, he said that when a DC-6 lands ground crews "charge at it from all directions—you'd think the Queen Mary was docking. We're going to spend the next two years in finding and developing mechanical equipment that will stop this comedy."

United plans to turn one of its line stations, probably Denver, into a laboratory to attempt to iron out the terminal problem.

# Big Pay Connie

- **Lockheed compares new version with competitors.**
- **Company now has 85 firm orders from airlines.**

Lockheed Aircraft's sales engineers say that their Super Constellations are "longer by $366,000" than their nearest competitors.

What Lockheed means is the Super Connie cabin is 80 in. longer than the Douglas DC-7 cabin, so the Connie can seat eight more standard-fare passengers or 10 more coach passengers.

Here's how Lockheed computes the extra $366,000 annual revenue potential of the eight extra seats: 2,920 hr. average flying time per year times 280 mph average cruising speed equals 817,600 miles; that times 5.6 cents revenue per seat mile is $45,785.60 per year per seat; multiply by eight seats and you have $366,284.80. This assumes the seats are full, of course.

▶ **Douglas View**—A Douglas Aircraft spokesman says its true the Super Connie is bigger, but it costs more to operate and it is slower. Lockheed claims cruising speed of 340-350 mph.

**NWA'S SHORTHAUL BUS SERVICE**

When Weld-Chamberlain Airport, Minneapolis, began repairs on Northwest Airlines' loading ramp areas, the carrier was obliged to move these operations temporarily to a distant portion of the field. To save its passengers the inconvenience of walking the several hundred yards, the carrier pressed into service this open-air bus. It's estimated that it will be needed for approximately two months.

for the compound-engine Super Connie compared with Douglas' claim of 364 mph. for the DC-7 with the same power—four Wright 3350 engines rated at 3,250 hp. each.

In building the Super Connie, Lockheed stretched the standard Connie by 18.4 ft, increasing the cabin by the equivalent of 22 standard seats or 27 coach seats. The Super Connie length Lockheed compares with the DC-7 is the distance from flight station to the aft pressure bulkhead.

The extreme range, size and payload of the Super Connie with compound engine should enable it to beat Britain's jet Comet at close to half the price. BOAC's scheduled jet Comet time London-Johannesburg is 24 hr., 40 min. with five stops en route. The compound Super Connie will do it in 20 hr. with one stop and carry 93 passengers—more than twice the payload of the present Comet.

The same plane will make New York-London in 10 hr., 35 min., Lockheed says, and turboprop power would cut that to about 9 hr.

▶ **First Flights**—First flight of a compound-engine Super Connie transport, Navy's R7V-1, is slated for some time this month. And the first flight of Navy's turboprop Super Connie prototype is planned for about the end of this year, engines permitting. The Douglas DC-7 is expected to fly early next year, with first delivery to American Airlines slated for June, 1953.

Lockheed Super Constellation orders now total $260 million backlog. That includes 85 airliners, 52 Navy transports, 19 Navy radar pickets and 10 Air Force transports—total orders, 166.

Airline orders announced to date: Eastern 30, KLM 10, TWA 10, Air France 10, Pakistan 3, Qantas (Australia) 3, Trans-Canada 5, Safe Braathens (Norway) 1, Air India 2, Seaboard & Western 5, Iberia 3 and Avianca (PAA affiliate in Colombia) 3.

Firm airline orders for the Douglas DC-7 total 33 so far: 25 for American, 4 for National and 4 for Delta. United is ordering 25.

## Israel Airport Plans Improvements

*(McGraw-Hill World News)*

**Tel Aviv**—Numerous improvements being made to Lod (formerly Lydda) Airport will soon make it one of the world's top-ranking commercial terminals.

Extensive lighting and navigational facilities are being put in. These include three directional beacons—a radar beacon with 100-mi. range, a high frequency direction finder capable of reaching Rome, and a very high frequency finder ranging 150 mi. A battery of 91 lamps of 160,000 watts each are to be installed along the main runway to aid landings during inclement weather.

The main runway has been extended to 7,770 ft. and another strip to approximately 5,900 ft. Both runways were widened to about 200 ft.

A large maintenance base is being put up by the government to be managed with the assistance of a group of U. S. experts.

The terminal building improvements include extensions and new building construction to handle simultaneous arrival of four transports, with more space available for airline offices, government departments and restaurants.

▶ **Rising Load**—The field continues to handle an increasing traffic load. During its 40 months of operation as an Israeli airport, 408,000 passengers used its facilities; 176,000 were residents and tourists, 24,000 transients and 208,000 immigrants.

There were also 75,000 air crew and 40,000 passengers on the internal Arika service to Elath on the Red Sea. More than 7,000 international planes landed and took off from the field, plus 1,600 aircraft on domestic service. International cargo loaded on and off at Lod totaled more than 13 million lb.

Employment at the field has reached 1,500.

*RANGE EXTENDERS IN QUANTITY*

. . . *by* **PASTUSHIN**

Super-streamlined, light-weight, aluminum jettisonable fuel tanks to increase range and combat effectiveness of America's fighting aircraft are being produced in great numbers by Pastushin's modern precision methods.

AIRCRAFT FUEL TANKS • SEATS • LANDING FLAPS
AILERONS • TAIL SURFACES • BOMB BAY DOORS

PASTUSHIN AVIATION CORPORATION
5651 West Century Boulevard • Los Angeles 45, California
LOS ANGELES INTERNATIONAL AIRPORT, LOS ANGELES, CALIFORNIA

## Colonial Asks Bids In Sale Proposal

Colonial Airlines President B. T. Dykes has asked airlines interested in buying Colonial to submit sealed bids to be opened June 26.

The company "will determine which, if any, of the bids will be accepted and presented to the Civil Aeronautics Board and to the stockholders of the company for approval," the announcement states.

Invitations went direct to American, Capital, Eastern, National, Northwest, Northeast, Pan American, TWA and United.

"Since Delta Airlines, Inc., has indicated an interest in merging with or acquiring a carrier serving Colonial's area, it was also invited to bid," the announcement added. Delta has a merger application with Northeast pending CAB action.

## SHORTLINES

► **Air Transport Assn.** says that by the end of February this year, U. S. commercial planes had hauled 350 million ton-miles to Korea, and that they "have accounted for more than 61% of the total tonnage carried to the war theater" by air.

► **All American Airways** moved its Pittsburgh base from Allegheny County Airport to new facilities at Greater Pittsburgh Airport June 3.

► **Capital Airlines** reports business volume received from other lines the first quarter this year was 25% over a year ago; cites schedule cooperation and the automatic sales system at off-airway air-


Canadair
LIMITED

REQUIRES

ENGINEERS

DESIGN ENGINEERS
AERODYNAMICISTS
STRESS ANALYSTS
DYNAMICS ENGINEERS
SENIOR DRAFTSMEN
WEIGHT ANALYSTS

Positions are available for experienced aeronautical engineers and draftsmen for employment on long term design and development projects.

Excellent opportunities for advancement in a rapidly expanding organization.

Five day week
Paid overtime
Group Insurance benefits
Semi-annual salary reviews

*Write giving resume of education and experience to*

Canadair
LIMITED

*P. O. Box 6087* *Montreal, Que.*

WHERE TO BUY

NEW EQUIPMENT — ACCESSORIES
MATERIALS
SERVICES AND SUPPLIES

**Which casting will serve YOU best?**




Send your prints for prompt quotation.

American Non-Gran Bronze Co.
Berwyn, Pa.

NON-GRAN

DRAFTSMEN ATTENTION

Eliminate rubber stamps, tedious hand lettering and ruling with

"TRANSEALS"®

Applied easily to your drawings, as Title Blocks, Symbols, Notes, etc.
*Write for samples and prices*

JOHNSON RESEARCH CORP.
Broadway, Bethpage, N. Y.

ports as helping. Interline receivables were $2,025,436.

▶ **California Eastern Airways** has sold two DC-4s for $1,200,000—one to Carmas Supply Corp. and the other to Icelandic Airlines.

▶ **El Al Israel Airlines** says its all-coach trans-Atlantic service tripled business of the same route a year ago, when it was all luxury. . . . Has won rights for operation from Rome to N. Y., Athens and Vienna, and recently won similar freedom of operation through Paris.

▶ **International Air Transport Assn.** resolution to cut the 7½% travel agent commission to 6% on trans-Atlantic aircoach is recommended for CAB denial by Examiner F. M. Ruhlen. Agents would run at a loss, he estimates, and the $4 difference N. Y.-London fare could better be made up by a $4 fare increase.

▶ **International Italian Airlines** traffic totaled 6,820,000 ton-miles in 1951 compared with 5,245,000 the year before.

▶ **Local service airlines** do not plan on participation in buying "flight simulators" for pilot training, as they don't figure the President's (Doolittle) Airport Commission intended such recommendation for the relatively simple DC-3 cockpit.

▶ **Northwest Airlines** reports April load factor at 65%, compared with 57% a year ago; passenger miles increased 35% to 54,430,150.

▶ **Pan American-Grace Airways** 34,833,000 revenue passenger miles the first quarter increased 916,000 mi. over a year ago.

▶ **Pioneer Air Lines'** order for five Convair 340s was nullified by Civil Aeronautics Board, which refused to certify Pioneer's need for materials priorities from Defense Production Administration. Meanwhile, there's an intra-CAB conflict whether to approve increased mail pay to carry the nine Martin 2-0-2s already bought.

▶ **Trans-Australia Airlines'** five Convairs have logged over 300 million passenger miles without a fatality. One of them is the first Convair to fly over 10,000 hr. Average time on the 175 Convair 240s now in operation across the world is 6,000 hr.

▶ **United Air Lines** again has pressed CAB to allow airlines to drop the traditional 5% discount on roundtrip tickets. CAB plans an investigation on the subject.


# SEARCHLIGHT SECTION

*(Classified Advertising)*

EMPLOYMENT: BUSINESS: **"OPPORTUNITIES"** :EQUIPMENT :USED OR RESALE

**UNDISPLAYED —RATES— DISPLAYED**

$1.25 a line, minimum 3 lines. To figure advance payment count 5 average words as a line.

*Position Wanted & Individual Selling Opportunity* undisplayed advertising rate is ½ the above rates payable in advance.

*Box Numbers* count as one line.

*Discount* of 10% if full payment is made in advance for 4 consecutive insertions.

*Individual Spaces* with border rules for prominent display of advertisements.

The advertising rate is $15.65 per inch for all advertising appearing on other than a contract basis. Contract rates quoted on request.

*An advertising inch is measured* ⅞" vertically on one column, 3 columns 30 inches to a page.

*REPLIES (Box No.): Address to office nearest you*
*NEW YORK: 330 W. 42nd St. (36)*
*CHICAGO: 520 N. Michigan Ave. (11)*
*SAN FRANCISCO: 68 Post St. (4)*

## POSITIONS VACANT

AIRCRAFT ASSEMBLY Jig Designers and Checkers. Permanent. Send Resumes to Mechaneers Incorporated, Bridgeport, Connecticut.

PERMANENT POSITION involving piloting duties on various aircraft concerned with a missile research and development program. Engineering development flight test experience and bachelor degree in Aeronautical or Electrical Engineering, Physics, or Mathematics required. Must have at least a commercial pilot license with instrument rating and must have four-engine, fighter, and jet experience. P-4347, Aviation Week.

PROJECT ENGINEER with convertiplane or Ram Jet experience. Permanent. Mechaneers Incorporated, Bridgeport, Connecticut.

## POSITIONS WANTED

ATR PILOT 6½ years airline 4715 hours. Accept other duties in addition to flying. D. H. DuBois, 2894 Poplar Street, Denver 7, Colorado.

JET TEST Pilot—Single—Multi Comm. 1300 hrs. 550 hrs. Jet., Interceptors, Radar Observer, Armament experience. Age 30, married, reliable. PW-4260, Aviation Week.

MECH. ENG., 28, hardworking, outstanding drive & adaptability, 15 yrs. experience in aviation ordnance, incl. 4 yrs. flight tests, administration, selling. Languages: French, German, English. PW-4424, Aviation Week.

SUPT. OP Mod. and Overhaul, desires change. Experience on twin and four engine aircraft, Engineering, Estimating, Planning, Scheduling, and contract work. 15 years experience in aviation. White, married, two children. PW-4268, Aviation Week.

## SELLING OPPORTUNITY WANTED

YOUNG MARRIED Aeronautical & mechanically inclined salesman. Owns plane, available to manufacturer or distributor of aircraft equipment or parts. Has completed army service. Prefer eastern territory. SA-4370, Aviation Week.

## FOR SALE

**Bonanza C-35,**

corporation owned, flown by one pilot, full blind instruments, omnirange, UHF xmtr. & recvr., also 2105 and low freq. recvr. Royal blue with cream trim. Still in new condition with only 426 hrs. total time. New price $22,000. First cash offer over $17,500 takes this beauty. FS-4472, Aviation Week.

**Executive Transport Aircraft**

For complete market report of available multi-engine aircraft, including Beech, Convair, Curtiss, Douglas, Grumman and Lockheed manufacture, write or call William C. Weld Associates, 516 Fifth Avenue, New York 18, N. Y. Telephone MUrray Hill 7-2050.

**Twin Beech D-18S Hydromatics**

Serial No. A-269, 2360 hours total time, 260 hours since 1000 hour overhaul. Licensed until April 28, 1953. Ship painted January '52, custom radio panel with complete radio equipment including ARC-OMNI and ILS. Corporation owned and maintained. Contact R. L. Henderson, Olive 2206, P. O. Box 165, Houston, Texas.

*Don't forget*
THE BOX NUMBER . . .
when answering the classified advertisements in this magazine. It's our only means of identifying the advertisement you are answering.

Brunswick

**Aircraft Inspection Supervisor**

**Responsible position with excellent future for man with recent aircraft inspection experience on air frame structures, fuselage, or surface controls. This is permanent position with company in business for over 100 years. We are entering long-range program to manufacture major aircraft assemblies. The man who fills this job will eventually head-up entire aircraft inspection division.**

**Positions also available for**

**TOOL PLANNERS**
**LIASON ENGINEER**
**GENERAL FOREMAN**

Openings are at our Main Plant in Muskegon, Michigan, a friendly city on the eastern shore of Lake Michigan.

**Write To**
Technical Placement Supervisor
**THE BRUNSWICK-BALKE-COLLENDER CO.**
Muskegon, Michigan

Brunswick

**Aircraft Tool Design AND Manufacture**

We have available capacity NOW

**ENGINEERING & MANUFACTURING CORP.**
P. O. Box 479 Galveston, Texas



SPECIAL OPPORTUNITIES FOR

## SENIOR ENGINEERS

Convair in cool, clean, beautiful San Diego invites you to join an "engineers" engineering department. Interesting, challenging, essential long-range projects in commercial aircraft, military aircraft, missiles, engineering research and electronics development. Positions open in these specialized fields:

| | |
|---|---|
| Electrical Design | Servo-mechanisms |
| Mechanical Design | Aerodynamics |
| Structural Design | Thermodynamics |
| Structures | Operation Analysis |
| Weights | System Analysis |

Generous travel allowances to those accepted. For free brochure, write Mr. H. T. Brooks, Engineering Dept. 200

## CONVAIR

IN BEAUTIFUL

## SAN DIEGO

3302 PACIFIC HIWAY
SAN DIEGO 12, CALIFORNIA

## MARTIN

**Offers the Greatest Diversity of Projects** *to*

**Aerodynamics**
**Structures and**
**Electro-mechanical**
**Design Engineers**
**Draftsmen**

Martin has the greatest diversity of projects of any aircraft company in the East. Offers greater Opportunities for development, career positions for qualified engineers. Submit strictly confidential resume outlining qualifications in detail. Personal interviews arranged.

THE GLENN L. MARTIN CO.
Personnel Dept.—Baltimore 3, Md.

## SUPERSONIC AERO-DYNAMICISTS

## FLUTTER AERO-DYNAMICISTS

Positions available in analytical and experimental research for engineers with and without experience. Write for application blank and descriptive material.

ADMINISTRATIVE ENGINEER
RESEARCH DEPARTMENT

## UNITED AIRCRAFT CORP.

400 South Main St.
East Hartford 8, Conn.

## DIVISION of GENERAL MOTORS CORPORATION

**PRECISION INSTRUMENT PLANT**

Positions now available for highest caliber personnel in the field of airborne automatic, electro-mechanical control equipment.

**MECHANICAL DESIGN ENGINEERS**
**ELECTRONIC ENGINEERS**
**SERVO ENGINEERS**
**ELECTRONIC DESIGNERS**
**MECHANICAL DESIGNERS**

New and expanding division of an established firm with 20 years of successful experience in the instrument field. Work involved deals with the manufacture and development of highly complex equipment of the most advanced type.

*Write or Apply*

AC Spark Plug Division
**GENERAL MOTORS CORPORATION**
1925 E. Kenilworth Place
Milwaukee 2, Wisconsin

## The California Institute of Technology

**Jet Propulsion Laboratory**
**Pasadena, California**

*. . . has several openings in the following engineering fields:*

Preliminary Design
Engineering Analysis
- Aerodynamics
- Aerodynamic Heating
- Heat Transfer
- Thermodynamics
- Dynamics
- Structural Studies
- Statistical Studies

Structural Design
Propulsion System Development
Test Engineers—Wind Tunnel
- Experienced in supersonic wind-tunnel tests desirable.

Excellent opportunity exists to learn all phases related to missiles, rockets and wind tunnel test operations. Apply giving details pertaining to academic background and work experience to

**JET PROPULSION LABORATORY**
4800 OAK GROVE DRIVE
PASADENA 2, CALIFORNIA

# ENGINEERS

GOODYEAR AIRCRAFT

## CHALLENGE AND CAREERS FOR ENGINEERS and SCIENTISTS

## GOODYEAR AIRCRAFT CORPORATION RUNS THE GAMUT OF PROJECTS

Navy blimp and the most advanced jet fighter, commercial amphibians and helicopters, guided missiles and radar screens, electronic computers, tow targets, convertiplanes, gun mounts, fuel tanks, wheels and brakes, and stratosphere balloons are on the board or in the production shops of

## Goodyear Aircraft Corporation

Careers are being built on the solid foundation of
**Goodyear Aircraft Corporation**
a subsidiary of
**The Goodyear Tire and Rubber Company**

**ENGINEERS**

AERONAUTICAL
MECHANICAL
ELECTRICAL
AERO DYNAMICISTS
ELECTRONICS
CIVIL
INDUSTRIAL
PHYSICISTS

**NEEDED TO WORK ON**

RESEARCH — DESIGN — DEVELOPMENT

**NEEDED ALSO ARE**

TOOL PROCESSORS — TOOL DESIGNERS — TOOL PLANNERS
PLANT ENGINEERS
METALLURGISTS
HEATING & VENTILATING ENGINEERS

G.A.C. offers a planned educational advancement program applicable to experienced undergraduates as well as to graduate engineers who are experienced or inexperienced in the aeronautical field.

Salary positions with bonus for extended work week. Free insurance, liberal vacation plan and other benefits are available.

*Prompt and serious consideration will be given your inquiries addressed to:*
Mr. C. G. Jones, Salary Personnel Department

# GOODYEAR AIRCRAFT CORPORATION
AKRON 15, OHIO

# SUPERVISOR

## Of Wind Tunnel Model Design Group

Excellent opportunity for challenging design work on wide variety of intricate wind tunnel models to be used for testing at low transonic and supersonic speeds. Requires college degree in aeronautical, mechanical or civil engineering, plus several years of design and stress analysis experience. Familiarity with wind tunnel testing procedures desirable.

*Submit Resume To:*

ENGINEERING PERSONNEL SECTION
**CHANCE VOUGHT AIRCRAFT**
DIVISION OF UNITED AIRCRAFT CORP.
P. O. BOX 5907 • DALLAS, TEXAS

# PROJECT ENGINEER — HELICOPTERS

Attractive opening available for man who can qualify as Project Engineer on helicopter development. A minimum of twelve years well-rounded aircraft engineering experience, including at least two years of helicopter engineering experience is desired. Assistant Project Engineer experience desirable. Send detailed resume of background and recent snapshot to

P-4397, Aviation Week
520 N. Michigan Ave., Chicago 11, Ill.

# AIRCRAFT
and
# AIRCRAFT ENGINE MECHANICS

Executive transport operator offers permanent employment to qualified mechanics and specialists experienced in overhaul and major repair.

*Reply with details and references to*

**General Motors Corporation**
Detroit City Airport
Detroit 5, Michigan

**UNUSUAL OPPORTUNITIES**
can be found each week
in the
**SEARCHLIGHT SECTION**

# ENGINEERS

Our military airframe design program offers excellent opportunity to engineers with airframe experience. We have openings in structures, layout and detail. Small expanding company. Overtime work schedule.

**ANDERSON, GREENWOOD & CO.**
Municipal Airport Houston 17, Texas

**EXECUTIVE PERSONNEL *NEEDED***

Southern California Locations
**General Manager for Aircraft Components Manufacturing Plant**
**General Manager for Aircraft Engine Overhaul Plant**
**Manager for Airframe and Engine Overhaul Plant**

Send complete details of background, qualifications, previous positions held, and salary required.

P-4415, Aviation Week
330 West 42nd St., New York 36, N. Y.

# HELICOPTER TEST PILOTS

**FOR EXPERIMENTAL TESTING**

Must be thoroughly qualified to carry out all types of HELICOPTER flight testing. Minimum of 500 hours of HELICOPTER flight time required, preferably in experimental flying. Familiarity with CAA and armed-service test work desirable.

These positions are with an established rapidly-growing helicopter manufacturer offering attractive salaries and benefits. Our test pilots are aware of this ad. Send full details of experience and personal data to

**HELICOPTER TEST PILOT**
P-4188, Aviation Week
330 W. 42 St., New York 36, N. Y.

# CANADIAN AGENCIES WANTED

Canadian company, with excellent references and record, and widely known in the aviation field in Canada, would accept agencies for exclusive distribution of appropriate aircraft products and accessories.

**THE BABB COMPANY (Canada) Limited**
*Trans-Atlantic Building*
**Montreal Airport**
**Dorval, Quebec**

# FASTENER SALES ENGINEER

Large Midwest Screw, Nut and Bolt Manufacturer offers excellent opportunity to an Engineer with Airframe design and manufacturing experience. Knowledge of all types of fasteners used in Airframe assemblies, a prime requisite. Must be willing to travel. Please submit complete educational and employment abstract. All replies will be treated confidential.

SW-4430, Aviation Week
520 N. Michigan Ave., Chicago 11, Ill.

Complete
Reliable
**HELICOPTER SERVICE**

- Helicopters for Lease — Anywhere
- Flight and Maintenance Training

**NEW ENGLAND HELICOPTER SERVICE, INC.**
Box 248 STATE AIRPORT NILLSGROVE, R. I.
*World's oldest helicopter operator*

---

**Executive Aircraft Overhaul**
AND
**Conversion**

Interiors, Radio Installations,
Engine Changes and Engineering
We can handle your job
TODAY

**ENGINEERING & MANUFACTURING CORP.**
P.O. Box 479 Galveston, Texas

---

**1340 ENGINES & PARTS**
*Largest source in U. S.*
All commercial overhauled. All standard cylinders. Some new type chrome cylinders.
*Discount on quantities*
**AIRCRAFT SALES, LTD.**
5478 Wilshire Blvd., Los Angeles, Calif.
WEbster 1-1681 Cable CRAFTAIR

---

*FOR SALE!*

**39 UNITS BC957A RADAR INDICATOR**
**UNUSED**



Manufactured for the U. S. Army Signal Corps by Western Electric. Units contain a 5" scope tube in addition to 33 various electronics tubes. Dimensions: 17¼x35"x10¼" deep.

*IDEAL FOR RADAR LAB USE!*
★
Available for inspection

WRITE—WIRE—PHONE

**COMMERCIAL SURPLUS SALES CO.**
4101 Curtis Avenue, Baltimore 26, Maryland
Telephone Curtis 3300

---

**INSTRUMENTS**

**Authorized Factory Sales and Service**
**for**
*** Eclipse—Pioneer**
*** Kollsman**
*** U. S. Gauge**

C.A.A. Approved Repair Station #3564
Contractors to U. S. Air Force
Our stock of instruments is one of the *largest in the East.*

**IMMEDIATE DELIVERY**
*CALL • WIRE • WRITE*
**INSTRUMENT ASSOCIATES**
Telephone: Great Neck 4-1147
363 Great Neck Road, Great Neck, N. Y.
Telegraph: WUX Great Neck, N. Y.

---

**PBY5A Specialists**

***Complete Overhaul & Maintenance of All Types of Aircraft***

**We have 20 complete PBY5A Aircraft**
**Prices starting at $25,000.00 each**

**Southern California Aircraft Corp.**
Box 433 *Ph: Ontario 6-3871* Ontario, Calif.

---

FOR SALE
**PIPER MAGIC CARPET**
Tri-Pacer. New—40 hours. Lear—L-2 Autopilot. Lear ADF-12. With V.H.F. Transmitter. Lear Omnimatic. With V.H.F. Rec. and transmitter and L.F. Rec. Clock, Pressure Gauge, Turn and Bank, Sensitive Altimeter, Metal Prop, Flashing Navigation Lights, Landing Lights. Full Gyro Panel.
**H. T. BLUM**
Millersburg, Ohio Telephone 491-R

---

**NEW OXYGEN EQUIPMENT**
CAA Approved Overhaul Facilities
Write for free oxygen equipment brochure
**Zep Aero & Breathing Equipment Co.**
Los Angeles International Airport
LOS ANGELES 45, CALIF.

---

1—DOUGLAS DC-3
(Now receiving complete overhaul prior to modification. Can finish to customer's specifications.)
1—EXECUTIVE LOCKHEED LODESTAR
(Now receiving complete overhaul prior to modification. Can finish to customer's specifications.)
*for details:*
**STONNELL & HOLLADAY**
National Airport Washington, D. C.
*Phone STerling 5753*

## SPRING SHOWING—EXECUTIVE AIRCRAFT

**DOUGLAS DC-3** →

New PW R1830-75 Engines
Collins 17L, 51R, 51R, omni
Dual ADF, Glide Path, 3 light marker
Skylac Surfaces, Aistair, Aeroquip
Electric shutoffs, boosters,
Fire detectors
New blow-proof oil coolers
Dual edge lighted instrumentation
Automatic cabin heat control
Luxurious interior appointments
Paint and other modifications
to your specifications.

**D 18 S**

ARC 15 omni, 17 VHF
R898 6 channel
ADF, RA-10, marker
Isolation Amplifier,
Speakers
Deicers, anti-icers
Nose tank, taxi light
Windshield wipers
Custom panel
Platinum plugs
All bulletins complied
Controls covered 1951
Parachute chairs
2 spare NTSO engines
Corporation owned
Many other extras

*Also available—Lockheed PV-1, 4 Beech Bonanzas, Lode Star D 18 S*

**REMMERT-WERNER, Inc.** Lambert Field, St. Louis, 21, Mo. CAbany 5425

---

**B-23 DOUGLAS EXECUTIVE TRANSPORT**

This beautiful deluxe long-range, high-speed aircraft has been recently entirely overhauled. Every item of equipment necessary for the comfort and convenience of executive travel has been incorporated. Spare engines, propellers and other components generally sufficient to maintain several years of uninterrupted operation are available.

TRANSPORT AIRCRAFT WILLIAM C. WOLD ASSOCIATES Telephone Murray Hill 7-2060
516 FIFTH AVENUE, NEW YORK 36, N. Y. Cable Billwold New York

---

## AT6 AIRCRAFT

**Available for Inspection and Purchase**

*Overhauled to Your Specification*

**SPARTAN AERO REPAIR**
Central Airport Camden 11, N. J.

---

**PRATT & WHITNEY ENGINES**

## R2000-7

***Ready for Immediate Delivery***

Engine time 00:00 since overhaul by Pacific Airmotive Corp., Burbank.

Modified to latest airline specifications, complete with carburetors, magnetos and harnesses. Preserved for long time storage.

Also 83696 and 78105 cylinders, plus selected R2000 parts.

**P. D. SMITH**
AIRCRAFT ENGINE PARTS
10901 SHERMAN WAY
SUN VALLEY, CALIF.

---

## P & W LODESTAR

**Sperry A-12 Auto Pilot with Automatic Approach Control**

N60100—very plush executive interior including deluxe lavatory, 8 chairs, divan, desk, hot cups, folding table, deicer boots, anti-icing, Collins Glide Slope Receiver, beautiful paint job—white and gray. 1600 total hours on airframe, new engines.

**PAGE AIRWAYS, INC.**
Rochester Airport Rochester, N. Y.

---

**2 LOCKHEED LODESTARS**
**MODEL 18-56**

Wright G-205 (1820-87) engines 24 volt systems.

Serials #2421 and #2604
***PRICED TO SELL***

For further information contact:

**W. CLAYTON LEMON**
*or*
**MARTHA ANNE WOODRUM**
*Woodrum Field, Roanoke, Va.*
*Phone 7733 or 8040*

---

**Douglas A20G, NL63004**
**exp. Sept.13, 52**

T.T. 234 hrs. engines Wright R2600-29. Zero time since new just inspected & installed. 725 gal. Convertible to six place 285 mph transport.

Inquire—Potter Aircraft Service
Lockheed Air Terminal
Burbank, California, ST 7-5829

---

## 5000 tons Pierced Steel Planking 10′ X 16″

for runways, 85-90 p.c. serviceability
U.S. $3 per ton F.A.S. Pacific Area.

**ERLAND BLOMQVIST (ENGINEERS) LTD**
88-90 Chancery Lane, London, W. C. 2
Tel.: CHA 2401, Cable address, Ermex London

---

**WORLD'S LARGEST CURTISS PROPELLER INVENTORY**

THE FURLONG COMPANY
P. O. Box 884 Coral Gables, Florida

---

**DC3 FOR LEASE**

28 Reclining Seats—Airline Interior
26,200 Pass. Gross

$2500 PER MONTH (DRY)

P. O. Box 24 Miami Springs, Fla.
*Phone 88-3948*

**IMPORTANT!** ***Many items in this group have not been listed in previous ads!***

**One of America's largest stocks of UNUSED**

# AIRCRAFT PARTS

*We own and offer all parts listed — plus many thousands more — stocked in our Baltimore warehouse!*

**43 PIECES**
ENGINE QUICK CHANGE UNITS APPLICABLE TO GRUMMAN FM-1 AIRCRAFT. COMPLETE WITH ACCESSORIES

**TURRET PARTS**
Manufactured by or for General Electric
Control units—grips—motors
Amplidynes, etc.

**500 LBS**
Nichrome Alloy Wire .0031 enameled Manufactured by Driver—Harris Co.

**2000 OIL COOLER ASSEMBLIES W/VALVES**
From 5" to 16" diameter
Manufactured by Harrison Radiator Co. and United Aircraft Products

**750 OXYGEN and $CO_2$ CYLINDERS**
Various Sizes—Shatter Proof
High pressure—with valves

**46 WHEELS**
**12:50 x 16**
Manufactured by Goodrich

**1 CARLOAD**
Miscellaneous Engine Parts for RANGER V-770

**HUGE STOCKS OF ALL TYPES AN HARDWARE NEW — UNUSED. WRITE FOR DETAILED LISTINGS.**

## CARBURETORS! MAGNETOS! SPARK PLUGS!

| Quantity | Part. No. | Description |
|---|---|---|
| 247 | PD12K10 | Stromberg injection Carburetor |
| 19 | 1375F | Holley carburetor |
| 407 | SF9LN-2 (manufacturer's part No. 10-19453-6 Spec. AN9511) | Bendix Scintilla Magneto |
| 42 | SF5RN-12 (manufacturer's part No. 10-26170-1) | Bendix Scintilla Magneto |
| 185,000 | LS4AD1 | Spark Plug (Aero) |
| 30,000 | LS6S9A | Bendix Scintilla Spark Plug |

### SPECIAL GROUP!
*Ideal for tear-down for parts*

| Quantity | Part No. | Description |
|---|---|---|
| 328 | PD12K10 | Stromberg injection carburetor |
| 236 | PR48-A1 | Stromberg carburetor |
| 29 | PR48-A2 | Stromberg carburetor |
| 31 | PR48-A3 | Stromberg carburetor |

## PRATT AND WHITNEY AIRCRAFT ENGINE PARTS

| Quantity | Part. No. | Description |
|---|---|---|
| 166 | 1045A | Bearing |
| 500 | 3506 | Flange |
| 130 | 8288 | Follower Ass'y |
| 814 | 35814 | Blower Ass'y |
| 53 | 48362 | Shaft |
| 175 | 48363 | Shaft |
| 56 | 48392 | Sump |
| 390 | 48461 | Gear |
| 78 | 76236 | Gear |
| 1178 | 84289 | Bearing |
| 113 | 84487 | Housing |
| 77 | 84591C | Nose Housing |
| 200 | 48350-D | Crankcase Ass'y |
| 200 | 84083 | Cylinder |
| 100 | 84084 | Cylinder |
| 200 | 84085 | Cylinder |

## MISCELLANEOUS COMPONENTS

| Quantity | Part No. | Mfg. | Description |
|---|---|---|---|
| 45 | AN4103-2 | Clifford | Brass (Valve #U4785) Oil Cooler |
| 38 | 18597-2 | Airsearch | Aluminum Oil Cooler |
| 120 | MF9-713-15A | Vickers | Hydraulic Pump |
| 700 | TFD 8600 | Thompson | Fuel Booster Pump |
| 195 | D7818 | Adel | Anti-icer Pump |
| 250 | AN4014 | Erie Meter | Wobble (D-3) Pump |
| 300 | 1H960-K & KA | Pesco | Hydraulic Pump |
| 1000 | AN5780-2 | G. E. | Wheel & Flap Position Indicator |
| 400 | AN5780-2 | Weston | Wheel & Flap Position Indicator |
| 16 | 76B19 | Lewis Eng. | Cyl. Head Temp. Gauge |
| 31 | 47B21 | Lewis Eng. | Temperature Ind. |
| 12 | 47B22 | Lewis Eng. | Temperature Ind. |
| 20 | 47B23 | Lewis Eng. | Temperature Ind. |
| 36 | 47B24 | Lewis Eng. | Temperature Ind. |
| 10 | 76Z2 | Lewis Eng. | Air Temp. Ind. |
| 11 | 76B4 | Lewis Eng. | Temperature Ind. |
| 20 | 77C4 | Lewis Eng. | Temperature Ind. |
| 21 | 77C5 | Lewis Eng. | Temperature Ind. |
| 85 | 797TY79Z9 | Weston | Left Wing Anti-icing |
| 88 | 797TY73Z9 | Weston | Right Wing Anti-icing |
| 83 | 797TY74Z9 | Weston | Tail Anti-icing |
| 11 | 2227-11D-3A | Eclipse | Dual Tachometer |
| 44 | 5BA25DJ4B | G. E. | DC Motor (½ HP) |
| 83 | A4934 | Delco | Motor |
| 50 | RD89220 | Holtzer Cabot | DC Motor |
| 115 | P4CA2A | Parker | Primer |
| 70 | AN3213-1 | Scintilla | Ignition Switch |
| 450 | A-9 (94-32226) | Nasco | Ignition Switch |
| 687 | RS-9 | Mallory | Selector Box |
| 90 | JH950-R | Jack & Heintz | Starter Motor |
| 492 | S-841 (94-32253) | Electronic Labs | Box |
| 53 | AN6203-3 | Bendix | Accumulator 10"-1500 P.S.I. |
| 1000 | 13018-A | Bendix | Interphone Box |
| 140 | K14949E | Marquette | Windshield Wiper Kit |
| 188 | EYLC-2334 | Berber-Colman | Control |
| 11 | 12086-1C | Eclipse | Amplifier |
| 174 | 450-0 | Skinner | Gasoline Filter |
| 250 | 558-1A | Eclipse | Oil Separator |
| 100 | 716-3A | Eclipse | Generator (NEA-3A) |
| 37 | 117-47 | Edison | Detector |
| 89 | 318 | Edwards | Horn |
| 20 | 794-F | Stewart-Warner | Heater |
| 230 | 921-B | Stewart-Warner | Hea. er (200000 BTU) |
| 85 | 12924-2 | Adel | Lock Valve |
| 80 | DW28 | Eclipse | Transformer |
| 97 | 6041H-146A | Cutler Hammer | Relay (B-12) |
| 22 | 0655-D | Aro | Oxygen Regulator |
| 148 | PG908AS1 | Minn. Honeywell | Air Ramp Switch |
| 33 | DW47 | Eclipse | Transformer |
| 11 | DW33 | Eclipse | Transformer |
| 65 | ASDC2 | $CO_2$ Mfg. Co. | Fire Detector |
| 600 | ND21 | American Gas Accumulator Co. | Time Delay Relay |

★ ***Send us your material lists for screening!***

***WRITE—WIRE—PHONE***

## COMMERCIAL SURPLUS SALES CO.

**4101 CURTIS AVENUE, BALTIMORE 26, MARYLAND**

**TELEPHONE: CURTIS 3300**

# SO THEY TELL US

## Capitol Hill

**Airmen's training legislation, authorizing $18 million for CAA to train mechanics** and pilots, has no chance. Budget Bureau is against it. This means that even in the unlikely event authorizing legislation goes through Congress, Budget Bureau will block funds to carry it out.

**Post Office officials tell Congress that airmail in the coming 1953 fiscal year will** run up a $29.3-million deficit. But if legislation separating mail pay from subsidy is enacted, so the department doesn't have to bear that subsidy, the service will almost break even. In the current year, deficit will be $34.5 million, P.O. officials say. Of this, $29.7 million is out-and-out airline subsidy, over and above service rates for mail carrying.

## Military

**USAF is determined to continue its contract with Avo, Inc., for operating Arnold** Engineering Development Center. The House of Representatives banned use of USAF funds for Avo payments after July 1. Urging senators to lift the ban, Air Force's Brig. Gen. Marshall Roth said they could prevent serious delay of "an absolutely essential research center."

**Reports of "flying saucers" continue to trickle into the USAF. The recent Life** article increased them. We asked USAF information officers about radar units that have been reported tracking saucers and are told officially that inexplicable electrical disturbances sometimes cause "blips" on radar scopes that may be "tracked" for a time before they suddenly disappear.

**A $64 question is whether Air Force & Navy will cut down the number of aircraft** types. A civilian defense agency official says he thinks they will, based on current economy pressures from Capitol Hill.

**Need for autopilots to improve helicopter stability is being recognized by both the** military and by copter makers. Minneapolis-Honeywell has received a USAF contract to produce autopilots for the Piasecki YH-21, and Bell and Sikorsky are reported developing their own autopilots.

**Heavy slashes in Air Force public relations budgets are causing many reshufflings** in Pentagon jobs.

**The vacancy in USAF secretariat left by resignation of Eugene Zuckert may be** filled with an appointee who will supervise public and industry relations along with the other duties of an assistant secretary. This would fulfill a long-planned objective of Secretary Finletter—to set up a top civilian supervisor of public relations, as it was in the days of Steve Leo.

**That Avro delta-wing bomber has not made its first flight, says an industry** observer just back from England. This contradicts what a well-known French aviation figure told us in France the other day as a fact, and reported here May 26. Our latest information is that the Olympus engine is so far from flight stage that the first ship, at least, will be powered with the Avon. If the ship flies by fall, Avro will be fortunate, it's said.

## Transport

**A U. S. aircraft industry official says the Comet III is the version that will give** American manufacturers real competition. It is set for first flight in 1953, with deliveries late in 1953 and early in 1954.

**Pan American officials in Rio tell our Brazilian correspondent that the recent** Stratocruiser accident may have been caused by some failure in No. 1 engine or propeller. They and the outer wing were never found. That the loss of engine was not immediate seems to be shown by the fact that investigators found evidence that "emergency descent" procedure had been set up before the crash.

**Safety specialists say there is a definite trend toward moving gasoline tanks out-**board of the motors in wings of upcoming transport types, and also into detachable wingtip tanks and pods. But it appears unlikely that these latter tanks can be made large enough to replace wing tanks completely.

## Industry

**We're told that despite strong industry rumors to the contrary, the rocket develop-**ment work of Curtiss Propeller division is to continue at its present level, at least until June, 1953, under the terms of a recently signed Air Force contract. Under active consideration are other contracts which would extend the rocket work of the division over another five years. One of the Curtiss projects has been the throttling rocket motor for the Bell X-2.

# STRICTLY PERSONAL

### Robson the Gardener

Columnist Ace Robson answers our query on why he has written us so few columns lately.

"Due in part to house remodeling—dabblin' in plumbing, heating, wiring, carpentry and painting, for two months—while the typewriter gathered dust," says he.

* * *

### EXTRA!

### Casey Jones Tells How It Feels To Get a Letter From Truman!

*Strictly Personal wrote C. S. "Casey" Jones to ask him to tell us his story of his recent letter to President Truman and its acknowledgment. Here's his account.)*

After listening to the President's broadcast (on the steel industry seizure) I tried to wire him, having jotted down a few questions I wanted to ask because I was not too happy about some of the things he said.

When I was advised that the telegraph operators were on strike I simply wrote him a letter on our farm stationery in longhand asking him the questions, and while I expected I might get some sort of an acknowledgment I, of course, never dreamed I would get a reply from the President.

As a consequence, when the White House 'phoned me a week ago Sunday, I was probably the most surprised person in Pennsylvania. Even after the letter was read to me over the 'phone I didn't realize what interest it would create.

Only about two hours later the Philadelphia Inquirer called up and advised that a flash had just come over the wire and they asked for confirmation as to whether I had written the letter. I think this was around 4:00 pm. and from then until midnight it was a series of 'phone calls, interviews, tape recording, etc., and I suspect I was probably the most unpopular guy on our party line where my 'phone rings four times anytime anyone calls me. I understand numerous complaints were received at the telephone office.

I realize that it was happenstance that the President answered my letter rather than many others of similar nature which he must have received. When the White House called me they made no attempt to check except that I had written the letter, but I expect they thought they were calling farmer Jones in Pennsylvania.

I have replied to the letter but have not made any announcement of it. I simply acknowledged it and made no attempt to continue with any discussion. I was not completely satisfied, however, with all of the answers and I did mention the fact that I was concerned about the interesting tendency to concentrate more power in the Executive Branch of the Federal Government. Naturally I have received many letters from all different kinds of people but the ones that have pleased me most were from old friends I had not heard from in years.

C. S. (Casey) Jones

# ADVERTISERS IN THIS ISSUE

AVIATION WEEK—JUNE 9, 1952


ADEL DIV., GENERAL METALS CORP. ..... 60
Agency—The McCarty Company

AEROQUIP CORPORATION ..... 27
Agency—Hoperaft-Keller, Inc.

AMERICAN NON-GRAN BRONZE CO. ..... 72
Agency—Norman P. Hewitt Co.

ANTI-CORROSIVE METAL PRODUCTS CO., INC. 62
Agency—Woodard & Voss, Inc.

B. G. CORPORATION, THE ..... Front Cover
Agency—Buchanan & Co., Inc.

CANADAIR, LIMITED ..... 72
Agency—Walsh Adv. Company, Ltd.

CHAMPION SPARK PLUG CO. ..... 47
Agency—MacManus, John & Adams, Inc.

CLECO DIV. OF THE REED ROLLER BIT CO. 52
Agency—Brenham Adv. Agency

CONSOLIDATED INDUSTRIES ..... 75
Agency—Wilson, Haight & Welch, Inc.

CONTROL PRODUCTS, INC. ..... 70
Agency—George Homer Martin Associates

CORNELIUS COMPANY ..... 32
Agency—Dwyer & Deroy Adv.

DOW CORNING CORP. ..... 6
Agency—Don Wagnitz Adv.

DUNBAR KAPPLE, INC. ..... 81
Agency—Ideas Unlimited

DYKEM COMPANY, THE ..... 46
Agency—Walter Thompson Co.

EASTMAN KODAK COMPANY ..... 73
Agency—J. Walter Thompson Co.

ELASTIC STOP NUT CORP. OF AMERICA ..... Fourth Cover
Agency—G. M. Basford Co.

FENWAL, INCORPORATED ..... 48
Agency—James Thomas Chirurg Co.

FLEXONICS CORPORATION ..... 10
Agency—Russell T. Gray, Inc.

FLITE-TRONICS, INC. ..... 62
Agency—Javcraft Company

GENERAL ELECTRIC COMPANY ..... 29
Agency—Benton & Bowles, Inc.

GILFILLAN BROS. ..... 34
Agency—Erwin, Wasey & Co., Ltd.

HAWKER SIDDELEY GROUP LTD. ..... 50
Agency—Dolan Davis Whitcombe & Stewart Ltd.

HOLLEY CARBURETOR CO. ..... Second Cover
Agency—Holden-Clifford-Flint, Inc.

INTERNATIONAL RESISTANCE COMPANY ..... 40
Agency—John Falkner Arndt & Co., Inc.

JOHNSON RESEARCH CORP. ..... 72

KIDDE & CO., INC., WALTER ..... 3
Agency—Cunningham & Walsh, Inc.

KNAPP CO., INC., JAMES H. ..... 27
Agency—John G. Davis Adv. Agency, Inc.

KOLLSMAN INSTRUMENT CORP. ..... 66
Agency—Erwin, Wasey & Co., Inc.

LORD MANUFACTURING COMPANY ..... 26
Agency—Davies & McKinney

MARTIN CO., THE GLENN L. ..... 44
Agency—Vansant, Dugdale & Co., Inc.

MINNEAPOLIS-HONEYWELL REGULATOR CO. 66
Agency—Foote, Cone & Belding

MONOGRAM MFG. COMPANY ..... 8
Agency—Tazzart & Young Adv.

MOREY MACHINERY COMPANY ..... 61
Agency—Walter J. Zimmerman Assoc.

NORTH AMERICAN AVIATION, INC. ..... 58, 59
Agency—Batten, Barton, Durstine & Osborn, Inc.

NORTHROP AIRCRAFT, INC. ..... 63
Agency—West-Marquis, Inc.

PACIFIC DIV. OF BENDIX AVIATION CORP. 29
Agency—The Shaw Company

PASTUSHIN AVIATION CORP. ..... 71
Agency—Lynn-Western, Inc.

PHILLIPS PETROLEUM CO. ..... 5
Agency—Lambert & Feasley, Inc.

READING BATTERIES ..... 81
Agency—The Wm. B. Kamp Co.

REMINGTON RAND, INCORPORATED ..... 37
Agency—Leeford Adv. Agency, Inc.

REPUBLIC STEEL CORPORATION ..... 55
Agency—Meldrum & Fewsmith, Inc.

RESISTOFLEX CORPORATION ..... 59
Agency—Rickard & Co., Inc.

REYNOLDS METALS COMPANY ..... 53
Agency—Price, Robinson & Frank, Inc.

RUSSELL REINFORCED PLASTICS CORP. ..... 45
Agency—Rex Ceder Adv.

SCINTILLA MAGNETO DIV. OF BENDIX AVIATION CORP. ..... 64
Agency—MacManus, John & Adams, Inc.

SEARCHLIGHT SECTION ..... 73, 74, 75, 76, 77, 78, 79

SKYWAY PRECISION TOOL CO. ..... 70
Agency—Byron H. Brown & Staff

SPERRY GYROSCOPE COMPANY ..... Third Cover
Agency—Charles Dallas Reach Co., Inc.

SPRAGUE ELECTRIC COMPANY ..... 46
Agency—The Harry P. Bridge Co.

SWEDLOW PLASTICS CO. ..... 19
Agency—Francis D. Gonda Adv.

THOMPSON CO., H. I. ..... 24
Agency—Hixson & Jorgensen Adv., Inc.

THOMPSON PRODUCTS, INC. ..... 31
Agency—Meldrum & Fewsmith, Inc.

TRANSCO PRODUCTS, INC. ..... 51
Agency—The McCarty Company

TRANSPORT EQUIPMENT COMPANY ..... 4
Agency—Javcraft Co.

TUBING SEAL CAP, INC. ..... 42
Agency—L. J. C. Spruance, Adv.

TWIN COACH COMPANY ..... 39
Agency—Palm & Patterson, Inc.

UNIMAX SWITCH ..... 28
Agency—Engineered Advertising

UNION STEEL COMPANY ..... 57
Agency—The McCarty Co.

UNITED AIRCRAFT CORP. ..... 36
Agency—Geyer, Newell & Ganger, Inc.

VAN DUSEN AIRCRAFT SUPPLIES ..... 28
Agency—Davis-Parsons, Inc.

VOI-SHAN MANUFACTURING CO., INC. ..... 43
Agency—Edward S. Kelling Co.

WELLMAN BRONZE & ALUM. CO. ..... 65
Agency—R. C. Wellman & Assoc., Inc.

WESTERN GEAR WORKS ..... 56
Agency—West-Marquis, Inc.

WESTINGHOUSE ELECTRIC CORP. ..... 33
Agency—Fuller & Smith & Ross, Inc.

WHITTAKER CO., LTD., WM. R. ..... 25
Agency—Mosser-Privett, Inc.


SEARCHLIGHT SECTION
(Classified Advertising)
H. E. Hilts, Mgr.


EMPLOYMENT
Positions Vacant ..... 73-76
Selling Opportunities Offered ..... 76
Positions Wanted ..... 77
Selling Opportunities Wanted ..... 78

SPECIAL SERVICES
Contract Work ..... 77
Overhaul ..... 77

PLANES—EQUIPMENT
(Used or Surplus New)
For Sale ..... 77-79



**designers-producers of AIRCRAFT COMPONENTS**

AN Fittings

Special Fittings

Flexible Metal Hose Assemblies

Silicone Rubber Hose Assemblies

We will be pleased to quote on all AN fittings and special aircraft components. Write or phone for further information.

AIRCRAFT COMPONENTS DIVISION OF DUNBAR KAPPLE, INC.

MAIN OFFICE AND PLANT
405 N. River St., Batavia, Illinois
Batavia 3400

SALES OFFICES

10 S. Union St.
Bay Shore, N. Y.
Bay Shore 6161

6432 Cass Avenue
Detroit, Michigan
Trinity 43560

127 Crosby Avenue
Kenmore, New York
Riverside 5186

1619 Seevers Avenue
Dallas, Texas
Woodlawn 1676

426 Transportation Bldg.
Cincinnati 15, Ohio
Garfield 0612

217 Ninth Ave., North
Seattle 9, Washington
SEneca 4948

1644 N. Orange Grove Ave.
Los Angeles, California
Hampstead 3007



**new Catalog tells why**

**A REBAT IS FIRST CHOICE**

. . . with the men who own, fly, build and service personal aircraft. There's a "Famous Flying Rebat" of the right size and capacity to fit *your* requirements.

***Send for free Rebat catalog today.***

**READING BATTERIES, INC.**
READING, PENNSYLVANIA

# EDITORIAL

## The Air Force Finds Its Voice

Fortunately for the country, the Air Force shows signs of awakening, although belatedly, to the realization that its own timidity and secrecy have helped politicians slash our air power far beyond limits of safety.

The danger signals were flying first about a year ago with the first cut in funds.

Then the so-called stretchout was concocted and the Air Force again knuckled down to the Truman politicians. At first, the stretchout was presented merely as delayed deliveries; later it was conceded that important fighting aircraft had been eliminated from schedules completely. Some aircraft schedules had been unrealistic, it is true, but the stretchout did go beyond mere realistic readjustments.

The Air Force high command—both civilian and uniformed—bowed to the Administration, however. The courageous fighting tactics of a suave, informed Symington on Capitol Hill to sell the need for air power—with persuasive facts—were sadly missed.

The congressional economy wave followed the Administration's lead.

Now, quoting AVIATION WEEK's legislative reporter, Miss Katherine Johnsen, "Secretary for Air Finletter is taking the offensive in spelling out to congressmen just what cuts in funds mean in planes and striking air power." Why wasn't it done a year ago?

Now, Miss Johnsen says, Mr. Finletter is "baring the record of the Administration's hold-down of Air Force expansion, heretofore kept 'within the family,' as well as protesting reductions in the USAF program by the House."

A documented chronicle of how U. S. air power has been held back by White House and congressional slashes of funds, to the point where today's air power in-being stands at 80 combat wings—about two-thirds of what is needed today—was finally laid before the Senate Armed Services Committee last week by Mr. Finletter.

It would be "highly desirable and not a case of over-insuring," he told the Senate committee at a hearing of its Preparedness Subcommittee, if the 126-combat wing Air Force, ultimate goal of present planning, were in being today.

First adverse blow at the USAF schedule to get a 143-wing Air Force, including 126 combat wings, by the end of fiscal 1954, came a year ago, with the failure to pass of a $5-billion national emergency fund congressional appropriation needed to start the buildup from the 95-wing strength previously authorized, Finletter recalled. Instead, a $1-billion appropriation was passed, of which USAF was allotted $667 million. This provided little more than a tenth of the funds sought, making possible a start on some of the long-lead items for the 143-wing force, but throwing the overall plan behind schedule.

In planning the 1953 budget request, the Secretary said, buildup to 143 wings (126 combat wings) authorized by Joint Chiefs of Staff, civilian secretaries of the Defense Department and President Truman, was "sought." Despite the previous failure of four-fifths of the national emergency fund, Air Force planners decided that with partial financing in the first part of calendar 1952 and enough funds in 1953 and subsequent years, the desired readiness date at the end of fiscal 1954 could be almost reached.

A three-point program was planned by Gen. Hoyt S. Vandenberg and Finletter to hold down expenditures.

First proposal of the air staff was for a $26.7-billion 1953 Air Force budget covering everything but public works (air bases).

By drastic reviews this was cut to $22.4 billion before submission to the Defense Department.

Further reviews by Secretary Lovett's office and the Bureau of the Budget personnel resulted in a reduction to $21.4 billion.

This figure was tentatively allotted as the USAF's part in an overall $55-billion 1953 budget recommended to the Bureau of the Budget and the White House by the Department of Defense.

Then the Bureau of the Budget did the expected cutting and recommended only a $44-billion budget, with $16.6 billion for Air Force.

Following a meeting at the White House Dec. 28, 1951, the President determined that combined expenditures for the Defense Department and military foreign aid should be held to less than $60 billion. To do this, Defense Department decided to stretch out the period in which the full strength would be obtained. This resulted in a $20.7-billion Air Force budget, meaning a stretchout of about a year in the date of readiness of the Air Force, to the end of fiscal 1955.

When the House got through with the proposed military budget, there were two kinds of cuts:

- **A budgetary cut of $1.67 billion,** which will reduce the number of modernized wings and delay the date of readiness of the 126-combat-wing force to about the end of fiscal year 1957.
- **A ceiling on the overall defense budget** of $46 billion which, when divided among the services, resulted in a limitation of $17.4 billion on the Air Force.

So, Mr. Finletter summarized, "It is of the utmost importance that we get the money to build as close as possible to the date of July, 1954—which I would estimate to be July 1, 1955, if Section 638 of H. R. 7391 and the House cuts are eliminated and if the Air Force gets its $20.7 billion of appropriations for fiscal year 1953, plus the necessary sums for public works in order that we may have the bases from which the planes are going to fly."

This lack of fight, and the ridiculous secrecy indulged in by the Air Force, resulted in supine surrender to politics. Because neither the people nor their elected representatives were told what these slashes would mean to our air strength.

If Congress and the people cannot depend on our top military authorities—with access to the most authentic information available—to tell us when danger threatens, how can Congress and the people be expected to decide how much money is needed for the national welfare?

—Robert H. Wood

# Flying Tomorrow's Jets

Sperry research engineers are seeking solutions for tomorrow's flight control problems while they develop new ways to better the performance of control equipment currently flying.

This analog computer is duplicating flight conditions of a new high-performance jet bomber being "flown" automatically by the Gyropilot® flight control. Here, for instance, a Sperry engineer checks the performance of the airplane and automatic pilot during the bombing run.

In test after test – in laboratory and its great Flight Research Center, MacArthur Field, Long Island–Sperry flight controls are continuing to prove their capacity to maintain stable all-weather flight in jet, propeller-driven, rotary-wing, lighter-than-air and pilotless aircraft.

For 40 years Sperry has been working continually on flight control problems. With this wealth of experience to build on, tomorrow's problems are being met by today's research and engineering.

SPERRY GYROSCOPE COMPANY
DIVISION OF THE SPERRY CORPORATION

GREAT NECK, NEW YORK • CLEVELAND • NEW ORLEANS • BROOKLYN • LOS ANGELES • SAN FRANCISCO • SEATTLE
IN CANADA – SPERRY GYROSCOPE COMPANY OF CANADA, LIMITED, MONTREAL, QUEBEC




ESNA

ESNA

ESNA

# save at-destination inspection costs

## . . . Specify BONDED STOCK *AN self-locking* FASTENERS

ESNA

ESNA

ESNA

ESNA

Now, for the first time, source-inspected bonded stock self-locking nuts are available to manufacturers. Exacting quality control procedures maintained by the Elastic Stop Nut Corporation of America made this approval status possible.

ESNA parts are easily identified by this tamper-proof tape on boxed fasteners—or the special metal seal on bagged items. Look for the AN stamp of inspection approval on all ESNA parts made to AN requirements. It is your assurance that affidavits from ESNA are no longer required . . . that there is no need to spend vital man-hours in "at-destination" inspection.

For information on the variety of ESNA self-locking fasteners available under Bonded Stock Inventory—and their important time-and-labor-saving applications—just mail us this coupon.

**ELASTIC STOP NUT CORPORATION OF AMERICA**

ROLLPIN
TRADEMARK

Elastic Stop Nut Corporation of America is also maker of the Rollpin

**Dept. N13-625, Elastic Stop Nut Corporation of America**
**2330 Vauxhall Road, Union, New Jersey**

**Please send me the following free fastener information:**

- ☐ Details on Bonded Stock
- ☐ Elastic Stop Nut Bulletin
- ☐ AN-ESNA Conversion Chart
- ☐ Rollpin Bulletin

Name_____ Title_____

Firm_____

Street_____

City_____ Zone____ State_____